INDEX TO PROCEEDINGS SUPPLEMENTS TO VOLUMES 87, 88 and 89

AUTHOR INDEX

AALDERS, R., BOSEMAN, R., DE JONG, W., HISSINK, M., TEEUWEN, H. & VAN ROSSUM, J. Nicotine intake by smokers of non-ventilated filter cigarettes. A systems dynamics pharmacokinetics approach, 89, 486P

AALDERS, R.J.W., HAVERKAMO, R.W., MAES, R.A.A., TEEUWEN, H.W.A. & VAN ROSSUM, J.M. Nicotine and cotinine detection in biological fluids and nicotine detection in filters of smoked cigarettes, 89, 703P

ABRAHAMSEN, J. & NEDERGAARD, O.A. [^{3}H]-Adrenaline release from rabbit isolated aorta evoked by field stimulation, 87, 195P

- - - Presynaptic effect of adrenaline stimulation-evoked [^{3}H]-noradrenaline release from rabbit isolated aorta, 88, 281P

ABRAHAMSSON, T., NERME, V., SEVERNE, Y. & VAUQUELIN, G. Spontaneous coupling of the β-adrenergic receptor to N_s in mammalian cardiac membranes, 87, 141P

ABRAMS, S.M.L., BAKER, L.R.I., DEVENPORT, C.E., JOHNSTON, A., MCDERMOTT, A.M., SMYTHE, M.M. & TURNER, P. Flupirtine pharmacokinetics in renal impairment, 89, 716P

ABRAMS, S.M.L., JACKSON, S.H.D., JOHNSTON, A. & TURNER, P. Does paracetamol modify frusemide diuresis? 89, 718P

ABUSREWILL, M., AHMAD, B. & NICHOLLS, P. J. Tolerance to the CNS effects of aminoglutethimide in mice, 89, 832P

ADAM, A., DAMAS, J. & VRANCKX, R. Trypsin-like activity in salivary glands of the rat, 89, 589P

ADAMS, M. & BOARDER, M.R. Regulation of the cell content and release of opioid peptides and catecholamines in bovine adrenal chromaffin cells, 88, 464P

ADAMS, M., BOARDER, M.R. & MARRIOTT, D.B. Nicotine-stimulated catechol amine release from bovine adrenal chromaffin cells is not stereo-specifically blocked by nicardipine, 88, 248P

- - - Modification by forskolin of stimulus secretion coupling in cultured bovine chromaffin cells, 89, 666P

ADAMS, T., BARNES, N.C., COSTELLO, J. F., PIPER, P.J. & ZAKRZEWSKI, J.T. Metabolism of leukotriene B_4, C_4 and D_4 in human whole blood and plasma, 87, 46P

ADBEL-AZIZ, A. & TILMISANY, A.K. The effect of the antihistamines diphenhydramine and cyproheptadine on rat anococcygeus muscle, 87, 125P

ADDAE, J.I. & STONE, T.W. Quisqualate inhibits the effect of N-methyl-D,L-aspartate on the somatosensory evoked potential, 87, 153P

ADEAGBO, A.S.O. Effect of quinidine and some local anaesthetics on contractile responses of rat anococcygeus muscle, 89, 560P

ADHAM, N. & TEMPLETON, D. Parasympathetic denervation of the rat parotid gland: an investigation of muscarinic receptors using [^{3}H]-N-methylscopolamine, 89, 652P

ADHYA, S.A., AL-DUAIJ, A.Y., DE BRITO, F.B., WILLIAMS, J.R. & WILLOUGHBY, D.A. Cartilage breakdown *in vivo* - a new model, 87, 48P

AGON, P.Y., BLANCQUAERT, J.P., DEMAN, J., KAUFMAN, J.M., VAN HAVER, D. & VERMEULEN, F. Uptake of [^{11}C]-quinidine in dog brain studied by positron emission tomography (PET), 89, 632P

AHMAD, B. *see* ABUSREWILL, M., 89, 832P

AIHARA, H., ARAKI, H. & NOJIRI, M. Effect of minaprine on ischemia-induced amnesia and abnormality in electroencephalogram in mongolian gerbils, 87, 139P

AIRD, S.A. & NOTARIANNI, L.J. The metabolism of [^{14}C] d-pencillamine in normal and adjuvant arthritic

rats, 88, 403P
AKINOSI, I.A. & WHALLEY, E.T. Expression of des-Arg^9-BK sensitive (B1) receptors in vivo by captopril, bradykinin and endotoxin, 89, 731P
AKINOSI, I.A., WHALLEY, E.T. & WHALLEY, H. Expression of kinin B1 receptors in the rabbit aorta - role of the endothelium, 88, 404P
AKSOY, A., CRAGOE, E.J., RITTER, J.M. & TAYLOR, G.W. Action of inhibitors of Na^+/H^+ exchange on calcium stimulated prostacyclin synthesis by rat aortic rings, 89, 837P
AL-DUAIJ, A.Y. see ADHYA, S.A., 87, 48P
- - - see DE BRITO, F.B., 89, 567P
- - - see DE BRITO, F.B., 89, 662P
ALEXANDER, B.S. & WOOD, M.D. Stereoselective interaction of mianserin with 5-HT binding sites in the rat brain, 87, 129P
ALEXANDER, B.S., BROADHURST, A.M. & WOOD, M.D. Interaction of rauwolscine with 5-HT binding sites in the rat brain, 88, 348P
ALEXANDER, B.S., BLURTON, P.A. & WOOD, M.D. Regional and pharmacological characteristics of multiple [^{3}H]-5-HT binding sites in rat brain membranes, 87, 22P
ALGATE, D.R., BRAMMER, N.T. & LAWRENCE, D. Maptazinol-induced diuresis in the water-loaded rat, 88, 321P
- - - Meptazinol-induced diuresis in the water-loaded rat is antagonised by atropine, 89, 738P
ALI-KODJA, F., BOUGARD, M., PERRAULT, G. & ZIVKOVIC, B. Effect of serotonin uptake inhibitors on the immobility of mice in the tail suspension test, 87, 130P
AL-KAZWINI, S.J., CRAIG, R.K., HOLMAN, J.J. & MARSHALL, I. Different potencies of calcitonin gene-related peptides (CGRP) on the mesenteric vasculature constricted by noradrenaline or potassium, 88, 439P
ALLAKER, R.P., GREENMAN, J. & OSBORNE, R.H. Propionate potentiates tryptamine induced contraction of the rat fundic strip, 87, 196P
ALLAN, G., BULL, D., JONES, H.T., HARDY, G.W. & MILLS, G. The design of novel angiotensin converting enzyme inhibitors with β-adrenoceptor blocking activity, 89, 607P
ALLAN, G., CAMBRIDGE, D. & HARDY, G.W. BW A575C, a novel antihypertensive agent with angiotensin converting enzyme inhibition and β-blocking properties, 89, 487P
ALLAN, G., CAMBRIDGE, D. & WHITING, M. V. The cardiac and renovascular effects of BW A575C, a novel angiotensin converting enzyme inhibitor and β-blocker, 89, 488P
ALLAN, G., DIXON, E.J.A., DONOGHUE, S. FOLLENFANT, M.J. & OLIVER, P.L. Interactions between the new class 1 antiarrhythmic agent, BW A256C, and lidocaine in vivo and in vitro, 89, 756P
ALLEN, A., FOSTER, S.N.E. & PEARSON, J.P. Interaction of a polyacrylate, carbomer, with gastric mucus and pepsin, 87, 126P
ALLEN, S.L., BOYLE, J.P., CORTIJO, J., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. The relaxant action of BRL 34915 in guinea-pig isolated trachealis, 89, 752P
ALLEN, S.L., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Aspects of the relaxant action of nicorandil in guinea pig isolated trachealis, 87, 228P
ALLEN, T.M. & BARNES, J.A. Characterization of Sendai virus phospholipids and fatty acids - their role in membrane fusion, 87, 51P
ALMGREN, O., DUKER, G., REID, J. Methodological aspects of the recording of monophasic action potentials from the perfused guinea pig heart, 88, 277P
ALOSACHIE, I. & GODFRAIND, T. Influence of endothelium and cyclic-GMP on α-adrenoceptors, 89, 752P
ALPS, B.J., BROWN, C.M., CALDER, C. & KILPATRICK, A.T. Ischaemia-induced falls in brain dopamine and its protection by nicardipine a calcium antagonist, 88, 249P
ALPS, B.J., BROWN, C.M., DYE, A.C. & KILPATRICK, A.T. Alteration of calmodulin binding: a consequence of cerebral ischaemia, 87, 95P
ALPS, B.J., CALDER, C., WILSON, A.D. The effect of nicardipine on "delayed neuronal death" in the ischaemic gerbil hippocampus, 88, 250P
ANDREASEN, F. & CHRISTENSEN, J.H. Differences in contractile response to adrenaline and noradrenaline in pure electrolyte solutions and in the presence of albumin, 87, 76P

ANDREWS, H.E., BRUCKDORFER, K.R. & JACOBS, M. The effect of low-density lipoproteins on endothelium-dependent relaxation in rabbit aorta, 89, 489P

ANDREWS, P.L.R., DAVIS, C.J., GRAHAME-SMITH, D.G. & MASKELL, L.B. Apomorphine-induced vomiting in the ferret; anomalies of response to dose and route of administration, 89, 860P

ANGELO-KHATTAR, M., THULESIUS, O. & UGAILY-THULESIUS, L. Prostaglandins affect gap junction recruitment in ovine ureteral smooth muscle, 88, 241P

ANWYL, R. & ROWAN, M.J. Serotonergic mechanism for the inhibitory effect of non-benzodiazepine anxiolytics in the rat hippocampal slice, 88, 299P

- - - Tryptamine mimics the excitatory effects of 5-hydroxytryptamine in the rat hippocampal slice, 89, 644P

APPERLEY, E. & HUMPHREY, P.P.A. The interaction of 5-hydroxytryptamine and methysergide with methiothepin at "5-HT_1-like" receptors in dog saphenous vein, 87, 131P

ARAKI, H. see AIHARA, H., 87, 139P

ARAM, J., CHURCH, J., DAVIES, S.N., LODGE, D. & MARTIN, D. Comparison of phencyclidine, thienylcyclohexylpiperidine and MK801 as NMDA antagonists on rat spinal and cortical neurones, 89, 778P

ARBILLA, S. & LANGER, S.Z. [^{3}H]-zolpidem: a novel non-benzodiazepine ligand with preferential affinity for the BZ_1 receptor subtype, 87, 39P

- - - Receptor mediated modulation of the evoked release of [^{3}H]-betaxolol from rat atria, 89, 754P

ARBILLA, S., BENKIRANE, S. & LANGER, S. Z. Activation of D_1 dopamine receptors inhibits the evoked release of [^{3}H]-serotonin in the rat substantia nigra, 89, 793P

ARBILLA, S., DUBOIS, A., NIDDAM, R., LANGER, S.Z. & SCATTON, B. Autoradiographic localisation of [^{3}H]-zolpidem binding sites in the rat brain, 88, 345P

ARBILLA, S., EON, M-T, LANGER, S.Z. & PETRUZZO, P. Electrically-evoked release of [^{3}H]-betaxalol from rat atrial slices, 87, 80P

ARBILLA, S., LANGER, S.Z. & NIDDAM, R. Modulation of [^{3}H]-NA & [^{3}H]-ACH release by muscarinic receptors in the rat, differences between occipital cortical, striatal and atrial slices, 87, 30P

ARBILLA, S., LANGER, S.Z., PETRUZZO, P. & VIDAL, M. [^{3}H]-betaxolol is released by electrical stimulation from rat atria but not ventricle: effects of denervation with 6-OHDA, 88, 287P

ARBUTHNOTT, G.W., BUTCHER, S.P., FAIRBROTHER, I.S. & KELLY, J.S. In vivo microdialysis studies on dopamine release from the striatum evoked by nigrostriatal stimulation, 89, 878P

- - - On the mechanisms underlying amphetamine induced dopamine release: in vivo microdialysis studies, 89, 879P

ARKLE, S., FAIRBROTHER, I., MICHALEK, R. & TEMPLETON, D. Interaction between the effects of substance P and isoprenaline on Ca^{++} metabolism in the isolated rat parotid salivary gland, 89, 590P

ARMSTRONG, J.M., FERRANDON, P., & LEFOURNIER, C. Nicardipine inhibits cardiovascular stimulation by Bayer K 8644, 87, 96P

ARMSTRONG, R.A., JONES, R.L. & WILSON, N.H. Possible subtypes of prostacyclin receptors in platelets from different species, 88, 263P

ARROL, S., CUTLER, M.G. & MOORE, M.R. Pharmacological effects of haem biosynthetic intermediates in isolated intestinal preparations, 89, 852P

ASCIOTI, C., DE SARRO, G.B., MELDRUM, B.S. & NISTICO, G. Calcium entry blockers as anticonvulsant drugs in DBA/2 mice, 88, 379P

ASTBURY, P., MONCADA, S., DENUCCI, G., READ, N. & SALMON, J.A. Effect of dexamethasone on bradykinin-induced release of eicosanoids from guinea-pig inflamed lungs, 87, 14P

ATKINSON, J. Clonidine blocks the pressor effect of electrical stimulation of the C1 area in normotensive rats, 89, 739P

ATKINSON, J., BOILLET, N., ESSADKI, A., LUTHI, P., MARANDA, B. & SONNAY, M. The blood pressure lowering effect of captopril is related primarily to the plasma renin level, 89, 740P

ATKINSON, J., BOILLAT, N., FOUDA, A.K. & SONNAY, M. α-adreno-receptors and vasoconstriction of the rat rail artery, 88, 451P

ATKINSON, J., FOUDA, A.K. & SONNAY, M. Prolonged treatment with captopril

attenuated pressor responses to noradrenaline in the pithed spontaneously hypertensive rat (SHR), 88, 313P
- - - Vasoconstriction of the perfused rat caudal artery is independent of longitudinal tension and flow rate, 88, 437P
ATTERWILL, C.K., BLOOMFIELD, J., BRISTOW, L.J., CATTO, L.C., ELLIOT, J. M. & HEAL, D.J. The influence of thyroid hormone (T_3) on the effects of desipramine on α_2 and β-adrenoceptor function in rat brain, 87, 221P
ATTERWILL, C.K., BROWN, C.G., CONYBEARE, G. & MEAKIN, J. Diet-restriction of rats decelerates age related changes in serum prolactin levels and CNS dopamine receptor function, 89, 733P
ATTERWILL, C.K., BROWN, C.G., DICKENS, T.A. & JONES, C.A. Differential effect of tri-iodothyronine enantiomers on pituitary and peripheral deiodinase function in the rat, 89, 732P
ATTERWILL, C.K., BROWN, C.G. & JONES, C. A. Effects of TRH, histamine and an H_2-receptor antagonist on TSH release from the superfused rat pituitary gland, 87, 178P
ATTERWILL, C.K., PILLAR, A.M. & PRINCE, A.K. The effects of ethylcholine mustard aziridinium (ECMA) in rat brain reaggregate cultures, 88, 355P
AULT, B., JOYNER, J.L., OLNEY, M.A. & WANG, C.M. Endogenous adenosine modulates neuronal activity in hippocampal area CA3, 88, 461P
AUN, C., CHAN, K., HONGHTON, I.T., SALMON, N.P., THORNTON, J.A. Plasma concentrations of alfentanil in Chinese, Nepalese and Caucasian subjects after intravenous infusion, 89, 747P
AUSTIN, C.E. & CHESS-WILLIAMS, R. The adrenergic receptors of the young chick heart, 89, 845P
AUYEUNG, A., GOH, J.W., LI, I.S., MAY, P., PALETTA, M.J. & SASTRY, B.R. Is calcium required for the induction of long-term synaptic potentiation in the hippocampus? 89, 779P
AVKIRAN, M. & WOODWARD, B. Effects of α_2-adrenoceptor antagonists on plasma catecholamines and ischaemia-induced arrhythmias in the anaesthetised rat, 88, 279P
AYRTON, A. see OLDHAM, H.G., 89, 511P

BADAWY, A.A.-B. The acute effects of lofepramine and desmethylimipramine on tryptophan metabolism and disposition in the rat, 89, 859P
BADIA, A., MORON, A. & VILA, E. Effects of ergotamine on cardiovascular catecholamine receptors in the pithed rat, 89, 689P
BAGUST, J., GARDNER, C.R., HUSSAIN, S. & WALKER, R.J. Relative potency of γ-aminobutyric acid (GABA) and GABA analogues on cell activity in rat cerebellar slices, 89, 864P
BAKER, L.R.I. see ABRAMS, S.M.L., 89, 716P
BAKER, M.K., JENNER, P. & MARSDEN, C.D. Neurotransmitter release interactions in the rat striatum, 89, 875P
BAKHLE, Y.S. & GRANTHAM, C.J. Prevention of pulmonary pharmacokinetics induced by α-naphthylthiourea (ANTU) in rat lung, 88, 234P
BAKKER, E.T., BAST, A., RADEMAKER, B., VAN BUUREN, K.J.H. & WEZEL, K. Loss of β-adrenoceptors, present on the smooth muscle of the rat vas deferens without desensitization, 89, 583P
BALFOUR, D.J.K. & VALE, A.L. Behavioural responses to nicotine measured in rats with selective lesions of the hippocampal 5-HT system, 87, 215P
BALFOUR, D.J.K., BENWELL, M.E.M. & VALE, A.L. Effects of selective destruction of hippocampal 5-HT input on L-tryptophan uptake and binding, 89, 527P
BALL, I.J. & NEY, U.M. Enhancement of a delayed hypersensitivity reaction in mice by the lipoxygenase inhibitor AA861, 87, 172P
BALL, I.J., HAWKES, J.E., NEY, U.M. & WESTMACOTT, D. & WILLIAMS, D. Effects of retinoids in an immune model of inglammation in mice, 89, 814P
- - - Serum amyloid P levels in a delayed type hypersensitivity reaction in mice, 89, 815P
BANERJEE, D.K., KELNER, K., OFFUT, L., POLLARD, H.B. & YOUDIM, M.B.H. Selective regulation of MAO A but not MAO B activity in cultured adrenal medullary endothelial cells by steroids, 87, 67P
BANNER, S.E., CATTELL, K.J. & OSBORNE, R.H. Characterisation of 5-hydroxytryptamine receptor in the foregut of the locust schistocerca gregaria, 89, 565P
- - - Effects of antagonists on 5-HT and octopamine receptors in the

foregut of schistocerca gregaria, 89, 825P
BARBER, H.E., BETTS, A.M., HAWKSWORTH, G.M. & PAGE, K.R. Lack of evidence for Na^+-coupled active transport of melphalan across the rat intestinal epithelium, 87, 124P
BARIS, C., GRIFFITHS, E.C., ROBSON, B., SZIRTES, T., STARKIE, D. & WARD, D. Studies on two novel TRH analogues, 87, 173P
BARNES, A. & GOADBY, P. The effect of age on the involvement of thromboxane A_2 in anaphylaxis, 88, 233P
BARNES, J.A. see ALLEN, J.A., 87, 51P
BARNES, J.C., BARNES, N.M., BRADBURY, A. J., COSTALL, B. & FELL, A.F. Asymmetric lesion of the medial raphe nucleus can lead to biochemical disturbances in both hemispheres, 88, 335P
BARNES, J.C., BARNES, N.J.G., COSTALL, B. & NAYLOR, R.J. Acute and chronic consequences of persistent infusions of neuroleptic agents into rat nucleus accumbens, 88, 334P
BARNES, N.J.G. see BARNES, J.C., 88, 334P
BARNES, N.J.G., COSTALL, B. & NAYLOR, R.J. Hyperresponsiveness to L-dopa following MPTP treatment in the marmoset: modification by deprenyl, 88, 304P
BARNES, N.C. see ADAMS, T., 87, 46P
BARNES, N.M. see BARNES, J.C., 88, 335P
BARNES, P.J. & CARSTAIRS, J.R. Autoradiographic localization of VIP receptors in guinea-pig and human lung, 87, 174P
BARNES, P.J. & GRANDORDY, B. Leukotriene C_4 elicits inositol phosphate formation and inhibits adenylate cyclase in guinea pig lung, 89, 783P
BARNES, P.J., CHUNG, K.F., EVANS, T.W., ROGERS, D.F. Increased airway vascular permeability induced by platelet activating factor: effect of specific antagonism and platelet depletion, 89, 764P
BARNES, P.J., CUSS, F.M. & GRANDORDY, B. M. Spasmogens and phosphatidylinositol turnover in bovine tracheal smooth muscle, 87, 65P
BARNES, P.J., DEWAR, A. & ROGERS, D.F. Human bronchial secretion: effect of substance P muscarinic and adrenergic stimulation in vitro, 89, 767P
BARNES, P.J., GRANDORDY, B., PAGE, C.P., RHODEN, K.J. & ROBERTSON, D.N. PAF-induced bronchial hyper-reactivity: effects on β-adrenoceptor function, 89, 742P
BARNES, P.J., GREENBERG, B. & RHODEN, K.J. Human pulmonary vasodilation: influence of endothelial cells, 87, 198P
BARNETT, D.B. & MAGUIRE, M. Comparison of the effects of chronic infusion of xamoterol and isoprenaline on rat ventricular β-adrenoceptors, 87, 223P
BARNETT, D.B., COOK, N. & NAHORSKI, S. R. Differential agonists interactions with β_2-adrenoceptors on intact human platelets suggests receptor internalisation, 87, 222P
BARR, R.M., BLACK, A.K., DOVER, J.S., FRANCIS, D., GREAVES, M.W., KELLY, R. W. & KORO, O. Prostaglandin D_2 release in localised heat urticaria, 87, 103P
BARR, R.M., BLACK, A.K., FRANCIS, D.M., KORO, O., NUMATA, T. & GREAVES, M.W. Release of prostaglandin D_2 (PGD_2) from human skin in vivo during cutaneous anaphylaxis, 88, 394P
BARR, S.M., JONES, R.L., MACINTYRE, D. E., MCNICOL, A. & WILSON, N.H. Is 9,11-epoxymethano PGH_2 (U44069) a partial agonist at the human platelet thromboxane A_2 receptor? 88, 392P
BARRAND, M.A., CALLINGHAM, B.A., HIDER, R.C. & WILKINSON, C.M. Characteristics of the uptake of iron, complexed with the pyrone maltol, into slices of rat small intestine, 87, 47P
BARRETT, M.L., LEWIS, G.P., WARD, S. & WESTWICK, J. Platelet activating factor modulates interleukin-2-induced proliferation of human T-lymphoblasts, 89, 505P
BARRON, E., MARTORANA, M., SHAHID, M. & WINSLOW, E. Comparative antiarryhthmic, electrophysiological and biochemical effects of bepridil and the calmodulin antagonists TFP and W7, 87, 4P
BARRY, M.G., COLLINS, W.C.J. & FEELY, J. Plasma protein binding of drugs in insulin-dependent diabetes mellitus, 89, 719P
BARRY, M.G., DUENAS-LAITA, A., FEELY, J. & MacMATHUNA, P. Amiodarone inhibition of hepatic oxidative drug metabolism: an acute and chronic study, 87, 144P
BARTHELEMY, G., BOUTIN, M.M., BROUSSY, R. & DOUMAUX, P. SR 24870, a novel

agent with positive inotropic activity, 87, 199P
BARTHO, L. & LIPPE, I.Th. Evaluation of a new and potent cholecystokinin antagonist on enteric reflexes, 89, 684P
BARTON, H.J. & COLE, T.P. Leukotriene involvement in guinea-pig anaphylactic cutaneous vascular permeability, 88, 418P
BARWELL, C.J. & BASMA, C.J. Inhibition of guinea-pig liver monoamine oxidase-B by hordenine (N,N-dimethyltyramine), 87, 145P
BARWELL, C.J., LAFI, M.A.K. & LEAKE, L. D. Pharmacological action of hordenine (N,N-dimethyl tyramine) on the rat vas deferens, 89, 839P
BASMA, C.J. see BARWELL, C.J., 87, 145P
BAST, A., LEURS, R. & TIMMERMAN, H. Comparison of the interaction of orphenadrine and nefopam with cytochrome P-450 and the glutathion -system of rat liver, 89, 697P
BAST, A., KOLSTEE, J.A., PELDER, A., TIMMERMAN, H. & VAN DER WERF, J.F. Decrease of α_1-adrenoceptors and H_1 histamine receptors on rat liver plasma membranes after CCl_4 pretreatment, 89, 696P
BAST, A., KRAMER, K., LEURS, R. & TIMMERMAN, H. Decrease in β-adrenoceptor density during lipid peroxidation, 89, 695P
BAST, A., TIMMERMAN, H. & ZUIDERVELD, O.P. The prejunctional β-adrenoceptor of the epididymal part in rat vas deferens, 89, 580P
BAST, A., TIMMERMAN, H., VAN DER GOOT, H. & WIJKER, J.E. Superoxide dismutase activity of copper (11)-1, 10-phenananthroline and copper (11)-2, 9-dimethyl-1, 10-phenanthroline, 89, 698P
BASUDDE, C.D.K. & NYAZEMA, N.Z. Effect of ivermectin on pentylenetetrazol-induced seizures in mice, 87, 35P
BATES, R.F.L., BUCKLEY, G.A. & PARKER, J.E. Calcitonin in endotoxin shock, 89, 840P
BATH, G., GRISTWOOD, R.W., OWEN, D.A.A. & SAMPFORD, K.A. SK&F 94120 and milfrinone, unlike non-delective methylxanthine PDE inhibitors, do not inhibit myocardial A_1-adenosine response, 87, 181P
BATINK, H.D., DAVIDESKO, D., DE JONGE, A., DOODS, H.N., MATHY, M.-J. & VAN ZWIETEN, P.A. Effect of N-ethylmaleimide and pertussis toxin on the muscarinic agonist response in rat atrium, 89, 554P
BATINK, H.D., DAVIDESKO, D., DE JONGE, A., DOODS, H.N., TER HEIDE, R. & VAN ZWIETEN, P.A. The muscarinic receptors of the heart and of the salivary glands may belong to two different subtypes, 89, 749P
BAUD, J. & FAGG, G.E. Al acidic amino acid receptors: recognition site specificity, 88, 458P
BAYDOUN, A.R., MARKHAM, A., MORGAN, R. M. & SWEETMAN, A.J. Nitrendipine inhibits the uptake of calcium into rat heart mitochondria, 88, 387P
- - - Nitrendipine promotes the release of calcium from rat heart mitochondria, 89, 619P
BAX, N.D.S., LENARD, M.S., SHAW, L., TUCKER, G.T. & WOODS, H.F. Convalent binding of propranolol to human liver microsomes: biochemical and metabolic studies, 89, 709P
BAXTER, G.S., COLLIS, M.G. & PALMER, D. B. Investigation of the intracellular effect of adenosine on aortic smooth muscle, 87, 228P
BHALLA, P., GURDEN, M.F. & KENNEDY, I. Cardiovascular actions of 5'-N-ethylcarboxamideadenosine (NECA) and L-N^6-phenylisopropyl-adenosine (L-PIA) in the anaesthetised rat, 88, 278P
BHOOLA, K.D. & CROTHERS, D.M. Loss of responsiveness to adrenaline by immunologically sensitized guinea-pig tracheal muscle, 88, 316P
BHOOLA, K.D., CHAPMAN, I.D. & COOMBES, D.M. The action of diltiazem on the release of renal kallikrein from normal and spontaneously hypertensive rats, 87, 6P
BEASLEY, C.R.W., CHURCH, M.K., FEATHERSTONE, R.L., HARDY, C.C., HOLGATE, S. T., ROBINSON, C. & VARLEY, J.G. 9 α 11 β-prostaglandin F_2, a metabolite of PGD_2, is a potent contractile agonist of human airways in vitro and in vivo, 88, 235P
BEATTIE, D.T., CLARK, K.L., SIEW PENG LIM, & MUIR, T.C. Action potential conduction and transmitter release from non-adrenergic, non-cholinergic nerves: effects of Ca^{2+}-antagonists, 88, 252P
BECKERINGH, J.J., BRODDE, O.-E., MICHEL, M.C. & WANG, X.L. Human platelet β_2-adrenoceptors underlie similar regulatory mechanisms as lymphocyte β_2-adrenoceptors, 89, 564P

BECKERINGH, J.J., MATHY, M.-J. & VAN ZWIETEN, P.A. No difference between α-adrenoceptor agonist induced contraction in endothelium-intact and-denuded ring segments of guinea-pig aorta, 89, 490P

BEER, M.S., POAT, J.A., IVERSEN, L.L. & STAHL, S.M. A radioligand binding assay to determine β-adrenoceptor selectivity of compounds in the central nervous system, 89, 520P

BELD, A.J., LAMMERS, J-W.J., MOURIS, H. G., RODRIGUES de MIRANDA, J.F., VAN GINNEKEN, C.A.M., VAN HERWAARDEN, C.L. A., VAN KOPPEN, C.J. & VERRIJP, C.N. Altered β-adrenoceptor characteristics in airway smooth muscle of a patient with atopic extrinsic asthma, 89, 477P

BELPAIRE, F.M., BOGAERT, M.G. & CHINDAVIJAK, B. Displacement of drugs from serum α_1-acid glycoprotein binding sites by SKF 525A, 89, 479P

BENDER, J., DAVIS, M.G., HARRIS, G. & PULS, W. Evidence for a humoral factor affecting food intake in rats, 89, 873P

BENEKER, C., DE BOER, E., HARMSEN, H.J., RAAIJMAKERS, J.A.M. & VAN ROZEN, A.J. The induction of pulmonary autonomic receptor deficiencies by anaphylactic mediators and proteolytic enzymes, 89, 584P

BENKIRANE, S. see ARBILLA, S., 89, 793P

BENNETT, G.W. & JOHNSON, J.V. Effect of a vasopressin V_1 antagonist on the BP response to electrical stimulation of the medullary A1 region, 89, 543P

BENNETT, G.W., FONE, K.C.F. & MARSDEN, C.A. Effects of catecholamine depletion on wet-dog shakes produced by intrathecal administration of a TRH analogue (CG 3509), 89, 530P

- - - Prazosin antagonises the wet-dog shake behaviour produced by intrathecal administration of a TRH analogue, CG 3509, 88, 300P

BENNETT, G.W., HATTON, R. & JOHNSON, J. V. Effect of central and systemic administration of a vasopressin V_1 antagonist and recovery of MAP after hypovolaemia in rats, 88, 310P

BENNETT, G.W., LIGHTON, C. & MARSDEN, C. A. The effect of chronic ICV infusion of TRH antibodies on the behavioural response to a TRH analogue (CG 3509), 87, 216P

BENNETT, P.N., FORDYCE, K. & NOTARIANNI, L.J. Effect of chronic ethinylestradiol pretreatment of paracetamol in the rat, 88, 431P

BENNETT, P.N., NOTARIANNI, L.J. & WORLOCK, A.J. Differential distribution of adrenoceptors in the hepatic artery and portal vein of the rat, 88, 308P

BENNETT, T., STRANGE, P.G. & WILLIAMS, K. Alterations in cardiac β - adrenoceptor number after reversible noradrenergic denervation, 88, 283P

- - - Decrease in α_1-adrenoceptors of chick smooth muscle after irreversible sympathetic denervation, 89, 558P

- - - Identification of $\alpha_1$adrenoceptors in chick expansor secundariorum muscle, 89, 576P

- - - Effects of reversible noradrenergic denervation on α_1-adrenoceptors of avian smooth muscle, 87, 87P

BENTHAM, J.M., HIGGINS, A.J. & WOODWARD, B. Effects of lipid amphiphiles on arrhythmogenesis in the anaesthetized cat, 89, 735P

BENWELL, M.E.M. see BALFOUR, D.J.K., 89, 527P

BERGE, O.-G., FASMER, O.B., HOLE, K. & JORGENSEN, H.A. Analgesic effects of nefopam at spinal and supraspinal sites, 89, 639P

BERKENBOOM, G., DESMET, J.M. & FONTAINE, J. Pharmalogical study of the adrenoceptors of isolated human coronary arteries, 89, 495P

BERN, H.A., GIBSON, A. & WALLACE, P. Cardiovascular effects of a fish caudal neuropeptide, urotensin II, in the pithed rat, 87, 175P

BERRIDGE, T.L., COLLINS, P.D., DOXEY, J.C. & ROACH, A.G. Effect of selective α1- and α2-adrenoceptor antagonists on glucose-induced hyperinsulinaemia in rats, 89, 671P

BETTS, A.M. see BARBER, H.E., 87, 124P

BEVAN, J.A., LAHER, I., ORIOWO, M.A., YANG, J. & BEVAN, R.D. The contribution of changes in receptor number and affinity to variation in vascular responsiveness to noradrenaline, 88, 384P

BEVAN, P., RAMAGE, A.G. & WOUTERS, W. Investigation of the effects of DU 29373 on the cardiovascular system of the anaesthetised cat, 89, 506P

BEVAN, P., TULP, M.Th.M. & WOUTERS, W. Are 5-HT_{1A} binding sites relevant for the antihypertensive effects of DU 29373? 89, 637P

BEVAN, R.D. see BEVAN, J.A., 88, 384P
BEVIS, P.J.R., MACINTYRE, I. & ZAIDI, M. Further evidence for the neural release of plasma calcitonin gene-related peptide, 88, 314P
BIETTI, G., DONETTI, A., DURANTI, P., GIACHETTI, A. & MICHELETTI, R. New chemical probes for the H_2-receptor, 88, 259P
BIGAUD, M. & SPEDDING, M. Inhibition of the effects of endothelial-derived relaxant factor (EDRF) in aorta by palmityl carnitine, 89, 540P
BINKHORST, G.J., HENRICKS, P.A.J., NIJKAMP, F.P. & VAN DER VLIET, H. Phagocytic cell defence is depressed by stress in calves, 89, 677P
BIRCH, P.J., HAYES, A.G. & SPRAGGS, C.F. Studies on the delta opioid receptor mediated inhibition of Isc in the isolated guinea pig ileal mucosal preparation, 89, 833P
BISTER, J.L., COLLIGNON, J.L. & PAQUAY, R. Hormonal, ovarian and behavioural modifications induced by ram teasing at the beginning of the breeding season in the texel ewe, 89, 675P
BIZIERE, K., BOUGAULT, I., KAN, J.P., MONS, G., RENAULT, A., STEINBERG, R. & WORMS, P. Biochemical profile of a new atypical antidepressant in rodents, SR 95191, 87, 43P
BIZIERE, K., GUEUDET, C. & WORMS, P. Further evidence for a cholinomimetic activity of minaprine, 87, 31P
BLACK, A.K. see BARR, R., 87, 103P
- - - see BARR, R.M., 88, 394P
BLACKBURN, T.P., BORKOWSKI, K.R. & COWAN, A. Studies on the nociceptive properties of morphine and U50, 488H in adrenal demedullated rats, 88, 364P
BLACKBURN, T.P., BORKOWSKI, K.R. & FRIEND, J. A comparison of clonidine and κ opioid induced diuretic effects, 87, 167P
BLACKHAM, A., JARRETT, F., NORRIS, A.A. WALSH, L.P. & ZEITLIN, I.J. Studies on experimental immune complex (IC)-induced colitis: effect of prednisolone, 89, 694P
BLACKMAN, D.E., HOWLETT, G.J., MCCARTHY, P.S. & NAYLOR, V.J.H. Motor impairment as a factor affecting drug discrimination trials, 88, 354P
BLACKMAN, D.E., MCCARTHY, P.S. & NAYLOR, N.J.H. Contrasting effects of (+) and (-)-N-allyl-normetazocine during drug discrimination trials, 89, 874P
BLACKWELL, C.P., WOODWARD, B. & ZAKARIA, M.N.M. Reperfusion-induced ^{86} rubidium efflux in the isolated rat heart. The role of free radicals, 88, 421P
BLAKE, J.F., BROWN, M.W., GRIDGE, C. & EVANS, R.H. Simple measurement of amino acid-induced polarization of hippocampal CA1 pyramidal neurones in vitro, 88, 273P
BLAKELEY, A.G.H., DUNN, P.M. & PETERSEN, S.A. Differences between adrenergic and purinergic inhibition in the mouse vas deferens in vitro, 89, 786P
BLANCQUAERT, J.P. see AGON, P.Y., 89, 632P
BLANCQUAERT, J.P., LEFEBVRE, R.A. & WILLEMS, J.L. Lack of antiaversive effect of μ- and κ-opioid agonists in conditioned taste aversion in the rat, 89, 517P
BLOKHUIJZEN, N.J.P., DE WILDT, D.J., DORMANS, J.A. & SANGSTER, B. The Na-paradox: detrimental cardiac effects due to Na repletion in isolated rat hearts, 89, 553P
BLOOM, S.R., CORDER, R., DAVIES, G.J., DAWBARN, D., KERWIN, R.W., MASERI, A. & YACOUB, M. Studies on neuropeptide Y in human heart, 88, 470P
BLOOMFIELD, J. see ATTERWILL, C.K., 87, 221P
BLOXHAM, D., BRADSHAW, D. & DODGE, B. B. Role of interleukin-1 in the effect of retinoids on 'non-responder' collagen arthritic rats, 89, 817P
BLURTON, P.A. see ALEXANDER, B.S., 87, 22P
BOACHIE-ANSAH, G., KANE, K.A. & PARRATT, J.R. Effects of adenosine ATP and noradrenaline on normal and mildly "ischaemic" sheep cardiac purkinje action potentials, 88, 309P
BOARDER, M.R. see ADAMS, M., 88, 248P
- - - see ADAMS, M., 88, 464P
- - - see ADAMS, M., 89, 666P
BODDEKE, H.W.G.M., HEYNIS, J.B., JONKMAN, F.A.M. & VAN ZWIETEN, P.A. Characterization of calcium entry blockers in isolated guinea-pig heart: cardiodepressant activity of flunarizine, 89, 615P
- - - Protective activity of R 58735 upon ouabain intoxication in anaesthetized guinea-pigs, 89, 597P
BOGAERT, M.G. see BELPAIRE, F.M., 89, 479P

BOGAERT, M.G., BUYLAERT, W.A., HUYGHENS, L.P. & ROSSEEL, M.T. Influence of cardiopulmonary resuscitation on the plasma concentrations of the calcium entry blocker nimodipine in the dog, 89, 538P

BOGAERT, M.G., DUPONT, A.G. & LEFEBRE, R.A. Evidence of pre-synaptic dopamine receptors in the in situ perfused rat kidney, 87, 25P

BOHM, R.O.B., RAHN, K.H., VAN BAAK, M. A., VAN HOOF, M. The course of blood pressure and of plasma catecholamine levels in subjects with borderline hypertension, 89, 484P

BOILLAT, N. see ATKINSON, J., 88, 451P

- - - see ATKINSON, J., 89, 740P

BOLLANDS, A.D. & LOWE, K.C. Comparative effects of emulsified perfluorocarbons on lymphoid tissue in rodents, 89, 664P

- - - Responses of rat lymphoid tissue to a perfluorocarbon blood substitute, 87, 118P

BOLTON, T.B. & MALLOWS, R.S.E. Effects of stimulants on phosphatidic acid levels in longitudinal smooth muscle from rabbit and guinea-pig small intestine, 87, 64P

BOM, A.H., SAXENA, P.R. & TE BIESEBEEK, J.D. Mediation of 5-hydroxytryptamine (5-HT)-induced contraction of the rat urinary bladder via 5-HT_2 and 5-HT_3 receptors, 89, 547P

BONANNO, G., MAURA, G., PITTALUGA, A. & RAITERI, M. Subtypes of the 5-HT_1 receptor regulate [^{3}H]5-HT and endogenous GLU release in rat cerebellum, 89, 529P

BOND, R.A., CHARLTON, K.G. & CLARKE, D. E. The responses to isoproterenol in the electrically stimulated guinea-pig ileum ar not competitively antagonized by propranolol, 89, 557P

BORKOWSKI, K.R. see BLACKBURN, T.P., 87, 167P

- - - see BLACKBURN, T.P., 88, 364P

BORKOWSKI, K.R., MARSDEN, C.A., MARSHALL, P. & ROUTLEDGE, C. Evidence for the mediation of the C_1 pressor response by β_2-adrenoceptors, 88, 286P

BOSEMAN, R. see AALDERS, R., 89, 486P

BOSS, H., DIETZE, T. & VAN MEEL, J.C.A. Effects of Bay K 8644 on hemodynamics and regional vascular conductance in rabbits, 89, 605P

BOSS, H., GERSTENBERG, W., MRWA, U. & VAN MEEL, J.C.A. Effects on some cardiotonics on calcium sensitivity of skinned myocardial fibres, 87, 102P

BOSS, H., MRWA, U. & VAN MEEL, J.C.A. Calcium agonist can differently influence cardiac contractility and diastolic blood pressure, 87, 97P

BOTTING, J.H. & OYEKAN, A.O. Inhibition of intravascular platelet aggregation in rat by adrenaline, 89, 752P

BOTTING, R.M. & KENT, P. Stimulant and antagonistic actions of opiate drugs on the rat vas deferens, 89, 579P

BOTTOMLEY, K.M.K., GRIFFITHS, R.J., NORRIS, D.B., RISING, T.J. & STEWARD, A. Cartilage degradation in a mouse air pouch model, 88, 401P

BOUCHENAFA, O. & LIVINGSTON, A. Autoradiographic localisation of [^{3}H]-buprenorphine in the spinal cord of the sheep, 88, 346P

BOUGARD, M. see ALI-KODJA, F., 87, 130P

BOUGAULT, I. see BIZIERE, K., 87, 43P

BOUGHTON-SMITH, N.K., HAWKEY, C.J., ROSAM, A.C. & WHITTLE, B.J.R. Sulphasalazine inhibits platelet aggregation, and thromboxane formation in human platelets and colon, 88, 391P

BOURSON, A., GOWER, A.J. & MIR, A.K. Behavioural effects of BAY K 8644 mediated by central and peripheral mechanisms in the rat, 89, 624P

- - - Central biochemical and behavioural effects of BAY K 8644 in the rat, 89, 625P

BOUTIN, M.M. see BARTHELEMY, G., 87, 199P

BOWERY, N.G. & HUDSON, A.L. The distribution of [^{3}H]-MK801 binding sites in rat brain determined by in vitro receptor autoradiography, 89, 775P

BOWERY, N.G. & WILLIAMS, L. $GABA_B$ receptor activation inhibits the increase in nerve terminal Ca^{++} induced by depolarization, 87, 37P

BOWKER, H.M., CHAPMAN, A.G. & MELDRUM, B.S. The action of ω-phosphono-2-amino carboxylic acids on release of [^{3}H]-D-aspartate from hippocampal minislices, 88, 328P

BOWMER, C.J., COLLIS, M.G., KELLETT, R. & YATES, M.S. Effect of alkylxanthines on gentamicin-induced acute renal failure, 89, 679P

BOWMER, C.J., SILBERSTEIN, D.J. & YATES, M.S. Effect of acute renal failure on the pharmacokinetics of

dibromosulphophthalein and its binding to Y and Z proteins in rat liver, 87, 49P
BOYCE, S., DEXTER, D.T., JENNER, P. & MARSDEN, C.D. Chronic trifluoperazine treatment does not induce lipid peroxidation in rat cortex, 89, 876P
BOYCE, S., JENNER, P., MARSDEN, C.D. & REAVILL, C. Repeated L-dopa treatment of circling rats increases rotation without altering dopamine receptor numbers, 87, 197P
BOYLE, J.P. see ALLEN, S.L., 89, 752P
BRADBURY, A.J. see BARNES, J.C., 88, 335P
BRADBURY, A.J., COSTALL, B., GUNNING, S. J., NAYLOR, R.J. & TATTERSALL, F.D. The persistence of field stimulation can dictate the action of neuronal 5-HT antagonists on contractions of guinea-pig ileum, 87, 187P
BRADBURY, A.J., COSTALL, B., NAYLOR, R.J. & ONAIVI, E.S. A model of asymmetry and circling behaviour following asymmetric lesion of mouse medial raphe nucleus, 87, 214P
BRADFORD, H.F., COLLINS, J.F., CROUCHER, M.J. & CROWDER, J.M. Excitatory amino acid receptor activation and enhanced Ca^{2+} influx into rat hippocampal slices, 89, 865P
BRADLEY, C.M. & NICHOLSON, A.N. Central effects of aspirin and paracetamol, and of the centrally acting analgesics, meptazinol and pentazocine, 89, 720P
BRADSHAW, C.M., MORLEY, M.J. & SZABADI, E. Antagonism by pimozide of the suppressant effect of d-amphetamine on operant behaviour, 87, 24P
BRADSHAW, D. see BLOXHAM, D., 89, 817P
BRADSHAW, D., DODGE, B.B., FRANZ, P.H., LEWIS, E.J. & WILSON, S.E. Comparative effects of tenoxicam on type II collagen-induced arthritis in the rat, 89, 816P
BRADY, H. see BRAYDEN, D., 87, 50P
BRADY, M.M., CLARKE, R.S.J., GIBSON, F.M. & MIRAKHUR, R.K. Train-of-four fade during onset of neuromuscular block with atracurium, vecuronium, pancuronium and tubocurarine, 89, 472P
BRAIN, S.D., MACINTYRE, I., MORRIS, H.R., TIPPINS, J.R. & WILLIAMS, T.J. The vasodilator effects of calcitonin gene-related peptide (CGRP) in human skin, 87, 54P
BRAIN, S.D., MACINTYRE, I., WILLIAMS, T. J. Comparison of the vasodilator activities of human α-CGRP, human β-CGRP, rat α-CGRP and salmon calcitonin, 88, 440P
BRAMBILLA, A., GIACHETTI, A., MICHELETTI, R. & PAGANI, F. AF-DX 116, an M_2 cardioselective antagonist, exhibits low antisecretory properties, 88, 356P
BRAMMER, N.T. see ALGATE, D.R., 88, 321P
- - - see ALGATE, D.R., 89, 738P
BRAYDEN, D., BRADY, H., FITZGERALD, M.X., MARTIN, U. & RYAN, M.P. Reduced loop-diuretic-sensitive ^{86}Rb influx in red blood cells of cystic fibrosis patients, 87, 50P
BREIMER, D.D., CURZON, G., DANHOF, M., DINGEMANSE, J. & HUTSON, P.H. Comparative CSF and plasma pharmacokinetics of heptabarbital in individual rats, 89, 657P
BREIMER, D.D., DANHOF, M., SCHELLENS, J.H.M. Poor metabolizer incidence of sparteine, mephenytoin and nifedipine in a Dutch population as assessed by a cocktail approach, 89, 478P
BREMIER, D.D., DANHOF, M., VAN BREE, J.B.M.M. Concentration-anticonvulsant effect relationsips of phenobarbital in rat, 89, 566P
BREIMER, D.D., DE BOER, A.G., VAN HOOGDALAM, E.J. & VAN KAN, H.J.M. The influence of sodium salicylate on the rectal absorption of cefoxitin sodium administered as bolus or as infusion to rats, 89, 509P
BREIMER, D.D., LODEWIJKS, M.Th.M., VAN BRUMMELEN, P., VAN HARTEN, J. Pharmacokinetics and haemodynamics of nisoldipine in patients with liver cirrhosis, 89, 482P
BRENNAN, E. & BRIGGS, R.S. The effect of meptazinol on carbachol-induced phosphoinositide breakdown in rat brain slices, 89, 649P
BREURKES, R., GOUW, M.A.M., JONKMAN, F.A.M. & VAN ZWIETEN, P.A. Continuous 7-day infusion and withdrawal of verapamil and diltiazem in conscious spontaneously hypertensive rats (SHR), 89, 616P
BRIGGS, R.S. see BRENNAN, E., 89, 649P
BRIGHT, J.E. & MARRS, T.C. Kinetics of methaemoglobin production by PAPP or DMAP, 87, 119P
BRILEY, M., CHOPIN, P. & VEIGNER, M. The "plus-maze test of anxiety": validation in different rat strains and effect of a wide variety of antidepressants, 87, 217P

BRISTOW, L.J. see ATTERWILL, C.K., 87, 221P
BRISTOW, L.J., ELLIOT, J.M. & HEAL, D.J. The effects of oestradiol on α_2 and β-adrenoceptor function in rat brain and its influence on the actions of desipramine, 87, 88P
BROADLEY, K.J. Effect of sympathectomy upon α- and β-adrenoceptor sensitivity of the cat nictitating membrane in vivo, 88, 318P
BROADHURST, A.M. The effects of clonidine upon exogenous and endogenous noradrenaline release from superfused rat cortical tissue, 88, 376P
- - - see ALEXANDER, B.S., 88, 348P
BRODDE, O.-E. see BECKERINGH, J.J., 89, 564P
BRODDE, O-E., IKEZONE, K., KRETSCH, R., SCHULER, S. & WANG, X.L. Functional β_1- and β_2-adrenoceptors in the human heart: quantitative analysis of the regional distribution, 87, 85P
BRODDE, O.-E., IKEZONO, K., MICHEL, M.C., WANG, X.L. & ZERKOWSKI, H.-R. Effects of isoprenaline on contractile force and on the cyclic AMP level in the isolated human right atrium, 87, 200P
BRODIE, M.E., BROWN, A.W., OPACKA, J. & PETERSON, D.W. Changes in amino acid levels in hippocampal dialysates associated with early trimethyltin neurotoxicity, 89, 880P
BROEKKAMP, C.L.E., GOWER, A.J. & VAN DELFT, A.M.L. Vasopressin-peptides, physostigmine and pramiracetam on latent learning in the rat, 89, 728P
BROOKS, P.B., KELLY, J.S., SMITH, D.A.S. & STONE, T.W. Kynurenic acid reduces medial perforant path quantal size in rat dentate gyrus, 88, 456P
BROUSSY, R. see BARTHELEMY, G., 87, 199P
BROWN, A.W. see BRODIE, M.E., 89, 880P
BROWN, C.G. see ATTERWILL, C.K., 87, 178P
- - - see ATTERWILL, C.K., 89, 732P
- - - see ATTERWILL, C.K., 89, 733P
BROWN, C.M. see ALPS, B.J., 87, 95P
- - - see ALPS, B.J., 88, 249P
BROWN, J.R., GUARD, S. & JORDAN, C.C. Responses to tachykinins in the tetrodotoxin treated henisected neonatal rat spinal cord in vitro, 88, 457P
BROWN, M.J. & HARLAND, D. Acute and chronic effects of idazoxan on blood pressure and plasma catecholamine concentrations of rats, 87, 188P
- - - The effect of idazoxan on blood pressure, and plasma catecholamine concentrations of spontaneously hypertensive rats, 88, 420P
BROWN, M.W. see BLAKE, J.F., 88, 273P
BROWN, N.L., WORCEL, M. & ZANIRATO, J. β-adrenoceptor antagonist activity of propafenone in the anaesthetised dog, 88, 289P
BROWNSTEIN, M.J., DAWBARN, D., EMSON, P.C., HUNT, S.P., WATERS, C.M. & ZAMIR, N. Decreased dynorphin-like immunoreactivity in Huntington's disease, 87, 134P
BRUCKDORFER, K.R. see ANDREWS, H.E., 89, 489P
BRUINVELS, J. see FEKKES, D., 89, 476P
- - - see KETELAARS, C.E.J., 89, 627P
BRYAN, L.J., O'DONNEL, S.R. & WILLIAMS, A.M. The uptake processes that allow access of 5-hydroxytryptamine to monoamine oxidase in the isolated perfused heart of the rat, 87, 18P
BRYSON, S.E., MCKECHNIE, K., PACITTI, N., PARRATT, J.R. & RODGER, I.W. Effect of the leukotriene antagonist FPL57231 on the acute phase of endotoxin shock in cats, 88, 230P
BUCHAN, P., KIANG, J.G., SMITH, T.W. & WEI, E.T. A comparison of the inhibitory effects of CRF and opioid agonists on neurogenic plasma extravasation in the rat, 88, 268P
BUCHHEIT, K.H., ENGEL, G., HAGENBACH, A., HOYER, D., KALKMAN, H.O. & SEILER, M.P. The rat isolated stomach fundus strip, a model for 5-HT_{1C} receptors, 88, 367P
BUCKINGHAM, J.C. & COOPER, T.A. Effects of modification of adrenergic transmission on hypothalamo-pituitary-adrenocortical (HPA) responses to morphine and naloxone, 88, 435P
- - - The effects of μ- δ-and κ-opioid receptor agonists and antagonists on corticotrophin releasing factor (CRF) secretion, 87, 60P
BUCKINGHAM, R.E., CLAPHAM, J.C., COLDWELL, M.C., HAMILTON, T.C. & HOWLETT, D.R. Stereospecific mechanism of action of the novel anti-hypertensive agent, BRL 34915, 87, 78P
BUCKLEY, G.A. see BATES, R.F.L., 89, 840P
BUDHRAM, R., CLEMENTS-JEWERY, S., JOHNSTON, A.M. & THOMSON, T.A.

FMLP-induced constriction of airway perfused guinea-pig lungs, 88, 416P
BUDHRAM, P., DEACON, R. & GARDNER, C.R. Some putative non-sedating anxiolytics in a conditioned licking conflict, 88, 331P
BULL, D. see ALLAN, G., 89, 607P
BULLER, K.J., HILLIER, K. & SMITH, C.L. Eicosanoid synthesis by normal and ulcerated human duodenal mucosa, 88, 405P
BULLOCH, J.M. & McGRATH, J.C. Blockade of vasopressor and vas deferens responses by α,β-methylene ATP in the pithed rat, 89, 577P
BULT, H., HERMAN, A.G., JORDAENS, F., PEETERS, F.A.M. & VERBEUREN, T.J. Endothelial desquamation affects the transfer of serotonin from platelets into the blood vessel wall, 89, 548P
BUNCE, K.T., CLAYTON, N.M. & SHEPPARD, D.N. The effects of prostaglandins on unidirectional sodium fluxes in the ileum of the anaesthetised rat, 88, 398P
BURCHILL, S.A. & THODY, A.J. Dopaminergic control of tyrosinase activity in hair follicular melanocytes of the C_3H-HeA*^{vy} mouse, 89, 592P
BURDET, R., CRISCIONE, L., POWELL, J. & SIPPOLA, L. Role of the endothelium in vasodilator effects of acetylcholine, histamine, hydrallazine and trypsin in resistance vessels, 88, 266P
BURGESS, M.F., CLARKE, G.D., LAYCOCK, S. M. & SMITH, H. Airway hyperreactivity in rats treated with antigen-coated latex particles, 88, 410P
BURLEIGH, D.E. & TROUT, S.J. Opioid neuromodulation of cholinergic nerve activity in human and guinea-pig colon, 89, 610P
BURNSTOCK, G., HOPWOOD, A.M., HOYLE, C. H.V., REILLY, W.M., SAVILLE, V.L., STANLEY, M.D.A. & WARLAND, J.J.I. Reactive blue-2 selectively antagonises the relaxant responses to ATP and its analogues which are mediated by the P_{2y} purinoceptor, 89, 857P
BUSHFIELD, M. & MACINTYRE, D.E. Modulation of PGD_2-induced cyclic AMP formation in blood platelets by phorbol 12-myristate 13-acetate, 88, 262P
BUSHFIELD, M., GIBSON, I.F., MacINTYRE, D.E. & MURDOCH, F.A. Differential effects of phorbol 12-myristate 13-acetate on PGD_2- and PGI_2-induced cyclic AMP formation in platelets, 89, 791P
BUSHFIELD, M., LUMLEY, P. & MacINTYRE, D.E. Synergistic activation of human platelets in whole blood, 89, 855P
BUSS, D.C., ROUTLEDGE, P.A., WATT, A. H. Effect of aminophylline on respiratory depression produced by intravenous adenosine in neonatal rabbits, 88, 411P
- - - Intravenous adenosine stimulates respiration in conscious adult rabbits, 87, 182P
- - - Respiratory effects of intravenous adenosine in anaesthetised rabbits before and after carotid nerve section, 88, 413P
- - - Respiratory effects of intravenous adenosine in neonatal rabbits, 88, 412P
BUTCHER, S.P. see ARBUTHNOTT, G.W., 89, 878P
- - - see ARBUTHNOTT, G.W., 89, 879P
BUTLER, A., HEWICK, D., JOHNSTON, P., MAHONEY, M. & MCINTOSH, A. The pharmacological consequences of mixing sodium nitroprusside with hydroxocobalamin or thiosulphate, 89, 508P
BUYLAERT, W.A. see BOGAERT, M.G., 89, 538P
BYFIELD, R.A., SWAYNE, G.T.C. & WARNER, T.J. A method for the study of endothelial derived relaxing factor (EDRF) in the isolated perfused rat mesentery, 88, 438P

CALCUTT, C.R., GANELLIN, C.R., GRIFFITHS, R., LEIGH, B.K., MAGUIRE, J.P., MITCHELL, R.C., MYLEK, M.E., PARSONS, M.E., SMITH, I.R. & YOUNG, R.C. SK&F 95282 is a potent selective brain-penetrating histamine H_2-receptor antagonist, 89, 773P
CALDAS, L.Q.A., HICKS, R. & OSHODI, R.O. Contractility of granulation tissue to oxidising agents and ferrochromium metal-fume components, 89, 805P
CALDER, C. see ALPS, B.J., 88, 249P
- - - see ALPS, B.J., 88, 250P
CALDWELL, J. & NUTLEY, B.P. Comparative metabolism of cinnamic acid in rats and mice and its variation with dose, 88, 423P
CALIS, J.I.M., HARTOG, J., JANSZEN, F. H.A. & WOUTERS, W. Cardiovascular effects of the new antihypertensive compound DU 29373, 89, 496P
CALLINGHAM, B.A. see BARRAND, M.A., 87, 47P

CALLINGHAM, B.A. & MORTON, A.J. Binding to α-adrenoceptors of the antihypertensive agent, adimolol and its actions on the rat anococcygeus muscle, 87, 189P

CALLINGHAM, B.A. & WILLIAMS, R.B. Some characteristics of the amine oxidase activities found in tissues of the racehorse, 89, 769P

CAMBRIDGE, D. see ALLAN, G., 89, 487P

- - - see ALLAN, G., 89, 488P

CAMERON, I., MARKHAM, A., MORGAN, R. & OGLAY, L. The effects of cadmium on the response of the rat anococcygeus preparation to noradrenaline and electrical stimulation, 88, 455P

CAMP, R.D.R., CHU, A., CUNNINGHAM, F.M., FINCHAM, N.J., GREAVES, M.W. & MORRIS, J. Identification of an interleukin 1 on leukocyte migration and cartilage destruction in vivo, 88, 244P

CAMPBELL, D.B., DREW, M., INGS, R.M.J. & RICHARDS, R.P. A safer method to obtain intravenous pharmacokinetic data, 89, 746P

CANDY, J.M., FAIRBURN, A.F., JOHNSON, M. PERRY, E.K., PERRY, R.H. & SMITH, C. Hippocampal cholinergic (muscarinic and putative nicotinic) receptors in human cognitive disorders, 88, 359P

CANNELL, R., KELLAM, S., OWSIANKA, A. & WALKER, J.M. Rapid screening of algal cultures for enzyme inhibitors with potential pharmacological activity, 89, 826P

CAREY, F. & HAWORTH, D. Effect of antiplatelet compounds on eicosanoid formation in vivo following intravenous thrombin challenge, 87, 105P

CAREY, F., FORDER, R.A., FRENCH, P. & HAWORTH, D. Effect of proinflammatory stimuli on eicosanoid biosynthesis in human blood, 88, 245P

CAREY, F., HAWORTH, D. & WHALLEY, E.T. Pro-inflammatory effects of cyclic kinin analogues, 89, 806P

CARMELIET, E., VANHOUTTE, F. & VERBEKE, N. Enantioselective electrophysiological properties of tocainide, 89, 700P

CARPI, C., GAVIRAGHI, G. & SEMERARO, C. GX 1048 (GR 43659X), a new dihydropyridine calcium antagonist with potent and long-lasting antihypertensive action, 89, 758P

CARRUTHERS, B. & SILVER, I.A. Regional changes in met-enkephalin-like immunoreactivity in rat brain after temporary cerebral ischaemia, 87, 224P

CARSON, I.W., COLLIER, P.S., DUNDEE, J. W., HOWARD, P.J., LYONS, S.M., MATHEWS, H.M.L. & ORR, I.A. Pharmacokinetics of midazolam sedation following open heart surgery, 89, 474P

CARSTAIRS, J.R. see BARNES, P.J., 87, 174P

CARSWELL, H., GALIONE, A. & YOUNG, J. M. Temperature dependence of histamine-induced inositol phospholipid breakdown in guinea-pig cerebral cortex, 87, 71P

CARTER, C.J., DENNIS, T., L'HEUREUX, R. & SCATTON, B. Studies of the effects of idazoxan on cortical noradrenaline release in vivo, measured by transcortical dialysis, 88, 307P

CARTER, C.J., SAVASTA, M. & SCATTON, B. Decreased high-affinity [^{14}C] 2-oxoglutarate uptake in striatal synaptosomes after frontal cortical ablation in the rat, 88, 347P

CASHIN, C.H., CLEGG, J.B., CLINE, A. & GREENHAM, A. Some observations on the chemotherapy of osteoarthritis in str/ort mice, 89, 812P

CATLOW, C.J., GWILT, M., HIGGINS, A.J. & KING, R.C. Real time analysis of intracellular cardiac action potentials using a Motorola 68000, 88, 422P

CATT, L.J. & LONGSTAFF, A. Biphasic inotropic response to histamine in guinea pig right ventricular muscle, 89, 804P

CATTELL, K.J. see BANNER, S.E., 89, 565P

- - - see BANNER, S.E., 89, 825P

CATTO, L.C. see ATTERWILL, C.K., 87, 221P

CAVERO, I., DONATO DI PAOLA, E., LHOSTE, F. & LORRAIN, J. Effects of pergolide on the transient neurogenic hypertension in dogs deprived of central input to the adrenal glands, 88, 453P

CAVERO, I., FAVENNEC, E. & GROSSET, A. Alfuzosin: an α_1-adrenoceptor antagonist with promising antidysrhythmic and cardioprotective properties, 87, 191P

CAVERO, I., HICKS, P.E., LANGER, S.Z., LORRAIN, J., PERROT, P. & SHELVEY, G. Haemodynamic effects of cicloprolol, xamoterol and pindolol in anaesthetised cats, 88, 449P

CAVERO, I., HICKS, P.E., LECHAIRE, J. & LEFEVRE-BORG, F. Similarity between the haemodynamic profiles of indanidine (Sgd 101/75), M-7 and

UK-14,304, in pithed rats, 87, 190P
CHAMBERLAIN, D.A. see HEBER, M.E., 87, 104P
CHAN, K. see AUN, C., 89, 747P
CHANDLER, J., CLEMENTS-JEWERY, S., FENSKE, D., PACKER, D., ROBSON, P. & WOODWARD, K. Cyclosporin A inhibits rat neutrophil phospholipase A_2 and possesses anti-inflammatory activity, 88, 242P
CHAPMAN, A.G. see BOWKER, H.M., 88, 328P
CHAPMAN, I.D. see BHOOLA, K.D., 87, 6P
CHARLTON, K.G. see BOND, R.A., 89, 557P
CHEETHAM, S.C., CROMPTON, M.R., HORTON, R.W. & KATONA, C.L.E. Lower hippocampal, but unchanged cortical, $5HT_2$ binding sites in depressed suicide victims, 89, 802P
CHENERY, R.J. see OLDHAM, H.G., 89, 511P
CHESS-WILLIAMS, R. see AUSTIN, C.E., 89, 845P
CHINDAVIJAK, B. see BELPAIRE, F.M., 89, 479P
CHOPIN, P. see BRILEY, M., 87, 217P
CHRISTENSEN, J.H. see ANDREASEN, F., 87, 76P
CHRISTIE, G., COLEMAN, J.W., KITTERINGHAM, N.R., PARK, B.K. & YEUNG, J.H.K. Disposition and immunogenicity of benzylpenicillin, 88, 424P
CHU, A. see CAMP, R.D.R., 88, 244P
CHUNG, K.F. see BARNES, P.J., 89, 764P
CHURCH, J. see ARAM, J., 89, 778P
CHURCH, J., DAVIES, S.N. & LODGE, D. A correlation between N-methylaspartate antagonist and anticonvulsant properties of PCP/sigma receptor agonist, 88, 270P
CHURCH, M.K. see BEASLEY, C.R.W., 88, 235P
CLACUE, R.U. & WHITING, R.L. $5HT_1$ and $5HT_2$ receptors in the isolated pig coronary artery preparation, 87, 132P
CLAPHAM, J.C. see BUCKINGHAM, R.E., 87, 78P
CLAPHAM, J.C. & WILSON, C. Effects of the novel anti-hypertensive agent BRL 34915 in comparison with nifedipine on rabbit isolated mesenteric artery, 87, 77P
CLARK, K.L. see BEATTIE, D.T., 88, 252P
CLARK, M. & FLETCHER, A. Does buspirone elicit feeding by a similar mechanism to that of 8-OH DPAT? 89, 863P
CLARKE, B. & PATMORE, L. Are dihydropyridine calcium channel antagonists and facilitators vascular smooth muscle selective, 87, 98P
CLARKE, B., PATMORE, L. & WILSON, J.M. Calcium dependence and the effects of Bay K 8644 and methylxanthines on rat and guinea-pig cardiac muscle, 88, 445P
CLARKE, D.E. see BOND, R.A., 89, 557P
CLARKE, G. & WRIGHT, D.M. Do μ- and κ-selective opioids inhibit oxytocin release in the same way? 89, 788P
- - - Inhibitory effect of U50488H on suckling-evoked oxytocin release is blocked by propranolol, 89, 676P
CLARKE, G.D. see BURGESS, M.F., 88, 410P
CLARKE, R.S.J. see BRADY, M.M., 89, 472P
CLARKE, R.S.J., FEE, J.P., LYNAS, A.G. A. & REID, J.E. Factors influencing cutaneous reactions following atracurium, 89, 471P
CLAUSTRE, Y., DENNIS, T. & SCATTON, B. Effect of the novel non-benzodiazepine hypnotic zolpidem on cyclic GMP levels and monoamine metabolism in the rat brain, 87, 151P
CLAYTON, N.M. see BUNCE, K.T., 88, 398P
CLEGG, J.B. see CASHIN, C.H., 89, 812P
CLEGG, S. & WHALLEY, E.T. Antagonism of the algesic action of bradykinin on the human blister base, 89, 807P
CLEMENTS-JEWERY, S. see BUDHRAM, R., 88, 416P
- - - see CHANDLER, J., 88, 242P
CLINE, A. see CASHIN, C.H., 89, 812P
COHEN, A.F., HAMILTON, M.J., PECK, A. W. & YUEN, W.C. Lamotrigine and carbamazepine: comparison on psychomotor performance, 89, 704P
COHEN, A.F., PECK, A.W. & YUEN, W.C. The effects of dexamphetamine on adaptive tracking in healthy volunteers, 89, 706P
COKER, S.J. Does ketanserin reduce ischaemia and reperfusion-induced arrhythmias in anaesthetised rats? 88, 288P
COLDWELL, M.C. see BUCKINGHAM, R.E., 87, 78P
COLDWELL, M.C. & HOWLETT, D.R. BRL 34915 induced potassium channel activation in rabbit isolated mesenteric artery is not calcium dependent, 88, 443P

COLE, G., FOWLER, L.J., JOHN, R.A., RICHENS, A., RIMMER, E.M. & WILLIAMS, J. Investigation of the neurotoxicity of the GABA-transaminase inhibitor, vigabatrin in rats, 89, 628P
COLE, T.P. see BARTON, H.J., 88, 418P
COLEMAN, J.W. see CHRISTIE, G., 88, 424P
COLEMAN, J.W., GRABOWSKI, P.S., KITTERINGHAM, N.R., PARK, B.K. & TINCLE, M.D. Disposition and immunogenicity of dinitrophenylated autologous proteins in the rabbit, 88, 425P
COLEMAN, R.A. & NIALS, A.T. The characterisation and use of the electrically-stimulated superfused guinea-pig tracheal strip preparation, 88, 409P
COLEMAN, R.A., NIALS, A.T., SHELDRICK, K.E. & SHELDRICK, R.L.G. A novel and versatile multiple superfusion system: a replacement for the organ bath? 88, 408P
COLLIER, P.S. see CARSON, I.W., 89, 474P
COLLIGNON, J.L. see BISTER, J.L., 89, 675P
COLLINGE, J. & ROBERTS, C.J.C. Study of the action of cicletanine in hyperuricaemic patients, 89, 710P
COLLINS, J.F. see BRADFORD, H.F., 89, 865P
COLLINS, K.J., HARRISON, N.L., MILLER, A. A. & WHEATLEY, P.L. The antagonism of N-methyl-D-aspartate by ketamine and aminophosphonates: quantitative studies in the rat spinal cord in vitro, 87, 154P
COLLINS, P.D. see BERRIDGE, T.L., 89, 671P
COLLINS, W.C.J. see BARRY, M.G., 89, 719P
COLLIS, M.G. see BAXTER, G.S., 87, 228P
- - - see BOWMER, C.J., 89, 679P
COLLIS, M.G. & NOWELL, C.G. Investigation of the receptors mediating in vivo vasodilator responses to A.T.P. and adenosine, 89, 847P
COLSTEE, J.H., DE BIE, J.F.M., TEEUWEN, H.W.A., VAN DEN BROEK, L.G.A.M. & VAN ROSSUM, J.M. Hernandulcin, a natural sweetening agent, synethesis purification and pharmacokinetics of the (±)-hernandulcin racemate, 89, 725P
CONINGS, L. & VERBEKE, N. Stereoselective pharmacolinetic behaviour of tocainide enantiomers in man, 89, 701P
CONNELLY, D.M. & TABERNER, P.V. Chronic alcohol treatment prevents the diabetic abesity syndrome of male CBA mice, 87, 120P
- - - Tissue glucose uptake in diabetic mice during chronic ethanol treatment (CET) and withdrawal, 89, 667P
CONNICK, J.H. & STONE, T.W. The anticonvulsant β-kainate depresses endogenous glutamate efflux in rat brain slices, 87, 155P
CONNOR, H. & DREW, G.M. Do adrenaline-containing neurones from the rostral ventrolateral medulla excite preganglionic sympathetic cell bodies? 87, 63P
CONYBEARE, G. see ATTERWILL, C.K., 89, 733P
COOK, N. see BARNETT, D.B., 87, 222P
COOMBES, D.M. see BHOOLA, K.D., 87, 6P
COONEY, D., HELMREICH, E.J.M. & KEENAN, A.K. The role of the cAMP-dependent protein kinase in phosphorylation of the β-adrenoceptor, 89, 596P
COOPER, A.J. & NATOFF, I.L. The adrenal medulla obscures sympathetic inhibition by SAR[1]-LEU [8]-AII and the ace inhibitor cilazapril in the pithed SH rat, 89, 846P
COOPER, M., COUGHLAN, J.R., HOLT, S.E. & WYLLIE, J.H. A flexible microcomputer controlled system for in vitro superfusion experiments, 87, 201P
COOPER, S.M., MCCLELLAND, C.M., MCRITCHIE, B. & TURNER, D.H. BRL 24924: a new and potent gastric motility stimulant, 88, 383P
COOPER, T.A. see BUCKINGHAM, J.C., 87, 60P
- - - see BUCKINGHAM, J.C., 88, 435P
CORDER, R. see BLOOM, S.R., 88, 470P
CORDER, R. & WITHRINGTON, P.G. Actions of VIP and PHI on vascular and capsular smooth muscle of the isolated blood perfused dog spleen, 87, 57P
CORRY, D.G. see DE BRITO, F.B., 89, 662P
CORTIJO, J. see ALLEN, S.L., 89, 752P
COSTALL, B. see BARNES, J.C., 88, 334P
- - - see BARNES, J.C., 88, 335P
- - - see BARNES, N.J.G., 88, 304P
- - - see BRADBURY, A.J., 87, 187P
- - - see BRADBURY, A.J., 87, 214P
COSTALL, B., DOMENEY, A.M. & NAYLOR, R. J. A model of nausea and emesis in

the common marmoset, 88, 375P
COSTALL, B., DOMENEY, A.M., KELLY, M. E. & NAYLOR, R.J. The profile of action of sulpiride as an anti-schizophrenic agent, 89, 642P
COSTALL, B., HENDRIE, C.A. & KELLY, M. E. The anxiolytic effect of substituted benzamides, 88, 332P
COSTELLO, J.F. see ADAMS, T., 87, 46P
COUGHLAN, J.R. see COOPER, M., 87, 201P
COWAN, A. see BLACKBURN, T.P., 88, 364P
COWAN, D.A., FRIEND, S., GIBSON, A. & HART, S.L. Effect of chronic treatment with methyl testosterone or methenolone on the sensitivity of mice to morphine, 89, 515P
COX, B.M., PUTTFARCKEN, P. & WERLING, L.L. Sodium regulation of opioid binding in NG 108-15 neuroblastoma X glioma hybrid cells and 7315c pituitary tumor cells, 87, 168P
COX, C.M., MASON, R., MEAL, A. & PARKER, T.L. Altered 5-HT sensitivity and synaptic morphology in rat CNS induced by long-term exposure to continuous light, 89, 528P
COX, R.T.L. & WALKER, R.J. Dibutyrylc-AMP, forskolin and MDL 12,330A modulate dopamine inhibition and a dopaminergic ipsp in identified helix neurones, 89, 823P
- - - Effects of extracellular cations and dibutyrylcamp on dopamine and octopamine inhibition of identified Helix neurones, 87, 166P
CRAGOE, E.J. see AKSOY, A., 89, 837P
CRAIG, R.K. see AL-KAZWINI, S.J., 88, 439P
CRAIG, R.K., HOLMAN, J.J., MARSHALL, I. & SHEPPERSON, N.B. Comparison of human and rat α-CGRP on blood pressure and heart rate in normotensive and spontaneously hypertensive rats, 88, 312P
CRAIG, R.K., MARSHALL, I., PACIOREK, P. & SHEPPERSON, N.B. Cardiovascular effects of human and rat α-calcitonin gene related peptides in the anaesthetised dog, 87, 55P
CREBA, J.A. & KAROBATH, M. Modulation of depolarization stimulated $^{45}Ca^{2+}$ uptake in cultured neuronal cells by calcium agonists and antagonists, 88, 388P
CREBA, J.A., DOYLE, V.M., HOYER, D. & RUEGG, U.T. Serotonin-2 (5-HT_2) receptor mediated phosphoinositide breakdown and calcium mobilisation in A^{7r5} smooth muscle cells, 87, 7P
CRESPI, F. & KEANE, P.E. The effect of diazepam and RO-15-1788 on extracellular ascorbic acid, DOPAC and 5-HIAA in the rat striatum in vivo, 88, 344P
CRIPPS, H., IVERSEN, L.L. & POAT, J.A. Forskolin potentiates secretory responses to substance P and isoprenaline in rat parotid glands, 89, 787P
CRISCIONE, L. see BURDET, R., 88, 266P
CRITCHLEY, M.A.E. & HANDLEY, S.L. 5-HT_2 receptor antagonist show anxiolytic-like activity in the X-maze, 89, 646P
CROME, R. & MANNING, A.S. Reperfusion-induced arrhythmias and oxygen-derived free radicals: evidence for involvement of multiple sources, 89, 755P
CROMPTON, M.R. see CHEETHAM, S.C., 89, 802P
CROSS, A.J., CROSSMAN, A.R., MITCHELL, I.J., SKAN, W. & SLATER, P. Autoradiography of [^{3}H]-kainic acid binding sites in brain, 88, 350P
CROSS, A.J., REYNOLDS, G.P. & SLATER, P. Reduction of [^{3}H]-D-aspartate binding to glutamate uptake sites in striatum of Huntington's disease patients, 87, 156P
CROSS, J.A. & HORTON, R.W. Cortical $GABA_B$ binding is unaltered following chronic oral administration of desmethylimipramine and zimelidine in the rat, 89, 521P
CROSSMAN, A.R. see CROSS, A.J., 88, 350P
CROSSMAN, D., MacDERMOT, J., McEWAN, J. & MacINTYRE, I. The action of calcitonin gene related peptide on bovine endothelial cells, 89, 542P
CROTHERS, D.M. see BHOOLA, K.D., 88, 316P
CROUCHER, M.J. see BRADFORD, H.F., 89, 865P
CROW, T.J., FARMERY, S.M. & OWEN, F. (3-[^{125}I]-iodotyrosyl^3) neurotensin binding in post-mortem brain from Alzheimer-type dementia patients and controls, 88, 380P
CROWDER, J.M. see BRADFORD, H.F., 89, 865P
CROWLEY, B.L. & KIRBY, M.J. Further studies with bupropion-induced glucose uptake into the rat isolated hemidiaphragm, 87, 121P

CROZIER, C.S., HILL, S.J., JENNER, A.J. & MASON, R. Effect of histamine on the release of endogenous noradrenaline and 5-hydroxytryptamine from rat cerebral cortical slices, 88, 327P
CUNNINGHAM, F.M. see CAMP, R.D.R., 88, 244P
CUNNINGHAM, F.M., GREAVES, M.W. & WOOLLARD, P.M. Chemokinetic activity of 12(S) and 12(R)-hydroxyeicosatetraenoic acids for human polymorphonuclear leucocytes, 87, 107P
CURZON, G. see BREIMER, D.D., 89, 657P
CURZON, G., DOURISH, C.T. & HUTSON, P.H. Neurochemical and pharmacological studies of 8-hydroxy-2-(di-n-propylamino) tetralin (8-OH-DPAT)-induced feeding, 87, 21P
CURZON, G., DOURISH, C.T. & KENNETT, G.A. The 5-HT agonist 8-OH-DPAT attenuates stress-induced deficits in open field activity and feeding behaviour, 87, 20P
CURZON, G., LOLIN, Y.I., PATSALOS, P.N. & SOKOMBA, E.N. An investigation of carbamazepine neuropharmacokinetics in individual unrestrained rats using repeated sampling of CSF, 89, 658P
CUSACK, N.J., HOURANI, S.M.O. & WELFORD, L.A. ATP analogues and the guinea-pig taenia coli: does enzyme breakdown determine pharmacological potency? 87, 83P
- - - ATP analogues and the guinea-pig urinary bladder: pharmacological potency is related to resistance to breakdown by ectoenzymes, 89, 514P
- - - 2-MeS-AMP-PCP and human platelets: implications for the role of adenylate cyclase in ADP-induced aggregation? 87, 84P
CUSS, F.M. see BARNES, P.J., 87, 65P
CUTLER, M.G. see ARROL, S., 89, 852P

DAEMEN, M.J.A.P., THIJSSEN, H.H.W., VERVOORT-PETERS, H.T.M. Local and systemic effects of direct infusion of S-acenocoumarol into the testis of the conscious rat, 89, 669P
DAILLEY, C., FEELY, M., GENT, J.P., HAIGH, J.R.M. & PULLAR, T. A preliminary evaluation of N-desmethylclobazam in epilepsy, 89, 705P
DAINTY, I.A., EGLEN, R.M., MCGRATH, J.C. & SPEDDING, M. Differences in the relaxant effects of 5-HT, 5-CT and 8-OH-DPAT on rat aorta and guinea-pig ileum, 88, 369P
DAINTY, I.A., MCGRATH, J.C. & SPEDDING, M. A simple, inexpensive method of storage and analysis of data from pharmacological concentration response, 89, 884P
DAMANHOURI, Z. & NICHOLLS, P.J. Induction of mixed function oxidase activity of rat and mouse liver by aminoglutethimide, 88, 430P
DAMAS, J. see ADAM, A., 89, 589P
DANDONA, P. & JEREMY, J.Y. RU38486 antagonises glucocorticoid inhibition of prostacyclin and PGE_2 synthesis by cultured rat gastric and duodenal explants, 89, 502P
DANHOF, M. see BREIMER, D.D., 89, 478P
- - - see BREIMER, D.D., 89, 566P
DANHOF, M. see BREIMER, D.D., 89, 657P
DANHOF, M. see SCHELLENS, J.H.M., 89, 478P
DARMANI, N.A., NICHOLLS, P.J. & STOLZ, J. Effect of beclamide on striatal monoamine levels and turnover, 88, 323P
DART, A.M., RIEMERSMA, R.A. & SCHOMIG, A. Noradrenaline release from the anoxic rat heart: mechanisms of release and metabolic prerequisites, 87, 142P
DASCOMBE, M.J. Effects of ONO-3144 on normal body temperature and fever in rabbits at different ambient temperatures, 87, 108P
DASHWOOD, M. & JACOBS, M. An autoradiographic study of the α-adrenoceptors in rat aorta in the presence and absence of endothelium, 87, 194P
DAVIDESKO, D. see BATINK, H.D., 89, 554P
- - - 89, 749P
DAVIES, C., STANFORD, C., STEINBERG, H. & SYKES, E. Unusual behavioural and binding effects after co-administration of clenbuterol and chlordiazepoxide in mice, 89, 531P
DAVIES, D.E., DEWLAND, P.M., DONNELL, D., LEWIS, P.A., WILLIAMS, P.E.O. & WOODWARD, A.J. A study of nefopam kinetics after single and multiple oral doses in young and elderly volunteers, 89, 721P
DAVIES, G.J. see BLOOM, S.R., 88, 470P
DAVIES, J.A. & HOUSTON, W.A.J. Effect of noradrenaline on potassium-evoked release of endogenous amino acids from rabbit hippocampal slices, 87, 157P

DAVIES, M. & ROBERTS, M.H.T. Studies with 5-carboxamidotryptamine and ketanserin on rat brainstem neurones, 89, 526P
DAVIES, S.L., HORTON, R.W., MISTRY, H., THEODOROU, A.E. & YAMAGUCHI, Y. Human platelet α_2-adrenoceptor binding and function during the menstrual cycle, 89, 801P
DAVIES, S.N. see ARAM, J., 89, 778P
- - - see CHURCH, J., 88, 270P
DAVIS, A., DE BOER, Th., JENNER, P. & MARSDEN, C.D. Dopaminergic modulation of D-[^{3}H]-aspartate and [^{14}C]-acetylcholine release from rat striatal slices, 89, 534P
DAVIS, C.J. see ANDREWS, P.L.R., 89, 860P
DAVIS, M.G. see BENDER, J., 89, 873P
DAVIS, S.S., LOWE, K.C. & SHARMA, S.K. Novel compositions of emulsified perfluorocarbons for biological applications, 89, 665P
DAVIS, S.S., PALIN, K.J. & WOOLFREY, S. G. The effect of miglyol 812 oil on the gastrointestinal absorption of propranolol in the rat, 89, 849P
DAVIS, W.G. see MANNION, D., 89, 680P
DAWBARN, D. see BLOOM, S.R., 88, 470P
- - - see BROWNSTEIN, M.J., 87, 134P
DAWSON, J. & HANAHOE, T.H.P. The dextran reaction and IgE in the rat, 89, 808P
DAWSON, K. see KILFEATHER, S.A., 87, 113P
DE BELLEROCHE, J. see KILFEATHER, S. A., 87, 113P
DE BELLEROCHE, J., PORTER, I.D. & STEINER, J.T. Inhibitory effect of nimodipine on the release of GABA from rat cerebral cortex, 88, 446P
DE BIE, J.F.M. see COLSTEE, J.H., 89, 725P
DE BIE, J.F.M., TEEUWEN, H.W.A. & VAN ROSSUM, J.M. The enterohepatic circulation of phenolphthalein in the dog. A systems dynamics approach, 89, 660P
DE BOER, A.G. see BREIMER, D.D., 89, 509P
DE BOER, E. see BENEKER, C., 89, 584P
DE BOER, H.J., DHASMANA, K.M. & SAXENA, P.R. The tachycardic response to 5-hydroxytryptamine in the spinal guinea-pig, 89, 545P
DE BOER, Th. see DAVIS, A., 89, 534P
DE BRITO, F.B. see ADHYA, S.A., 87, 48P
DE BRITO, F.B., AL-DUAIJ, A.Y., HOLMES, M.J.G., LAW, K.A. & WILLOUGHBY, D.A. Indomethacin, D-penicillamine and dexamethasone on cartilage breakdown by a granulomatous reaction, 89, 567P
DE BRITO, F.B., CORRY, D.G., AL-DUAIJ, A.Y., MOORE, A.R. & WILLOUGHBY, D.A. Adjuvant induced polyarthritis and the subcutaneous model of synovium, 89, 662P
DE BRUIJN, E.A., KUPPEN, P.J.K., LEEFLANG, P., SLEE, P. & VAN OOSTEROM, A.T. Constructing in vitro AUC's for testing anti-tumour agents with the mean residence time as starting-point, 89, 510P
DE CALLABOS, M.L., JENNER, P. & MARSDEN, C.D. Acute and repeated administration of sulphride alters met- and leu-enkephalin content of rat brain, 88, 306P
DE JONG, W. see AALDERS, R., 89, 486P
DE JONG, W., GIERSBERGEN, P.L.M. & WIEGANT, V.M. α-Methyldopa dose dependently lowers blood pressure: effect of the opiate receptor antagonist naltrexone, 89, 593P
DE JONG, W., LAMBRECHTS, A.C. & VAN DEN BUUSE, M. Blood pressure effects of dopamine and bromocriptine in conscious spontaneously hypertensive rats (SHR), 89, 688P
DE JONG, Y., DE WILDT, D.J., NIJKAMP, F.P. & VAN DE KUIL, A. Pertussis toxin induced hypotension in rats: a non-endotoxic septic shock, 89, 748P
DE JONGE, A. see BATINK, H.D., 89, 554P
- - - see BATINK, H.D., 89, 749P
DE JONGE, A., DOODS, H.N., RIESBOS, J. & VAN ZWIETEN, P.A. Heterogeneity of muscarinic binding sites in rat brain, submandibular gland and atrium, 89, 551P
DE LANGEN, S.D., SPEAR, J.F., LEVINE, J.H. & MOORE, E.N. The effects of acetyl-strophantidine on body surface late potentials in infarcted dogs, 89, 611P
DE MEY, C., MEINEKE, I. & WESCHE, H. Temelastine does not alter the plasma pharmacokinetics of simultaneously administered antipyrine in man, 89, 724P
DE OLIVEIRA, A.M. see LANGER, S.Z., 89, 630P
DE SARRO, G.B. see ASCIOTI, C., 88, 379P

DE SARRO, G.B., MELDRUM, B.S. & PATEL, S. Injection of γ-D-glutamylaminomethyl-sulphonic acid (GAMS) in substantia nigra protects against generalised and limbic seizures in rats, 88, 329P
DE SCHEPPER, P.J., LEMMEN, C.M., TEEUWEN, H.W.A., TJANDRAMAGA, T.B., VAN ROSSUM, J.M. & VELTHUIS, R.A. Clinical systems dynamics pharmacokinetics of the metabolic conversion of caffeine into paraxanthine, 89, 702P
DE SOUZA, R.J., GOODWIN, G.M. & GREEN, A.R. Antidepressant drugs and ECS attenuate the hypothermia and behavioural syndrome following 8-OH-DPAT administration to rats, 89, 523P
DE SOUZA, R.J., GOODWIN, G.M., GREEN, A.R. & WOOD, A.J. Lithium attenuates both 5-HT_1 and 5-HT_2 receptor-mediated behaviour in the mouse, 87, 66P
DE WILDT, D.J. see BLOKHUIJZEN, N.J. P., 89, 553P
DE WILDT, D.J. see DE JONG, Y., 89, 748P
DEACON, R. see BUDHRAM, P., 88, 331P
DEACON, R. & GARDNER, C.R. Benzodiazepine and 5-HT ligands in a rat conflict test, 88, 330P
DEBETS, J.J. see SCHOEMAKER, R.G., 89, 606P
DECKERS, I.A., HERMAN, A.G. & LAEKEMAN, G.M. Detection of acetylcholine released from guinea-pig ileum, using an adapted cascade system, 89, 651P
DEEMING, K., MAZZONI, L., MORLEY, J., PAGE, C.P. & SANJAR, S. Prophylactic anti-asthmas drugs impair platelet accummulation within the lungs, 87, 73P
DEIGHTON, N.M., HAMILTON, C.A., JONES, D.R. & REID, J.L. Chronic agonist regulation of β-adrenoceptors in the rabbit, 88, 284P
DELAHAYE, M., LLOYD, K.G., MAGNIER, G. & PROUTEAU, M. The antiulcer action of GABAmimetics involves more than an anti-secretory mechanism, 87, 79P
DEMAN, J. see AGON, P.Y., 89, 632P
DENHAM, M.J., DESHMUKH, A.A., DOBBS, S. M., JORDAN, A., NICHOLSON, P.W. & O'NEILL, C.J.A. Measurement of spontaneous movement during the night: a useful objective assessment of Parkinson's disease? 89, 717P
DENNIS, T. see CARTER, C.J., 88, 307P
- - - see CLAUSTRE, Y., 87, 151P
DENNISS, A.R., DOWNEY, J.M., HEARSE, D.J., KINGMA, J.G. Jr & YELLON, D.M. Infarct size linitation with allopurinol and verapamil alone or in combination during 48 hours of coronary artery occlusion, 89, 737P
DENUCCI, G. see ASTBURY, P., 87, 14P
DESARMENIEN, M., DESAULLES, E., FELTZ, P., HAMANN, M., MICHAUD, J.C. & MIENVILLE, J.M. Electrophysiological study of pyridazine-GABA derivatives with GABA-A antagonist properties, 87, 150P
DESAULLES, E. see DESARMENIEN, M., 87, 150P
DESHMUKH, A.A. see DENHAM, M.J., 89, 717P
DESMET, J.M. see BERKENBOOM, G., 89, 495P
DESTA, B. & SENIOR, J. Responses of the uterus to prostaglandin and oxytocin in the diabetic pregnant rat, 89, 670P
DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J. & WILSON, K.A. α_2-adrenoceptor regulation of electrolyte transport in rat jejunum, 88, 322P
DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J. & WILSON, K.A. β_2-adrenoceptor regulation of electrolyte transport in rat jejunum, 88, 465P
DETTMAR, P.W., KELLY, J. & MACDONALD, A. α-adrenoceptors in the rat colon, 88, 463P
- - - Effect of noradrenaline on non-adrenergic, non-cholinergic inhibitory nerve-induced responses in rat gastric fundus, 89, 668P
- - - A non-adrenoceptor mediated effect of some catecholamines in rat gastric fundus, 89, 498P
DEVENPORT, C.E. see ABRAMS, S.M.L., 89, 716P
DEWAR, A. see BARNES, P.J., 89, 767P
DEWHURST, D.G. Comparative sensitivity of catechol-induced sensory evoked convulsions to different anticonvulsants, 88, 325P
- - - Effects of excitatory amino acid antagonist on catechol-induced seizures, 89, 640P
DEWHURST, D.G. & MEEHAN, A.S. Computer-simulation practical teaching using the BBC microcomputer: properties of nerve, 89, 882P
- - - Microcomputer analysis of sensory-evoked convulsive activity, 89, 881P

DEWLAND, P.M. see DAVIES, D.E., 89, 721P
DEXTER, D.T. see BOYCE, S., 89, 876P
DHASMANA, K.M. see DE BOER, H.J., 89, 545P
DICKENS, T.A. see ATTERWILL, C.K., 89, 732P
DICKENSON, A.H. & KNOX, R.J. Intrathecal and systemic opioids alter the excitability of convergant neurones in the rat dorsal horn, 87, 61P
DICKINSON, S.L., GADIE, B. & TULLOCH, I.F. Differential effects of specific α-adrenoreceptor antagonists on catecholamine mediated behaviour, 89, 872P
DICKSON, M., MARSHALL, R.J. & SHAHID, M. Compartmentation of cyclic GMP in the rabbit myocardium, 89, 612P
DIETZE, T. see BOSS, H., 89, 605P
DIFRANCESCO, G.F., GITTOS, M., PETTY, M. & SPEDDING, M. MDL 72567: a dihydropyridine calcium antagonist with reduced propersity to cause reflex tachycardia, 89, 618P
DIFRANCESCO, G.F., PALFREYMAN, M.G., SPEDDING, M. & ZREIKA, M. Inhibition of MAO in the dog by MDL 72,394 with minimal tyramine potentiation, 89, 685P
DINGEMANSE, J. see BREIMER, D.D., 89, 657P
DIXON, E.J.A. see ALLAN, G., 89, 756P
DOBBS, R.J., LEVI, S., NICHOLSON, P.W. & O'NEILL, C.J.A. Pressure sores in the elderly: lack of inhibition of spontaneous movements during the night by chlormethiazole, 89, 722P
DOBBS, S.M. see DENHAM, M.J., 89, 717P
DOCHERTY, J.R. An investigation of age-related changes of β-adrenoceptor mediated responsiveness in the rat, 89, 603P
- - - 5-hydroxytryptamine receptors involved in vasodilatation in the pithed rat, 89, 753P
- - - Prejunctional inhibitory actions of α_1-adrenoceptor agonists in the rat, 89, 842P
DOCHERTY, J.R. & SAWYER, R. Usefulness of phenylephrine and sodium nitroprusside in baroreflex assessment, 89, 853P
DOCHERTY, J.R. & WARNOCK, P. Effects of antagonists of 5-hydroxytryptamine on blood pressure in the anaesthetised SHR, 87, 16P
- - - Prejunctional inhibitory 5-hydroxytryptamine (5-HT) receptors in the rat heart and vas deferens, 89, 843P
DODGE, B.B. see BLOXHAM, D., 89, 817P
- - - see BRADSHAW, D., 89, 816P
DOLAMORE, P.G. & LOUTTIT, J.B. The vascular relaxant effects of an atrial peptide and nitroprusside are partially additive, 87, 176P
DOLIN, S.J. & LITTLE, H.J. The effects of BAY k 8644 on the general anaesthetic potencies of ethanol and argon, 89, 622P
DOLIN, S.J., GRANT, A.J., HUNTER, A.B. & LITTLE, H.J. Anticonvulsant profile and whole brain concentrations of nitrendipine and nimodipine, 89, 866P
DOLIN, S.J., HALSEY, M.J. & LITTLE, H. J. Calcium channel antagonists decrease the ethanol withdrawal syndrome, 87, 40P
DOLPHIN, A.C. & SCOTT, R.H. Inhibition of calcium currents by the adenosine analogue 2-chloro-adenosine involves GTP binding proteins, 89, 780P
DOLPHIN, A.C., FORDA, S.R. & PRESTWICH, S.A. Adenosine antagonists enhance glutamate release and spontaneous synaptic activity in neuronal cultures, 88, 272P
DOMENEY, A.M. see COSTALL, B., 88, 375P
- - - see COSTALL, B., 89, 642P
DONALDSON, J. & HILL, S.J. Alterations in H_1-agonist affinity and efficacy induced by 1,4-dithiothreitol in guinea pig ileum, 89, 770P
- - - Effect of 1,4-dithiothreitol on [^{3}H]-mepyramine binding to homogenates of guinea pig cerebellum and cerebral cortex, 88, 257P
- - - Potentiation of H_1-receptor-mediated inositol phospholipid and cyclic AMP responses in guinea pig brain by 1,4-dithiothreitol, 88, 256P
DONATO DI PAOLA, E. see CAVERO, I., 88, 453P
DONATO DI PAOLA, E., HICKS, P.E. & LORRAIN, J. Cardiovascular effects of HA1004 in anaesthetised and pithed rats, 88, 442P
DONETTI, A. see BIETT, G., 88, 259P
DONG, Y.J. & WADSWIRTH, R.M. Effects of Bay K 8644 on ^{45}Ca uptake in the aorta from hypertensive rabbits, 87, 3P

DONNELL, D. see DAVIES, D.E., 89, 721P
DONNELLY, R., ELLIOTT, H.L. & REID, J. L. The combination of nicardipine and enalapril in patients with essential hypertension: a placebo controlled study, 89, 485P
DONOGHUE, S. see ALLAN, G., 89, 756P
DOODS, H.N. see BATINK, H.D., 89, 554P
- - - see BATINK, H.D., 89, 749P
DOODS, N.H. see DE JONGE, A., 89, 551P
DORMANS, J.A. see BLOKHUIJZEN, N.J.P., 89, 553P
DOUMAUX, P. see BARTHELEMY, G., 87, 199P
DOURISH, C.T. see CURZON, G., 87, 20P
- - - see CURZON, G., 87, 21P
DOVER, J.S. see BARR, R., 87, 103P
DOWNEY, J.M. see DENNISS, A.R., 89, 737P
DOWNING, O.A. see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
DOWNING, O.A., HUMPHREYS, A-L, TODD, M. H. & WILSON, K.A. Cirazoline and UK-14,304 reverse ischaemic depression of skeletal muscle contractions, 89, 830P
DOWNING, O.A., SMITH, J.W., STUBBS, D. & WILSON, K.A. α_2-adrenoceptors in rat femoral vein, 88, 292P
DOWNING, O.A., STEIN, W.K. & WILSON, K. A. A differential effect of prazosin on the two phases of egta-resistant contractions of rat aorta to noradrenaline, 89, 841P
DOWNING, O.A., WATERS, C.M. & WILSON, A. D. Dissimilarities between the effects of varapamil and hypoxia on rat arteries in vitro, 88, 251P
DOWNING, O.A., WILSON, K.A. & WILSON, V. G. Depression of maximum responses of circular portal vein by prazosin, 89, 491P
DOWNING, S.J., EDWARDS, D. & HOLLINGSWORTH, M. Diltriazem - relationship between concentrations in vivo and effects on the rat uterus and cardiovascular system, 89, 620P
DOXEY, J.C. see BERRIDGE, T.L., 89, 671P
DOXEY, J.C., GADIE, B., ROACH, A.G., SMITH, C.T.C., STRACHAN, D.A. & TULLOCH, I.F. Agonist and antagonist effects of RX 801080 at α1- and α2-adrenoceptors in rats, 87, 192P
DOXEY, J.C., JOHN, G. & REID, J.L. β2-adrenoceptors mediate the insulinotropic and hyperglycaemic actions of isoprenaline in fasted rats, 88, 462P
DOYLE, V.M. see CREBA, J.A., 87, 7P
DRAPER, A.J., MEGHJI, S.A. & REDFERN, P.H. Facilitatory pre-synaptic receptors in the isolated perfused rat mesentery, 88, 466P
DRAPER, A.J., REDFERN, P.H. & ROBERTS, J. Hypotension induced by central injection of iosprenaline and clenbuterol: modification by central propranolol, 88, 454P
DREW, G.M. see CONNOR, H., 87, 63P
DREW, G.M., FENIUK, W., HUNT, A.A.E. & MULROY, S.C. Vascular α_2-adrenoceptor function in conscious doca-salt hypertensive rats, 87, 86P
DREW, M. see CAMPBELL, D.B., 89, 746P
DREYLING, K.W., LANGE, K., PESKAR, B.A. & PESKAR, B.M. Release of leukotrienes by rat and human gastric mucosa and its pharmacological modification, 88, 236P
DRITTIJ-REIJNDERS, M.J.H.J., HOEIJMAKERS, J.J.F., THIJSSEN, H.H.W. & UITENDAAL, M.P. Vitamin K1,2,3 epoxide reductase in cultured B16 mouse melanoma cells; a possible explanation for warfarin cytotoxicity, 89, 663P
DRYDEN, W.F. & TAWFIK, N.H. Dietary lipids and the susceptibility to dysrhythmia in the rat heart, 87, 202P
DUBOIS, A. see ARBILLA, S., 88, 345P
DUENAS-LAITA, A. see BARRY, M.G., 87, 144P
DUFF, G.R., GRAHAM, P.A. & WATT, A.H. Comparison of ocular and cardiovascular effects of oral nadolol and topical timolol in patients at risk of glaucoma, 89, 713P
DUKER, G. see ALMGREN, O., 88, 277P
DUNBAR, A.W., MCCLELLAND, C.M. & SANGER, C.J. BRL 24924: A stimulant of gut motility which is also a potent antagonist of the Bezold-Jarisch reflex in anaesthetised rats, 88, 319P
DUNCAN, G.P. & PATMORE, L. Calcium channel antagonist-facilitator competion in cultured embryonic chick cardiac cells, 87, 99P
DUNCAN, G.P., PATMORE, L. & SPEDDING, M. Positive inotropic effects of palmitoyl carnitine on embryonic chick heart cell aggregates, 89, 757P

DUNDEE, J.W. see CARSON, I.W., 89, 474P
DUNN, P.M. see BLAKELEY, A.G.H., 89, 786P
DUPONT, A.G. see BOGAERT, M.G., 87, 25P
DUPONT, A.G., LEFEBVRE, R.A. & VANDERNIEPEN, P. Characterization of vascular neuronal dopamine receptors in the rat, 89, 492P
DUPONT, A.G., VANDERNIEPEN, P. & VANHAELST, L. Blood pressure lowering effect of centrally and peripherally administered apomorphine in anaesthetized rats, 89, 599P
DURAND, A., FERRANDES, B., GARRIGOU, D. & MORSELLI, P.L. Plasma and brain kinetics of zolpidem, a new hypnotic, in the rat, 89, 730P
DURANTI, P. see BIETTI, G., 88, 259P
DUVAL, N., LANGER, S.Z., LEE, C.R. & PETRUZZO, P. Effect of sympathetic nerve stimulation on the release of betaxolol from the heart of the anaesthetized dog, 89, 634P
DYE, A.C. see ALPS, B.J., 87, 95P
DZOLJIC, M.R., SAXENA, P.R. & UKPONMWAN, O.E. Activation of "5-HT_1-like" receptors stimulates wakefulness, 89, 522P

EBENEZER, I.S. The effect of vasopressin on learning motivated by food reward, 87, 218P
EDEN, R.J., OWEN, D.A.A. & PATEL, B. The lack of effect of sodium L-3,3,5-triiodothyronine on lead II ECG signals in conscious cats, 89, 827P
EDWARDS, D. see DOWNING, S.J., 89, 620P
EDWARDS, D., FEELY, M., HAIGH, J., PRAKER, S. & PULLAR, T. The effect of cimetidine on the single dose pharmacokinetics of 1,5-benzodiazepines, 89, 723P
EDWARDS, D., GOOD, D.M., HOLLINGSWORTH, M., ROBSON, A., SMALL, R.C. & WESTON, A.H. Two components to the spasmogenic action of oxytocin in the rat uterus, 87, 90P
EGAN, T.M. & NORTH, R.A. Pirenzepine has a low affinity for the muscarinic receptor mediating potassium conductance increase in rat nucleus parabrachialis, 87, 228P
EGLEME, C. & GODFRAIND, T. Role of the endothelium in the potassium-induced relaxation in rat isolated aorta, 89, 659P
EGLEN, A. & WILLIAMS, B.C. Histamine directly stimulates release of renin cortical cells in vitro, 87, 127P
EGLEN, R.M. see DAINTY, I.A., 88, 369P
EGLEN, R.M. & WHITING, R.L. Differential affinities of muscarinic antagonists at ileal and atrial receptors, 87, 33P
- - - Short-term desensitisation and its application to the estimation of agonist affinity constants, 89, 552P
EGLEN, R.M., MICHEL, A.D. & WHITING, R. L. Non-competitive antagonism exhibited by putative M_1 selective muscarinic antagonists, 89, 655P
EK, B. & NAHORSKI, S.R. Muscarinic receptor-mediated phosphoinositide metabolism in guinea-pig parotid gland, ileum and cortex, 87, 32P
EL DEBANI, A.H. & STEVENSON, I.H. Studies on the effects of glipizide on microsomal drug metabolism, 88, 427P
EL-MAHDY, N. & NICHOLLS, P.J. Effect of cotton bract extract on guinea-pig perfused lung, 89, 809P
- - - Effect of cotton dust extracts on guinea-pig perfused lung, 88, 417P
EL MURADI, E.M.A. & MCCURRIE, J.R. Effects of experimental conditions on the assessment of dilator activity in isolated blood vessels, 88, 448P
ELASED, K.M. & NAYLOR, I.L. Croton oil induced myofibroblasts and their sensitivity to 5-hydroxytryptamine - an alternative proposal, 89, 810P
ELFELLAH, M.S., HAMILTON, C.A. & REID, J.L. Characterisation of β-adrenoceptors in guinea-pig skeletal muscle, 88, 317P
ELLIOT, J.M. see ATTERWILL, C.K., 87, 221P
ELLIOT, J.M. see BRISTOW, L.J., 87, 88P
ELLIOTT, H.L. see DONNELLY, R., 89, 485P
ELLIOTT, P. Inhibition by catecholamines of Ca spike in rat preganglionic cervical sympathetic nerves, 88, 459P
ELLIS, D., EMMETT, J.C., FLYNN, S.B., LEESON, P. & UNDERWOOD, A.H. SK&F L-94901 - a novel selective thyromimetic with potent hypocholesterolaemic activity, 89, 829P
EMMETT, J.C. see ELLIS, D., 89, 829P

EMSON, P.C. see BROWNSTEIN, M.J., 87, 134P
ENGEL, G. see BUCHHEIT, K.H., 88, 367P
ENGELBERGER, W. & PARNHAM, M.J. Inhibition by ebselen of macrophage eicosanoid generation and lymphocyte proliferation in vitro, 87, 15P
ENGLAND, P.J., LEIGH, B.K., REEVES, M. L. Identification and selective inhibition of a new phosphodiesterase activity from cat cardiac ventricle, 89, 572P
ENGLISH, T.A.H., GRISTWOOD, R.W., OWEN, D.A.A., SAMPFORD, K.A. & WALLWORK, J. Effects of dopamine on human ventrical in vitro: comparison with effects of isoprenaline, epinine and ibopamine, 87, 203P
ENNIS, C. The 5-HT autoreceptor in the rat hypothalamus resembles a 5-HT_{1B} receptor, 88, 370P
ENNIS, M., GERLAND, W., HEISE, J. & LORENZ, W. Histamine release from guinea pig, human, rabbit and rat mast cells elicited by cremophor el and its derivatives, 89, 569P
EON, M-T, see ARBILLA, S., 87, 80P
ESSADKI, A. see ATKINSON, J., 89, 740P
EVANS, R.H. A slow spinal response mediated at NMA receptors, 88, 269P
- - - see BLAKE, J.F., 88, 273P
EVANS, T.W. see BARNES, P.J., 89, 764P
EWINS, C.P., HIGGINS, A.J., LEES, P., MAWHINNEY, I., SEDGWICK, A.D. & TAYLOR, J.B.O. Studies on the pharmacology of phenylbutazone in the horse, 89, 763P

FAGG, G.E. see BAUD, J., 88, 458P
FAGOO, M. & GODFRAIND, T. Possible contribution of lignans to the mammalian digitalis-like activity, 89, 602P
FAIRBURN, A.F. see CANDY, J.M., 88, 359P
FAIRBROTHER, I. see ARKLE, S., 89, 590P
FAIRBROTHER, I.S. see ARBUTHNOTT, G.W., 89, 878P
- - - see ARBUTHNOTT, G.W., 89, 879P
FARMER, S.T. & FEDAN, J.S. Potassium-, methacholine- and histamine-induced relaxations of longitudinal strips of guinea-pig trachea, 87, 93P
FARMERY. S.M. see CROW, T.J., 88, 380P
FASEHUN, O.A., JENNETT, S.M. & MCGRATH, J.C. Responses of the isolated rat portal vein to α-adrenoceptor agonists in different O_2 tensions, 88, 452P
FASMER, O.-G. see BERGE, O.-G., 89, 639P
FASMER, O.B., HOLE, K. & HUNSKAAR, S. Involvement of central serotonergic pathways in nefopam-induced antinociception, 89, 638P
FAVENNEC, E. see CAVERO, I., 87, 191P
FEATHERSTONE, R.L. see BEASLEY, C.R. W., 88, 235P
FEDAN, J.S. see FARMER, S.T., 87, 93P
FEE, J.P.H. see CLARKE, R.S.J., 89, 471P
FEELY, J. see BARRY, M.G., 87, 144P
- - - see BARRY, M.G., 89, 719P
FEELY, J., OGG, G.D., PATERSON, J.R. & STEVENSON, I.H. The metabolism of ranitidine by guinea-pig liver microsomes, 88, 426P
FEELY, M. see DAILLEY, C., 89, 705P
- - - see EDWARDS, D., 89, 723P
FEELY, M., GENT, J.P., HAIGH, J.R.M. & PEAKER, S. Acute clobazam administration induced anticonvulsant tolerance to N-desmethylclobazam in mice, 89, 643P
FEKKES, D., BRUINVELS, J. & PEPPLINKHUIZEN, L. Disturbance of serine metabolism and endogenous formation of β-carbolines in a group of episodic psychotic patients, 89, 476P
FELL, A.F. see BARNES, J.C., 88, 335P
FELTZ, P. see DESARMENIEN, M., 87, 150P
FENIUK, W. see DREW, G.M., 87, 86P
FENSKE, D. see CHANDLER, J., 88, 242P
FERNANDES, L.B., GOLDIE, R.G., PATERSON, J.W., RIGBY, P.J. & SPINA, D. β-Agonist-induced desensitization of guinea-pig tracheal β-adrenoceptors in vitro, 89, 782P
FERRANDES, B. see DURAND, A., 89, 730P
FERRANDON, P. see ARMSTRONG, J.M., 87, 96P
FILE, S.E., McCULLOCH, J. & PRATT, A. Increased local cerebral glucose utilization in limbic regions induced by FG 7142, 89, 871P
FINCHAM, N.J. see CAMP, R.D.R., 88, 244P
FINET, M. & GODFRAIND, T. Selective inhibition of high and low affinity inotropic components of ouabain by amiloride derivatives, 89, 600P

FINNEN, M.J., FLOWER, R.J. & TAYLOR, R. D. The effects of Zn^{++} on pig pancreatic phospholipase A_2 activity and carageenin-induced pleurisy, 89, 744P

FINNEN, M.J., FLOWER, R.J., LASHENKO, A. & WILLIAMS, K.I. Cytochrome P-450 dependent mono-oxygenase activity and endothelium-dependent relaxation of vascular tissue, 88, 406P

- - - Airway epithelium influences responsiveness of guinea-pig tracheal strips, 88, 407P

FITZGERALD, M.F., MONCADA, S. & PARENTE, L. The effect of cyclo-oxygenase and lipo-oxygenase inhibition on the release of PAF-acether in vitro, 88, 231P

FITZGERALD, M.X. see BRAYDEN, D., 87, 50P

FITZPATRICK, F.T.A. see GREENSTEIN, B. D., 89, 561P

FLETCHER, A. see CLARK, M., 89, 863P

FLETCHER, G.H. & STARR, M.S. Intra-striatal SKF 38393 reveals spatial heterogeneity of dopamine D1 receptro-mediated behaviours, 89, 861P

FLOWER, R.J. see FINNEN, M.J., 88, 406P

- - - see FINNEN, M.J., 88, 407P

- - - see FINNEN, M.J., 89, 744P

FLOWER, R.J. & PEERS, S.H. The inhibition of platelet aggregation by ambroxol a mucolytic agent, 88, 264P

FLOWER, R.J., MOON-PARVIN, D., PEERS, S. H., PEPINSKY, B. & TAYLOR, R.D. A novel way for assessing the binding of phospholipase A_2 to substrate, 89, 743P

FLUCKER, C.J.R., LYLES, G.A. & MARSHALL, C.M.S. Ex vivo inhibition of amino oxidase activities in several rat tissues by MDL 72145, 87, 68P

FLYNN, S.B. see ELLIS, D., 89, 829P

FOLKERTS, G. see LOESBERG, C., 89, 499P

FOLLENFANT, M.J. see ALLAN, G., 89, 756P

FONE, K.C.F. see BENNETT, G.W., 88, 300P

- - - see BENNETT, G.W., 89, 530P

FONTAINE, J. see BERKENBOOM, G., 89, 495P

FONTAINE, J., SCHULMAN, C.C. & WESPES, E. Postjunctional α_1-and α_2-like adrenoceptors in human isolated deep dorsal vein of the penis, 89, 493P

FORDA, S.R. see DOLPHIN, A.C., 88, 272P

FORDER, R.A. see CAREY, F., 88, 245P

FORDYCE, K. see BENNETT, P.N., 88, 431P

FORSYTH, K.M., GALLAGHER, A.P. & POLLOCK, D. Effects of reserpine or 6-hydroxydopamine on responses of mouse and rat vas deferens to field stimulation and drugs, 87, 94P

FORSYTH, K.M., LESLIE, C.A. & POLLOCK, D. Thyroxine alters pre- and post-synaptic sensitivity in the mouse vas deferens, 89, 828P

FORTUNE, D.H., HAGAN, R.M. & HARE, J. R. Localisation and characterisation of [^{3}H]-5-HT binding sites in the amygdala of rat brain, 88, 349P

FOSTER, A.C. & TRIDGETT, R. Tachykinin receptors in rat cerebral cortex: [^{125}1] Bolton-Hunter-labelled -eledoisin and -neurokinin A label a common site, 89, 774P

FOSTER, A.C., GILL, R. & KEMP, J.A. Protection of N-methyl-D-aspartate-induced neuronal degeneration by systemic administration of MK-801, 89, 870P

FOSTER, A.C., GRIMWOOD, S. & KEMP, J. A. Electrophysiological and radio-ligand binding studies of N-methyl-D-aspartate receptors in rat cerebral cortex, 89, 869P

FOSTER, J.E. & HARPUR, E.S. Infusion of gentamicin increases renal clearance of calcium and magnesium in Fischer 344 rats, 88, 428P

FOSTER, R.W. see ALLEN, S.L., 87, 228P

- - - see ALLEN, S.L., 89, 752P

FOSTER, S.N.E. see ALLEN, A., 87, 126P

FOUDA, A.K. see ATKINSON, J., 88, 313P

- - - see ATKINSON, J., 88, 437P

- - - see ATKINSON, J., 88, 451P

FOUQUE, F., SCHATTNER, M., SHAW, A., TOUQUI, L. & VARGAFTIG, B.B. Interference of a PAF-acether antagonist with adrenaline-induced activation of human platelets, 89, 765P

FOWLER, L.J. see COLE, G., 89, 628P

FOX, J.I. & SHAW, M.A. Oestrogen secretion by progestogen-treated rat ovaries in vitro, 87, 204P

FOZARD, J.R., KIDD, E.J., NEILL, J. & TRICKLEBANK, M. Further characterisation of the discriminative stimulus induced by 8-hydroxy-2-(di-n-propylamino) tetralin in rats, 88, 371P

FRAIS, M.A., REYNOLDS, G., SILKE, B., TAYLOR, S.H. & VERMA, S.P. Haemo-

dynamics of bumetanide in chronic and exercise-induced left heart failure, 89, 745P
FRANCIS, D.M. see BARR, R.M., 87, 103P
- - - see BARR, R.M., 88, 394P
FRANZ, P.H. see BRADSHAW, D., 89, 816P
FRAZER, C.E., RITTER, J.M. & TAYLOR, G. W. pH dependent stimulation by free calcium of prostacyclin synthesis by rat aortic rings, 89, 835P
FREEDMAN, S.B. Regional differences in muscarinic receptor linked inositol phospholipid hydrolysis, 87, 29P
FREEMAN, E., OSBORNE, R.H., WILLIAMS, C. RU24969 and 8-OH-DPAT antagonise 5-HT induced contraction of the rat colon and ileum, 88, 368P
FRENCH, A.M., JEFFERSON, G.C. & McKEAN, F.M. The effect of temperature on alpha one and alpha two adrenoceptor sensitivity in rat vas deferens, 89, 582P
FRENCH, P. see CAREY, F., 88, 245P
FRENKEN, M. & KAUMANN, A.J. Surmountable antagonism by ketanserin of 5-hydroxytryptamine-induced contractions in dog basilar artery, 89, 550P
FRIEND, J. see BLACKBURN, T.P., 87, 167P
FRIEND, S. see COWAN, D.A., 89, 515P
FRITSCHE, R., SCHELD, H.H., MULCH, J., TRACH, V., GERSTENBERG, W., VAN MEEL, J.C.A. & HEHRLEIN, W. Effect of pimobendan on calcium sensitivity of skinned fibres isolated from human papillary muscles, 89, 751P
FRITZ, S., SCHNEIDER, H.H., STEPHENS, D. N. & WEIDMANN, R. Tolerance to the anxiolytic action of diazepam in rats, 88, 336P
FULLER, R.W., KEMENY, D.M., HOLGATE, S. T., MACDERMOT, J., MORRIS, P.K. & SYKES, D. IgE-dependent stimulation of human alveolar macrophages, 87, 13P
FURLONG, B., HENDERSON, A.H., LEWIS, M. J., SMITH, J.A. & WHITE, D. Platelet anti-aggregatory properties of bovine retractor penis muscle extract, 88, 447P
FURMAN, B.L., SIDEY, F.M. & WARDLAW, A. C. Hypoglycaemia and stress-induced hyper-insulinaemia in B. Pertussis infected mice, 87, 52P

GADIE, B. see DICKINSON, S.L., 89, 872P
GADIE, B. see DOXEY, J.C., 87, 192P
GALIONE, A. see CARSWELL, H., 87, 71P
GALLAGHER, A.P. see FORSYTH, K.M., 87, 94P
GALLOWAY, D.J., GEORGE, W.D., MCINTYRE, R. & ZEITLIN, I.J. Prostaglandin and carcinogenesis in rat colon: effect of diet and indomethacin, 87, 109P
GALTON, S.A., PIPER, P.J. The metabolism of leukotrienes by porcine pulmonary artery, 88, 232P
GALZIN, A.-M., LANGER, S.Z. & PASARELLI, F. Effects of 6-nitroquipazine on [^{3}H]-5HT overflow in hypothalamic slices from normal and PCPA treated rats, 87, 17P
- - - Interaction between 5-HT uptake inhibitors and presynaptic inhibitory 5-HT autoreceptors: comparisons of K^+ and electrical depolarization, 87, 23P
GALZIN, A-M., LANGER, S.Z. & TARANGER, M-A. Effects of methiothepin on the potassium-evoked release of [^{3}H]-NA in rat pineal glands, 89, 533P
GALZIN, A-M., LANGER, S.Z., LOO, H., PIMOULE, C., POIRIER, M-F. & SCHOEMAKER, H. Administration of lithium to healthy volunteers decreases [^{3}H]-5HT uptake without modifying [^{3}H]-IMI binding in blood platelets, 89, 525P
GANELLIN, C.R. see CALCUTT, C.R., 89, 773P
GANELLIN, C.R., GRIFFITHS, R., MITCHELL, R.C., SMITH, I.R. & YOUNG, R.C. The design of brain-penetrating H_2 receptor histamine antagonists, 89, 772P
GARCHA, H.S., GOLDBERG, S.R., REAVILL, C., RISNER, M.E. & STOLERMAN, I.P. Behavioural effects of the optical isomers of nicotine and nornicotine, and of cotinine, in rats, 88, 298P
GARCI-SEVILLA, J.A. & ULIBARRI, M.I. Spontaneous morphine withdrawal modulates α-2 adrenoceptors in the rat brain, 89, 516P
GARDNER, C.R. see BAGUST, J., 89, 864P
- - - see BUDHRAM, P., 88, 331P
- - - see DEACON, R., 88, 330P
GARDNER, C.R. & GUY, A.P. Do agents enhancing GABA receptor-coupled chloride ionophore function have anxiolytic properties? 89, 798P
GARDNER, C.R. & MANN, G. Incomplete overlap of interoceptive stimuli induced by CL218872 and chlordiazepoxide, 89, 867P

GARRIGOU, D. see DURAND, A., 89, 730P
GAVIRAGHI, G. see CARPI, C., 89, 758P
GAZELEY, M.J.S., LEES, I.W., PAYNE, A.N., WEBBON, P.M. & WOOLLEY, G.E. Anatomical deposition and early distribution of an inhaled radioaerosol in conscious and anaesthetised rats, 87, 122P
GENARD, J. & KRAMP, R. Excretory effects of torasemide and metabolites, and furosemide after unilateral renal application of i.v. injection in the rat, 89, 678P
GENT, J.P. see DAILLEY, C., 89, 705P
- - - see FEELY, M., 89, 643P
GENT, J.P. & HUGHES, I.E. A pharmacology 'short notes' tutor who works for peanuts and never gets it wrong, 89, 883P
GEORGE, W.D. see GALLOWAY, D.J., 87, 109P
GERLAND, W. see ENNIS, M., 89, 569P
GERSTENBERG, W. see BOSS, H., 87, 102P
- - - see FRITCHE, R., 89, 751P
GIACHETTI, A. see BIETTI, G., 88, 259P
- - - see BRAMBILLA, A., 88, 356P
GIACHETTI, A., MICHELETTI, R. & SCHIAVONE, A. AF-DX 116, and M_2 antagonist, discriminates among peripheral muscarine receptors, 88, 261P
GIBSON, A. see BERN, H.A., 87, 175P
- - - see COWAN, D.A., 89, 515P
GIBSON, A., HART, S.L. & WRIGHT, T. Adrenal blood flow and corticosterone production following spinal (T7-T13) stimulation of the pithed rat, 88, 434P
GIBSON, F.M. see BRADY, M.M., 89, 472P
GIBSON, I.F. see BUSHFIELD, M., 89, 791P
GIBSON, M.J., HORTON, R.W., THEODOROU, A. E. & YAMAGUCHI, Y. Effects of ions and GTP on platelet α_2-adrenoreceptor agonist and antagonist binding, 88, 366P
- - - Platelet α_2-adrenoreceptors labelled with the agonist [^{3}H]-UK-14,304 and the antagonist [^{3}H]-yohimbine, 87, 89P
GIERSBERGEN, P.L.M. see DE JONG, W., 89, 593P
GILL, R. see FOSTER, A.C., 89, 870P
GILNA, P. & MARTIN, F. Effect of dopamine, nomifensine and TRH infusion on TRH-stimulated prolactin secretion in rats, 87, 165P
GITTOS, M. see DIFRANCESCO, G.F., 89, 618P
GOADBY, P. see BARNES, A., 88, 233P
GODFRAIND, T. see ALOSACHIE, I., 89, 752P
- - - see EGLEME, C., 89, 659P
- - - see FAGOO, M., 89, 602P
- - - see FINET, M., 89, 600P
GODFRAIND, T. & MOREL, N. Contraction and relaxation of microvessels isolated from rat brain, 89, 601P
- - - Identification of Ca channels in microvessels isolated from rat brain, 89, 507P
GODFREY, P.P., GRAHAME-SMITH, D.G., MCCLUE, S.J. & YOUNG, M.M. Chronic lithium treatment inhibits 5-hydroxytryptamine and carbachol stimulated phosphoinositide metabolism in rat brain slices, 87, 117P
GOH, J.W. see AUYEUNG, A., 89, 779P
GOLDBERG, P., HUGHES, A., REDMAN, D., SEVER, P. & THOM, S. Vasodilator effect of calcitonin gene related peptide in man, 88, 441P
GOLDBERG, S.R. see GARCHA, H.S., 88, 298P
GOLDIE, R.G. see FERNANDES, L.B., 89, 782P
GOLDIE, R.G., PASSARELLI, M.C., PATERSON, J.W., RIGBY, P.J., SELF, G.J. & SPINA, D. Ascorbic acid-dependent binding of [^{125}]-iodocyanopindolol to non-β adrenoceptor sites in guinea pig trachea, 89, 781P
GOLDING, J.F. Stimulant effects of cigarette smoking on EEG, 87, 111P
GONZALEZ, J.P., ROONEY, K.F. & STOLZ, J.F. The effect of blockage of 5-HT receptor subtypes on the chronic morphine abstinence syndrome, 88, 360P
GOOD, D.M. see EDWARDS, D., 87, 90P
GOODWIN, G.M. see DE SOUZA, R.J., 87, 66P
- - - see DE SOUZA, R.J., 89, 523P
GOUW, M.A.M. see BREURKES, R., 89, 616P
GOWER, A.J. Cholinergic mediated yawning and analgesia in rats: differential effects of muscarinic agonists and antagonists, 89, 727P
- - - In vivo α_2-adrenoceptor antagonist activity of buspirone and its metabolite, 1 (-2 pyrimidy-1) piperazine (IPP) in the rat, 89, 726P
- - - see BOURSON, A., 89, 624P
- - - see BOURSON, A., 89, 625P
- - - see BROEKKAMP, C.L.E., 89, 728P
GRABOWSKI, P.S. see COLEMAN, J.W., 88, 425P

GRAHAM, P.A. see DUFF, G.R., 89, 713P
GRAHAME-SMITH, D.G. see ANDREWS, P. L.R., 89, 860P
GRAHAME-SMITH, D.G. see GODFREY, P.P., 87, 117P
GRANDORDY, B.M. see BARNES, P.J., 87, 65P
- - - see BARNES, P.J., 89, 742P
- - - see BARNES, P.J., 89, 783P
GRANT, A.J. see DOLIN, S.J., 89, 866p
GRANTHAM, C.J. see BAKHLE, Y.S., 88, 234P
GRAY, J.A. & GREEN, A.R. Evidence for increased $GABA_B$ receptor function in mouse frontal cortex following anti-depressant administration, 89, 799P
GRAY, J.A., GREEN, A.R. & MOLYNEAUX, S. G. Effect of baclofen on the release of endogenous 5-HT from mouse cortex slices, 87, 149P
GRAY, J.A., HODGES, H., JOSEPH, M.H. & PRESTON, G.C. On the electrochemical discrimination of 5-hydroxyindoles from uric acid in the rat brain in vivo, 87, 135P
GREAVES, M.W. see BARR, R., 87, 103P
- - - see BARR, R.M., 88, 394P
- - - see CAMP, R.D.R., 88, 244P
- - - see CUNNINGHAM, F.M., 87, 107P
GREEN, A.R. see DE SOUZA, R.J., 87, 66P
- - - see DE SOUZA, R.J., 89, 523P
- - - see GRAY, J.A., 87, 149P
- - - see GRAY, J.A., 89, 799P
GREENBERG, B. see BARNES, P.J., 87, 198P
GREENHAM, A. see CASHIN, C.H., 89, 812P
GREENMAN, J. see ALLAKER, R.P., 87, 196P
GREENIDGE, E. & WALI, F.A. Effect of local anaesthetics on tone and mechanical responses of human saphenous vein and bovine coronary artery in vitro, 87, 205P
- - - Interactions of verapamil, nifedipine and diltiazem with tubocurarine at the rat neuromuscular junction, 88, 414P
GREENIDGE, E., SUER, A.H., TUGWELL, C. & WALI, F.A. Effect of verapamil on uptake of calium into vascular and tracheal smooth muscle of the rat, 89, 821P
GREENSTEIN, B.D. & FITZPATRICK, F.T.A. Thymus regeneration in old rats after orchidectomy: effects of various steroids, 89, 561P
GREENWALD, S.E., LEVER, M.J., MACINTYRE, I., MORRIS, H.R. & TIPPINS, J.R. Human calcitonin gene-related peptide is a potent vasodilator in the pig coronary circulation, 87, 56P
GRIDGE, C. see BLAKE, J.F., 88, 273P
GRIFFITHS, A., JONES, D., MERCER, A., RICHENS, A. & WROE, S. The effects of nefopam alone and in combination with ethanol on human performance, ventilatory response to hypercapnia and mood, 89, 707P
GRIFFITHS, E.C. see BARIS, C., 87, 173P
GRIFFITHS, E.C., ROBSON, B. & WARD, D. J. Conformational analysis of dynorphins 1-17 and 1-8, 88, 361P
- - - A conformational study of met- and leu-enkephalins, 87, 177P
GRIFFITHS, R. see CALCUTT, C.R., 89, 773P
- - - see GANELLIN, C.R., 89, 772P
GRIFFITHS, R.J. see BOTTOMLEY, K.M. K., 88, 401P
GRIMWOOD, S. see FOSTER, A.C., 89, 869P
GRISTWOOD, R.W. see BATH, G., 87, 181P
- - - see ENGLISH, T.A.H., 87, 203P
GRISTWOOD, R.W. & OWEN, D.A.A. Effects of rolipram on guinea-pig ventricles in vitro: evidence of an unexpected synergism with SK&F 94120, 87, 91P
GRISTWOOD, R.W., OWEN, D.A.A. & ROTHAUL, A.L. The electrophysiological effects of SK&F 94120 a selective PDE 111 inhibitor on sheep purkinje fibres, 88, 419P
GRISTWOOD, R.W., RINK, T.J. & SIMPSON, A.W.M. Evidence that it is the elevation of cAMP in a PDE 111 sensitive pool that results in inhibition of platelet excitatory responses, 89, 571P
- - - SK&F 94120, and inotrope-vasodilator inhibits aggregation and secretion of human platelets, 87, 11P
GRISTWOOD, R.W., SAMPFORD, K.A. & WILLIAMS, T.J. The effect of SK&F 94120, rolipram and M&B 22948 on force of contraction and cyclic nucleotide content of cat myocardium, 89, 573P
GROSSET, A. see CAVERO, I., 87, 191P
GROSSET, A. & HICKS, P.E. Evidence for blood vessel selectivity of BRL 34915, 89, 500P
GROSSET, A., MAITRE, D. & SOURDY, C. Differences between negative inotro-

pic effects of verapamil, diltiazem and KB 944 in guinea pig papillary muscle, 87, 2P
GUARD, S. see BROWN, J.R., 88, 457P
GUEUDET, C. see BIZIERE, K., 87, 31P
GUIMARAES, S., MOURA, D. & PAIVA, M.Q. Effects of phentolamine on the release of [^{3}H]-(-)- and endogenous noradrenaline by direct electrical stimulation of vasa deferentia, 89, 838P
GUMBLETON, M., NICHOLLS, P., NORRIS, M. J. Urinary enzyme excretion and the detection of drug-induced renal damage in the rat, 89, 848P
GUMBLETON, M., NICHOLLS, P.J., NORRIS, M.J. & TAYLOR, G. The influence of anaesthetic agents on the pharmacokinetics of para-aminohippuric acid, 89, 512P
GUNNING, S.J. see BRADBURY, A.J., 87, 187P
GUNNING, S.J. & NAYLOR, R.J. The effects of 5-hydroxytryptamine on guinea-pig stomach muscle in the presence of atropine, 88, 372P
GUNNING, S.J., NAYLOR, R.J. & TATTERSALL, F.D. The actions of metocylopramide and ICS 205-930 on the guinea-pig ileum are dependent on the type of preparation used, 88, 373P
GURDEN, M.F. see BHALLA, P., 88, 278P
GURNEY, A.M. & NERBONNE, J.M. Effects of calcium antagonists on neuronal calcium and potassium currents, 87, 100P
GUY, A.P. see GARDNER, C.R., 89, 798P
GWILT, M. see CATLOW, C.J., 88, 422P
GWILT, M., HIGGINS, A.J. & WILLIAMS, R.C. The use of rat and guinea pig cardiac action potentials to distinguish subclasses of class 111 anti-arrhythmic drugs, 88, 290P

HAGAN, R.M. see FORTUNE, D.H., 88, 349P
HAGENBACH, A. see BUCHHEIT, K.H., 88, 367P
HAGENBACH, A., HOYER, D., KALKMAN, H.O. & SEILER, M.P. N,N dipropyl-5-carboxamidotryptamine (DP-5CT), an extremely potent and selective $5HT_{1A}$ agonist, 87, 136P
HAIGH, J. see EDWARDS, D., 89, 723P
HAIGH, J.R.M. see DAILLEY, C., 89, 705P
- - - see FEELY, M., 89, 643P
HALL, D.W.R. & VAN DEN HOVEN, W.E. Inhibition of human platelet functions by cyclandelate, 89, 682P
- - - Rat gastric mucosa barrier protection and PGE_2 generation after colloidal bismuth subcitrate (DE-NOL), 89, 693P
HALL, J.M. & MORTON, I.K.M. Different receptor systems in intestinal smooth muscle vary in their ability to translocate calcium, 87, 206P
HALL, J.M., McCABE, D.V. & MORTON, I. K.M. A comparison of receptor-effector coupling of histamine and analogues with that of carbachol in the guinea-pig taenia caeci, 89, 609P
HALL, M.T., McHARG, A.D. & WADSWORTH, R.M. UK14304 produces both contraction and relaxation in isolated arterial preparations, 87, 193P
HALLAM, T.J. & PEARSON, J.D. ATP and bradykinin stimulate increased cytoplasmic calcium concentration in cultured piglet aortic endothelial cells, 88, 247P
HALSEY, M.J. see DOLIN, S.J., 87, 40P
HAMANN, M. see DE ARMENIEN, M., 87, 150P
HAMID, S. & WHITTLE, B.J.R. Antagonism of thromboxane and prostaglandin D_2 responses by N-0164 in guinea-pig platelets, 87, 110P
HAMILTON, C.A. see DEIGHTON, N.M., 88, 284P
- - - see ELFELLAH, M.S., 88, 317P
HAMILTON, C.A., JARDINE, E. & REID, J. L. At which α-adrenoceptor subtypes does UK 14304 act? 89, 494P
HAMILTON, C.A., MISHRA, N., REID, J.L. The effects of the irreversible antagonist benextramine on α_2-adrenoceptor ligand binding and responses in rabbit brain, 88, 352P
HAMILTON, M.J. see COHEN, A.F., 89, 704P
HAMILTON, T.C. see BUCKINGHAM, R.E., 87, 78P
HAMON, G. & WORCEL, M. Vasodilating effects of L-penbutolol: mechanism of action, 87, 183P
HANAHOE, T.H.P. see DAWSON, J., 89, 808P
HANAHOE, T.H.P. & LAD, N. The effect of prolonged administration of aspirin on rabbit platelets, 89, 792P
HANDLEY, S.L. see CRITCHLEY, M.A.E., 89, 646P
HANDLEY, S.L., SINGH, A. & SINGH, L. Ritanserin reduces morphine - and clonidine - withdrawal tics, 89, 647P

HANNEMANN, H. & SEWING, K.-FR. Rantidine and famotidine differ in their interaction with the parietal cell histamine H_2-receptor, 88, 258P
HARDY, C.C. see BEASLEY, C.R.W., 88, 235P
HARDY, G.W. see ALLAN, G., 89, 487P
- - - see ALLAN, G., 89, 607P
HARE, J.R. see FORTUNE, D.H., 88, 349P
HARLAND, D. see BROWN, M.J., 87, 188P
- - - see BROWN, M.J., 88, 420P
HARMSEN, H.J. see BENEKER, C., 89, 584P
HARPUR, E.S. see FOSTER, J.E., 88, 428P
HARRIS, G. see BENDER, J., 89, 873P
HARRIS, N.C. & RYALL, R.W. Electrophysiological studies on the site of action of morphine in the spinal cord of the anaesthetised rat, 89, 803P
HARRISON, N.L. see COLLINS, K.J., 87, 154P
HARRISON-READ, P.E. Chronic lithium treatment in rats has different effects on motor responses mediated by 5-HT_1 and 5-HT_2 receptors, 87, 219P
HART, S.L. see COWAN, D.A., 89, 515P
- - - see GIBSON, A., 88, 434P
HART, S.L. & OLUYOMI, A.O. The role of acetylcholine and 5-hydroxytryptamine in a naloxone insensitive model of stress-induced antinociception, 88, 362P
HARTOG, J. see CALIS, J.I.M., 89, 496P
HASSONI, A.A., KERKUT, G.A. & WALKER, R. J. The action of amidantel and its deacylated derivatives on acetylcholine receptors of central neurones of helix aspersa, 89, 824P
HATTON, R. see BENNETT, G.W., 88, 310P
HAVERKAMO, R.W. see AALDERS, R.J.W., 89, 703P
HAWCOCK, A.B. & ROBERTS, F. The interaction between gallamine and atropine on rat atrium, 87, 34P
HAWCOCK, A.B., LAZARENO, S. & ROBERTS, F. F. Assessment of the muscarinic subtype selectivity of (±)3-quinuclidinyl xanthene-9-carboxylate hemioxalate hydrate (QNX), 88, 357P
HAWGOOD, B.J. & KEMPSFORD, R.D. The effects of nicorandil on reperfusion-induced arrhythmias and tissue lactate in the isolated perfused rat heart, 89, 686P
HAWKES, J.E. see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
HAWKEY, C.J. see BOUGHTON-SMITH, N.K., 88, 391P
HAWKSWORTH, G.M. see BARBER, H.E., 87, 124P
HAWLEY, S.B., NIEVES, A.L., SPADA, C. S. & WOODWARD, D.F. Effects of leukotrienes on eosinophil emigration into conjunctival tissue, 89, 766P
HAWORTH, D. see CAREY, F., 87, 105P
- - - see CAREY, F., 88, 245P
- - - see CAREY, F., 89, 806P
HAYES, A.G. The effects of δ-opioid receptor agonists on urine-output in the rat, 87, 169P
HAYES, A.G. see BIRCH, P.J., 89, 833P
HAYES, A.G. & SHEEHAN, M.J. Are there multiple opioid receptor types in the rat vas deferens? 88, 276P
HEAL, D.J. see ATTERWILL, C.K., 87, 221P
- - - see BRISTOW, L.J., 87, 88P
HEAL, D.J. & PHILPOT, J. An investigation of the influence of central 5-HT function on clonidine-induced hypoactivity in mice, 87, 137P
HEALD, G., SHORTER, J.H. & TERREY, J. P. Quantitative assessment of the effects of absolute ethanol on the rat gastric mucosa, 87, 226P
HEARSE, D.J. see DENNISS, A.R., 89, 737P
HEARSE, D.J. & SALDANHA, C.B.R. Quinacrine inhibits vasodilation caused by 5-HT but not papaverine in the rat isolated heart, 87, 12P
HEBER, M.E., VINCENT, R. & CHAMBERLAIN, D.A. Effect of labetalol on indices of myocardial necrosis in patients with suspected acute infarction, 87, 104P
HEHRLEIN, W. see FRITSCHE, R., 89, 751P
HEIJN, M., RUSSEL, F.G.M. & VAN GINNEKEN, C.A.M. Effect of substituted benzoates on the organic anion transport system in isolated dog kidney membrane vesicles, 89, 681P
HEINEMANN, U. & JONES, R.S.G. Reduction of stimulus evoked post- but not presynaptic calcium influx in rat hippocampus by organic calcium antagonists, 87, 5P
HEISE, J. see ENNIS, M., 89, 569P
HELMREICH, E.J.M. see COONEY, D., 89, 596P
HEAD, G.M. & ROBERTS, N.A. A novel cyclohexanetrione derivative which stimulates the production of prostaglandins by rat polymorpho-nuclear leucocytes (PMN), 89, 836P

HENDERSON, A.H. see FURLONG, B., 88, 447P
HENDERSON, A.H., PENNY, W.J., ROUTLEDGE, P.A., SINGH, H. & WATT, A.H. Intravenous adenosine in the assessment of coronary perfusion reserve in man, 89, 712P
HENDERSON, B., HIGGS, G.A. & PETTIPHER, E.R. Effect of interleukin 1 on leukocyte migration and cartilage destruction in vivo, 88, 243P
HENDERSON, B., HIGGS, G.A., JACKSON, K. E. & SALMON, J.A. Eicosanoid production during the development of antigen-induced chronic arthritis, 87, 229P
HENDERSON, B., HIGGS, G.A., SALMON, J. A. & VANE, J.R. Is aspirin a prodrug for salicylate? 88, 400P
HENDERSON, G. & HUANG, Y. Potentiation by angiotensin II of [^{3}H]-noradrenaline release from the cortex but not the locus coeruleus of the rat, 89, 631P
HENDERSON, G. & ROGERS, H. Inhibitory actions of μ and κ opioid agonists on the guinea-pig ileum: dependence on stimulus intensity and frequency, 87, 59P
HENDERSON, G., HILL, R.G. & MCFADZEAN, I. κ-Opioid receptor activation decreases excitatory synaptic input to rat locus coeruleus neurones in vitro, 87, 58P
HENDRIE, C.A. A single pretreatment with acth prevents the development of tolerance to morphine analgesia in mice, 89, 795P
- - - see COSTALL, B., 88, 332P
HENRICKS, P.A.J. see BINKHORST, G.J., 89, 677P
HENRICKS, P.A.J., VAN ESCH, B. & NIJKAMP, F.P. β-adrenoceptor agonists influence H_2O_2 release of guinea pig alveolar macrophages, 89, 568P
HERDON, H. & NAHORSKI, S.R. D_2 receptor regulation of endogenous dopamine release from striatal slices: effect of uptake inhibitors and synthesis inhibition, 87, 164P
- - - Radiolabelled and endogenous dopamine release from striatal slices: effect of electrical stimulation and regulation by D_2 receptors, 89, 641P
HERMAN, A.G. see BULT, H., 89, 548P
- - - see DECKERS, I.A., 89, 651P
HERMAN, A.G. & VERBEUREN, T.J. Comparison of [^{3}H]-noradrenaline- and [^{3}H]-serotonin-release in dog basilar arteries: influence of raubasine and dihydroergocristine, 89, 549P
HERMAN, A.G., VAN DIEST, M.J. & VERBEUREN, T.J. Are thromoboxane or prostaglandin receptors involved in the vascular actions of lipoxygenase metabolites of arachidonic acid? 89, 690P
HERMANSEN, K., OLESEN, H.O. & PEDERSEN, L.E. The analgesic effect of buprenorphine, etorphine and pethidine in the pig. A randomized double blind cross-over study, 89, 673P
HERSOM, A.S. & MACKENZIE, J.E. Chronic tricyclic antidepressant treatment does not alter the cardiotoxicity of high doses of idazoxan in the rabbit, 88, 353P
HERZ, A. & MORRIS, B.J. Non-μ, non-δ opiate binding site distribution in rat brain, 88, 378P
HEWICK, D. see BUTLER, A., 89, 508P
HEWITT, G.M., WALKER, R.J. & WANN, K.T. Comparison of the effects of gaba receptor agonists on the somatic muscle receptors of ascaris suum, 89, 789P
HEYNIS, J.B. see BODDEKE, H.W.G.M., 89, 587P
- - - see BODDEKE, H.W.G.M., 89, 615P
HICKS, P.E. see CAVERO, I., 87, 190P
- - - see CAVERO, I., 88, 449P
- - - see DONATO DI PAOLA, E., 88, 442P
- - - see GROSSET, A., 89, 500P
HICKS, R. see CALDAS, L.Q.A., 89, 805P
HIDER, R.C. see BARRAND, M.A., 87, 47P
HIGGINS, A.J. see BENTHAM, J.M., 89, 735P
- - - see CATLOW, C.J., 88, 422P
- - - see EWINS, C.P., 89, 763P
- - - see GWILT, M., 88, 290P
HIGGINS, G.A., JONES, B.J. & OAKLEY, N. R. Buspirone inhibits the metabolism of [^{3}H]-flunitrazepam in rats, 88, 333P
HIGGINS, G.A., JONES, B.J. & OAKLEY, N. R. The effects of discrete injections of muscimol and flurazepam into the dorsal raphe nucleus on two models of anxiety in the rat, 88, 294P
HIGGS, G.A. see HENDERSON, B., 87, 229P
- - - see HENDERSON, B., 88, 243P
- - - see HENDERSON, B., 88, 400P
HILL, R., KEENAN, A.K. & NELIGAN, M. Increased activation of cardiac β-adrenoceptor-linked adenylate

cyclase in hypertension, 87, 106P
HILL, R.G. see HENDERSON, G., 87, 58P
HILL, R.G., HUGHES, J. & JOHNSON, M.A. Cyclo-oxygenase inhibitors affect morphine dependence in guinea pig isolated ileum, 87, 170P
HILL, S.J. see CROZIER, C.S., 88, 327P
- - - see DONALDSON, J., 88, 256P
- - - see DONALDSON, J., 88, 257P
- - - see DONALDSON, J., 89, 770P
HILL, S.J. & KENDALL, D.A. Adenosine augments histamine-induced inositol phospholipid hydrolysis in guinea pig cerebral cortical slices, 89, 771P
HILLIER, K. see BULLER, K.J., 88, 405P
HILLIER, K. & WHITE, V. Effects of extracellular Ca^{2+}-contracted human colon, 88, 389P
HISSINK, H. see AALDERS, R., 89, 486P
HO, A.K., KLEIN, D.C., SUGDEN, A.L. & SUGDEN, D. Activators of protein kinase C inhibit α_1-adrenoceptor responses in rat pinealocytes, 88, 254P
HODGES, H. see GRAY, J.A., 87, 135P
HOEIJMAKERS, J.J.F. see DRITTIJ-REIJNDERS, M.J.H.J., 89, 663P
HOLE, K. see BERGE, O.-G., 89, 639P
- - - see FASMER, O.B., 89, 638P
HOLGATE, S.T. see BEASLEY, C.R.W., 88, 235P
- - - see FULLER, R.W., 87, 13P
HOLLINGSWORTH, M. see DOWNING, S.J., 89, 620P
- - - see EDWARDS, D., 87, 90P
HOLMAN, J.J. see AL-KAZWINI, S.J., 88, 439P
- - - see CRAIG, R.K., 88, 312P
HOLMAN, R.B. see WIDDOWSON, P.S., 87, 74P
HOLMAN, R.B. & WIDDOWSON, P.S. Effect of opiate receptor antagonists on alcohol-induced increase in endogenous dopamine release from rat corpus striatum in vitro, 87, 171P
HOLMES, M.J.G. see DE BRITO, F.B., 89, 567P
HOLROYDE, M.C. Do leukotrienes mediate hypoxic pulmonary vaso-constriction (HPV) in dogs? 88, 395P
HOLROYDE, M.C. & MURPHY, I.J. Inhibition of hypoxic pulmonary vasoconstriction (HPV) in rats, 88, 396P
HOLT, S.E. see COOPER, M., 87, 201P
HOLZER, P. & SAMETZ, W. Capsaicin-sensitive afferent neurones involved in gastric mucosal protection, 89, 562P
HOLZER-PETSCHE, U., LEMBECK, F. & SEITZ, H. Comparison of the effect of substance P and neurokinin A on the rat stomach in vivo and in vitro, 89, 683P
HONG, M., JENNER, P., KILPATRICK, G. J. & MARSDEN, C.D. Effects of chronic administration of tetrabenazine, reserpine or chlopromazine on rat striatal dopamine function, 87, 163P
HONG, M., JENNER, P., MARSDEN, C.D. & ROOTS, E.J. Long term changes in α-adrenoceptors and 5-HT receptors in rat brain induced by amine depleting drugs, 88, 338P
HONGHTON, I.T. see AUN, C., 89, 747P
HOPWOOD, A.M. see BURNSTOCK, G., 89, 857P
HORNE, A.L. & SIMMONDS, M.A. Antagonism of quisqualate responses by barbiturates, 89, 776P
HORNE, A.L., SIMMONDS, M.A. & TURNER, J.P. Effect of NMDA antagonists on paroxysmal events induced by zero magnesium and bicuculline, 87, 70P
HORNE, J.J., LEWIS, D.J.M., SMITH, P. M. & WATT, A.H. Adenosine reproduses epigastric pain in patients with recently symptomatic duodenal ulcer: effect of aminophylline, 89, 714P
HORTH, C.E. see LOBO, P.J., 89, 813P
- - - see LOBO, P.J., 89, 850P
HORTON, R.W. see CHEETHAM, S.C., 89, 802P
- - - see CROSS, J.A., 89, 521P
- - - see DAVIES, S.L., 89, 801P
- - - see GIBSON, M.J., 87, 89P
- - - see GIBSON, M.J., 88, 366P
HOULT, J.R.S. & PHILLIPS, J.A. The principal site of kinin-stimulated PGE_2 release in rabbit colon is from subepithelial cells which do not display sidedness, 88, 240P
HOULT, J.R.S., NOURSHARGH, S. & WALDEN, F.M. Cyclic AMP phosphodiesterase in human neutrophils: identification and stimulation in intact cells, 87, 81P
HOURANI, S.M.O. see CUSACK, N.J., 87, 83P
- - - see CUSACK, N.J., 87, 84P
- - - see CUSACK, N.J., 89, 514P
HOUSTON, W.A.J. see DAVIES, J.A., 87, 157P
HOUVENAGHEL, A., SCHRAUWEN, E. & VANDEPLASSCHE, G. Absence of beneficial effects of naloxone and naltrexone in porcine endotoxic

shock, 89, 674P
HOWARD, P.J. see CARSON, I.W., 89, 474P
HOWLETT, D.R. see COLDWELL, M.C., 88, 443P
HOWLETT, G.J. see BLACKMAN, D.E., 88, 354P
HOWLETT, M.C. see BUCKINGHAM, R.E., 87, 78P
HOYER, D. see BUCHHEIT, K.H., 88, 367P
- - - see CREBA, J.A., 87, 7P
- - - see HAGENBACH, A., 87, 136P
HOYER, D. & KALKMAN, H.O. The α_1-adrenoceptor antagonist [^{3}H]-WB 4101 labels 5-HT_{1A} receptors with nanomolar affinity, 88, 302P
HOYER, D., PALACIOS, J.M., PAZOS, A. & PROBST, A. Serotonin (5-HT) recognition sites in human brain: evidence for species differences, 87, 19P
HOYLE, C.H.V. see BURNSTOCK, G., 89, 857P
HUANG, Y. see HENDERSON, G., 89, 631P
HUDSON, A.L. see BOWERY, N.G., 89, 775P
HUDSPITH, M.J. & LITTLETON, J.M. Enhanced effect of BAY k8644 on inositol phospholipid breakdown in brain slices from ethanol dependent rats, 89, 623P
HUGHES, A. see GOLDBERG, P., 88, 441P
HUGHES, A., MARTIN, G., SCHACHTER, M., & SEVER, P. Tolerance to nitroglycerin in isolated rabbit aorta does not alter endothelium dependent relaxation to acetylcholine or A23187, 88, 282P
HUGHES, A., REDMAN, D., SEVER, P. & THOM, S. Fenoldopam vasodilates forearm vasculature by a dopaminergic mechanism, 89, 708P
HUGHES, I.E. see GENT, J.P., 89, 883P
HUGHES, J. see HILL, R.G., 87, 170P
HUISMAN, J.A.M., RAGHOBAR, M., VAN DEN BERG, W.B. & VAN GINNEKEN, C.A.M. A methological approach to study cellular pharmacokinetics of drugs, 89, 481P
HUMPHRAY, J.M., REEVES, J.J. & STABLES, R. A comparison of the H_2-receptor antagonist and anti-secretory effects of famotidine and ranitidine, 88, 390P
HUMPHREY, P.P.A. see APPERLEY, E., 87, 131P
HUMPHREY, P.P.A., LUMLEY, P. & WHITE, B. P. The agonist action of AH 23848 at guinea pig vascular and airway smooth muscle TP-receptors in vivo, 89, 820P
HUMPHREYS, A-L. see DOWNING, O.A., 89, 830P
HUNSKAAR, S. see FASMER, O.B., 89, 638P
HUNT, A.A.E. see DREW, 87, 86P
HUNT, G.A. see VAN DALEN, D., 89, 654P
HUNT, S.P. see BROWNSTEIN, M.J., 87, 134P
HUNT, W.B., O'HAGAN, D.T. & WILKINSON, J. Adenosine and rebound contractions of the rat gastric corpus to non-adrenergic non-cholinergic nerve stimulation, 89, 819P
HUNTER, A.B. see DOLIN, S.J., 89, 866P
HUNTER, A.J., ROBERTS, F. & TUTTY, C.A. Scopolamine impairs performance on the Morris Water Maze in both naive and trained rats, 87, 41P
HUSSAIN, S. see BAGUST, J., 89, 864P
HUTSON, P.H. see BREIMER, D.D., 89, 657P
- - - see CURZON, G., 87, 21P
HUYGHENS, L.P. see BOGAERT, M.G., 89, 538P

IBRAHIM, M.E., LUNELL, N.O., MOBERGER, B. & THULESIUS, O. The effect of labetalol on contractility of human myometrium, 88, 450P
IKEZONO, K. see BRODDE, O-E., 87, 85P
- - - see BRODDE, O.-E., 87, 200P
ILLES, P. & NORENBERG, W. α_2-adrenergic inhibitory control of transmitter release in the rabbit mesenteric artery; an electro-physiological study, 89, 497P
INGS, R.M.J. see CAMPBELL, D.B., 89, 746P
INKPEN, P.M., RUDD, R.M., SEVER, P.S. & WINTER, R.J.D. In vivo recovery of ß-adrenoceptors following irreversible blockade in rat model of human hypoxic disease, 88, 468P
IRAVANI, M.M., MARSH, V.R. & ZAR, M.A. The effect of neuropeptide Y (NPY) on neurotransmission in rat vas deferens, 89, 578P
ITOH, H., LEDERIS, K. & RIVIER, J. Fish neuropeptide urotensin II contracts rat aorta segments in vitro, 88, 311P
IVERSEN, L.L. see BEER, M.S., 89, 520P
- - - see CRIPPS, H., 89, 787P

JACKSON, H.C. & SEWELL, R.D.E. Attenuation of 2-deoxy-D-glucose hyperphagia following chronic administration of a μ - but not a κ - opioid agonist, 89, 672P
- - - Comparison of the food intake and locomotor effects of levallorphan, levorphanol and naltrexone, 87, 220P
JACKSON, K.E. see HENDERSON, B., 87, 229P
JACKSON, S.H.D. see ABRAMS, S.M.L., 89, 718P
JACOBS, M. see ANDREWS, H.E., 89, 489P
- - - see DASHWOOD, M., 87, 194P
JANDE, M.B. & SHARMA, S.C. The effect of cupric sulphate on compound 48/80 and concanavalin- a induced release of histamine from rat peritoneal mast cells, 89, 570P
JANSZEN, F.H.A. see CALIS, J.I.M., 89, 496P
JARDINE, E. see HAMILTON, C.A., 89, 494P
JARRETT, F. see BLACKHAM, A., 89, 694P
JEFFERSON, G.C. see FRENCH, A.M., 89, 582P
JEFFRIES, L.M. & TODD, M.H. Effects of BAY K 8644 on blood pressure and heart in anaesthetised rats, 88, 386P
JENNER, P. see BAKER, M.K., 89, 875P
- - - see BOYCE, S., 87, 197P
- - - see BOYCE, S., 89, 876P
- - - see CROZIER, C.S., 88, 327P
- - - see DAVIS, A., 89, 534P
- - - see DE CALLABOS, M.L., 88, 306P
- - - see HONG, M., 87, 163P
- - - see HONG, M., 88, 338P
JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Affinity chromatography of solubilised dopamine D_2 receptors using immobilised dopamine antagonists, 88, 339P
JENNER, P., KUMAR, R., MARSDEN, C.D., REAVILL, C. & STOLERMAN, I.P. Characteristics of [^{3}H]-(-)-nicotine binding to rat brain membranes, 88, 297P
JENNER, P., MARSDEN, C.D. & ROSE, S. Accumulation of L-DOPA in muscle is enhanced by carbidopa administration, 88, 337P
JENNER, P., MARSDEN, C.D. & STEWART, B. R. Pharmacological manipulation of pilocarpine-induced purposeless chewing in rats, 89, 794P
JENNER, P., MARSDEN, C.D. & WELLER, M.E. Detection of [^{3}H]SCH 23390 binding sites in tissue slices from rat brain stem, 89, 877P
JENNER, P., MARSDEN, C.D., NOMOTO, M. & ROSE, S. Preservation of mesolimbic dopamine function may explain behavioural recovery in the MPTP-treated marmoset, 89, 514P
JENNER, P., MARSDEN, C.D., NOMOTO, M. & STAHL, S. Antiparkinsonian activity following subcutaneous or oral administration of (+)-PHNO to MPTP-treated marmosets, 88, 340P
- - - Antiparkinsonian activity of (+)-PHNO in the MPTP-treated marmoset following subcutaneous infusion or skin application, 89, 626P
JENNER, P., MARSDEN, C.D., ROSE, S. & WELLER, M.E. Are there dopamine receptors in the rat superior colliculus? 87, 162P
JENNER, P., MARSDEN, C.D., STEWART, B. R. Inhibition of pilocarpine-induced purposeless chewing by mianserin suggests central anti-cholinergic activity, 88, 341P
JENNETT, S.M. see FASEHUM, O.A., 88, 452P
JEREMY, J.Y. see DANDONA, P., 89, 502P
JESSUP, C.L., JESSUP, R., JOHNSON, M. & WAYNE, M. ICI 159995; inhibition of bronchoconstriction in the guinea pig, 87, 112P
JESSUP, R. see JESSUP, C.L., 87, 112P
JIE, K., VAN BRUMMELEN, P. & VERMEY, P. Comparison of the acute haemodynamic effects of pindolol and labetalol in healthy volunteers, 89, 741P
JOHN, G. see DOXEY, J.C., 88, 462P
JOHN, R.A. see COLE, G., 89, 628P
JOHNS, E.J. A study in the rat of the renal effects of atriopeptin III and an attempt to locate its site of action along the nephron, 89, 761P
JOHNSON, J.V. see BENNETT, G.W., 88, 310P
- - - see BENNETT, G.W., 89, 543P
JOHNSON, M. see CANDY, J.M., 88, 359P
- - - see JESSUP, C.L., 87, 112P
JOHNSON, M.A. see HILL, R.G., 87, 170P
JOHNSTON, A. see ABRAMS, S.M.L., 89, 716P
- - - see ABRAMS, S.M.L., 89, 718P
JOHNSTON, A.M. see BUDHRAM, R., 88, 416P
JOHNSTON, H.G. & MAJEWSKI, H. Involvement of cyclic nucleotides in prejunctional adrenoceptor modulation of noradrenaline release, 89, 790P
JOHNSTON, P. see BUTLER, A., 89, 508P

JONES, B.J. see HIGGINS, G.A., 88, 294P
- - - see HIGGINS, G.A., 88, 333P
JONES, C.A. see ATTERWILL, C.K., 87, 178P
- - - see ATTERWILL, C.K., 89, 732P
JONES, D. see GRIFFITHS, A., 89, 707P
JONES, D.R. see DEIGHTON, N.M., 88, 284P
JONES, H.T. see ALLAN, G., 89, 607P
JONES, R.L. see ARMSTRONG, R.A., 88, 263P
- - - see BARR, S.M., 88, 392P
JONES, R.S.G. see HEINEMANN, U., 87, 5P
JONES, T. & TAYLOR, G. Induction of drug metabolism by phenothiazine drugs: influence of lipophilicity, 87, 146P
JONKMAN, F.A.M. see BODDEKE, H.W.G.M., 89, 587P
- - - see BODDEKE, H.W.G.M., 89, 615P
- - - see BRUERKES, R., 89, 616P
JORDAENS, F. see BULT, H., 89, 548P
JORDAN, A. see DENHAM, M.J., 89, 717P
JORDAN, C.C. see BROWN, J.R., 88, 457P
JORGENSEN, H.A. see BERGE, O.-G., 89, 639P
JOSEPH, M.H. see GRAY, J.A., 87, 135P
JOYNER, J.L. see AULT, B., 88, 461P

KALKMAN, H.O. see BUCHHEIT, K.H., 88, 367P
- - - see HAGENBACH, A., 87, 136P
- - - see HOYER, D., 88, 302P
KAN, J.P. see BIZIEREM, K., 87, 43P
KANE, K.A. see BOACHIE-ANSAH, G., 88, 309P
KATONA, C.L.E. see CHEETHAM, S.C., 89, 802P
KAROBATH, M. see CREBA, J.A., 88, 388P
KAUFFMAN, G.L., MONCADA, S. & WHITTLE, B. J.R. Prostacyclin prolongs bleeding from the mesenteric artery but not gastric mucosa of the rat, 89, 503P
KAUFMAN, J.M. see AGON, P.Y., 89, 632P
KAUMANN, A.J. Further differences between 5-HT receptors of atrium and ventricle in cat heart, 89, 546P
- - - see FRENKEN, M., 89, 550P
KEANE, P.E. see CRESPI, F., 88, 344P
KEENAN, A.K. see COONEY, D., 89, 596P
- - - see HILL, R., 87, 106P
KEERY, R.J. & LUMLEY, P. Does feverfew extract exhibit phospholipase A_2 inhibitory activity in vivo? 89, 834P
KELLAM, S. see CANNELL, R., 89, 826P
KELLETT, R. see BOWMER, C.J., 89, 679P
KELLY, E. & NAHORSKI, S.R. Dopamine D_2 antagonist-like effects of intrastriatal pertussis toxin in the rat, 87, 27P
- - - Functional activation of dopamine D_1 and D_2 receptors by endogenously-released dopamine in rat striatum, 88, 305P
KELLY, E., NAHORSKI, S.R. & ROONEY, T. A. Pertussis toxin differentiates muscarinic stimulation of striatal phosphoinositide hydrolysis and adenylate cyclase inhibition, 87, 228P
KELLY, J. see DETTMAR, P.W., 88, 463P
- - - see DETTMAR, P.W., 89, 498P
- - - see DETTMAR, P.W., 89, 668P
KELLY, J.S. see ARBUTHNOTT, G.W., 89, 878P
- - - see ARBUTHNOTT, G.W., 89, 879P
- - - see BROOKS, P.B., 88, 456P
KELLY, M.E. see COSTALL, B., 88, 332P
- - - see COSTALL, B., 89, 642P
KELLY, R.W. see BARR, R., 87, 103P
KELNER, K. see BANERJEE, D.K., 87, 67P
KEMENY, D.M. see FULLER, R.W., 87, 13P
KEMP, J.A. see FOSTER, A.C., 89, 869P
- - - see FOSTER, A.C., 89, 870P
KEMP, J.A. & PRIESTLEY, T. Hyperpolarising responses to N-methyl-D-aspartate(NMDA)- receptor agonists, 89, 777P
KEMP, J.A., PRIESTLEY, T. & WOODRUFF, G.N. MK-801, a novel, orally active anticonvulsant, is a potent, non-competitive N-methyl-D-aspartate -receptor antagonist, 89, 535P
KEMPSFORD, R.D. see HAWGOOD, B.J., 89, 686P
KENDALL, D.A. see HILL, S.J., 89, 771P
KENDALL, D.A. & NAHORSKI, S.R. Effect of lithium treatment on agonist-stimulated inositol phospholipid hydrolysis in rat brain slices, 88, 255P
KENNEDY, I. see BHALLA, P., 88, 278P
KENNETT, G.A. see CURZON, G., 87, 20P
KENNY, B.A., KILPATRICK, A.T., SPEDDING, M. Changes in [^{3}H]-nitrendipine binding in gerbil cortex following ischaemia, 89, 858P
KENT, P. see BOTTING, R.M., 89, 579P
KERKUT, G.A. see HASSONI, A.A., 89, 824P

LEFORT, J., MALANCHERE, E., PRETOLANI, M. & VARGAFTIG, B.B. Immunisation induces bronchial hyper-reactivity and increased mediator release from guinea pig lungs, 89, 768P
LEFOURNIER, C. see ARMSTRONG, J.M., 87, 96P
LEIGH, B.K. see CLACUTT, C.R., 89, 773P
- - - see ENGLAND, P.J., 89, 572P
LEMBECK, F. see HOLZER-PETSCHE, U., 89, 683P
LEMMEN, C.M. see DE SCHEPPER, P.J., 89, 702P
LENARD, M.S. see BAX, N.D.S., 89, 709P
LESLIE, C.A. see FORSYTH, K.M., 89, 828P
LEURS, R. see BAST, A., 89, 695P
- - - see BAST, A., 89, 697P
LEVER, M.J. see GREENWALD, S.E., 87, 56P
LEVI, S. see DOBBS, R.J., 89, 722P
LEVINE, J.H. see DE LANGEN, C.D.J., 89, 611P
LEWIS, D.J.M. see HORNE, J.J., 89, 714P
LEWIS, E.J. see BRADSHAW, D., 89, 816P
LEWIS, G.P. see BARRETT, M.L., 89, 505P
LEWIS, M.J. see FURLONG, B., 88, 447P
LEWIS, P.A. see DAVIES, D.E., 89, 721P
LHOSTE, F. see CAVERO, I., 88, 453P
LI, I.S. see AUYEUNG, A., 89, 779P
LIGHTON, C. see BENNETT, G.W., 87, 216P
LINDEYER, E.W., RAGHOEBAR, M., VAN DEN BERG, W.B. & VAN GINNEKEN, C.A.M. In search of a pharmacokinetic model for the association of antibiotics to neurtrophils, 89, 661P
LIPPE, I.Th. see BARTHO, L., 89, 684P
LITTLE, H.J. Benzodiazepine agonists and inverse agonists both decrease locomotor activity and body temperature but show mutual antagonism, 88, 293P
- - - see DOLIN, S.J., 87, 40P
- - - see DOLIN, S.J., 89, 622P
- - - see DOLIN, S.J., 89, 866P
LITTLE, H.J., MOLYNEUX, S.G., NUTT, D.J., STANFORD, S.C. & TAYLOR, S.C. The effect of a single dose of FG-7142 on monoamine concentrations in mouse cerebral cortex, 87, 45P
LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. Does chronic benzodiazepine administration cause a "withdrawal shift" across the whole benodiazepine ligand spectrum? 89, 796P
- - - Optimising the pentylenetetrazol infusion method for measuring seizure thresholds, 88, 326P
LITTLE, H.J., STANFORD, S.C. & TAYLOR, S.C. β-adrenoceptor upregulation after FG7142 is abolished by chronic treatment with the anti-depressant desmethylimipramine, 89, 800P
LITTLETON, J.M. see HUDSPITH, M.J., 89, 623P
LIVINGSTON, A. see BOUCHENAFA, O., 88, 346P
LIVINGSTON, A., NOLAN, A. & WATERMAN, A. The relationship between analgesia induced by, and plasma concentration of, buprenorphine in the sheep, 88, 363P
LLOYD, K.G. see DELAHAYE, M., 87, 79P
LLOYD, K.G. & PICHAT, P. Decrease in $GABA_B$ binding in the frontal cortex of olfactory bulbectomized rats, 87, 36P
LLOYD, K.G., MOREL, E., PERRAULT, G. & ZIVKOVIC, B. GABA-dependent and GABA-independent effects of benzodiazepines and zolpidem, 87, 38P
LOBBEZOO, M. see VAN DALEN, D., 89, 654P
LOBEL, P. see KONIG, E., 87, 114P
LOBO, P.J., HORTH, C.E. & WILSON, K. Effect of plasma protein binding on uptake of some steroids by isolated adipocytes, 89, 850P
- - - Propranolol plasma concentrations and protein binding in rats with adjuvant-induced inflammation, 89, 813P
LODEWIJKS, M.Th.M. see BREIMER, D.D., 89, 482P
LODGE, D. see ARAM, J., 89, 778P
- - - see CHURCH, J., 88, 270P
LODGE, D. & MARTIN, D. Receptors for quinolinate on cortical and spinal neurones, 88, 271P
LOESBERG, C., FOLKERTS, G., WOUTERSEN-VAN NIJNANTEN, F.M.A. & NIJKAMP, F.P. Dietary effects on β-adrenergic receptor reactivity in guinea-pig trachea, 89, 499P
LOGAN, M.J. & MCLEAN, W.G. The effect of acrylamide on the retrograde axonal transport of specific proteins in rat sciatic nerve, 88, 351P
LOLIN, Y.I. see CURZON, G., 89, 658P
LONG, C.J. & STONE, T.W. Absence of a direct effect of adenosine on skinned aortic fibres, 89, 591P

- - - Evidence against the involvement of adenosine in endothelium mediated responses of rat aorta, 87, 207P
- - - A preferential activity of adenosine against intracellular calcium in rat aorta, 87, 8P
LONGSTAFF, A. see CATT, L.J., 89, 804P
LOO, H. see GALZIN, A-M., 89, 525P
LORENZ, W. see ENNIS, M., 89, 569P
LORRAIN, J. see CAVERO, I., 88, 449P
- - - see CAVERO, I., 88, 453P
- - - see DONATO DI PAOLA, E., 88, 442P
LOUTTIT, J.B. see DOLAMORE, P.G., 87, 176P
LOWE, K.C. see BOLLANDS, A.D., 87, 118P
- - - see BOLLANDS, A.D., 89, 664P
- - - see DAVIS, S.S., 89, 665P
LUMLEY, P. see BUSHFIELD, M., 89, 855P
- - - see HUMPHREY, P.P.A., 89, 820P
- - - see KEERY, R.J., 89, 834P
LUMLEY, P. & ROBERTSON, M.J. Do conditions in vitro, which mimic ischaemia in vivo potentiate the negative inotropic effect of verapamil? 88, 444P
- - - The differential potentiation of the effects of calcium channel blockers by conditions in vitro which mimic ischaemia in vivo, 89, 759P
LUNELL, N.O. see IBRAHIM, M.E., 88, 450P
LUTHI, P. see ATKINSON, J., 89, 740P
LYE, R.H., PARSONS, A.A. & WHALLEY, E.T. Effect of iloprost (ZK36374) and prostacyclin on in vitro human cerebral arteries, 89, 691P
LYLES, G.A. see FLUCKER, C.J.R., 87, 68P
LYNAS, A.G.A. see CLARKE, R.S.J., 89, 471P
LYONS, S.M. see CARSON, I.W., 89, 474P

MCALLISTER, H.G. see RIDDELL, J.G., 87, 227P
MCCABE, D.V. see HALL, J.M., 89, 609P
MCCAFFREY, P.M., RIDDELL, J.G. & SHANKS, R.G. The selectivity partial agonist activity of xamoterol in man measured by its effects in the presence and absence of ICI 118,551, 89, 594P
MCCAIG, D.J. & RODGER, I.W. Electrophysiological effects of leukotriene D_4 in guinea-pig airway smooth muscle, 88, 399P
MCCANN, J.P., MCELNAY, J.C., NICHOLLS, D.P., SCOTT, M.G. & STANFORD, C.F. Oral salbutamol does not affect theophylline kinetics, 89, 715P
MCCARTHY, P.S. see BLACKMAN, D.E., 88, 354P
- - - see BLACKMAN, D.E., 89, 874P
MCCLELLAND, C.M. see COOPER, S.M., 88, 383P
- - - see DUNBAR, A.W., 88, 319P
MCCLELLAND, R.J. see RIDDELL, J.G., 87, 227P
MCCLUE, S.J. see GODFREY, P.P., 87, 117P
MCCULLAGH, P.J. see RIDDELL, J.G., 87, 227P
MCCULLOCH, J. see FILE, S.E., 89, 871P
MCCURRIE, J.R. see EL MURADI, E.M.A., 88, 448P
MACDERMOT, J. see CROSSMAN, D., 89, 542P
- - - see FULLER, R.W., 87, 13P
MCDERMOTT, A.M. see ABRAMS, S.M.L., 89, 716P
MACDONALD, A. see DETTMAR, P.W., 88, 463P
- - - see DETTMAR, P.W., 89, 498P
- - - see DETTMAR, P.W., 89, 668P
MCDOUGALL, H. see MARTIN, K.F., 89, 729P
MCELNAY, J.C. see MCCANN, J.P., 89, 715P
MCEWAN, J. see CROSSMAN, D., 89, 542P
MCFADZEAN, I. see HENDERSON, G., 87, 58P
MCGRATH, J.C. see BULLOCH, J.M., 89, 577P
- - - see DAINTY, I.A., 88, 369P
- - - see DAINTY, I.A., 89, 884P
- - - see FASEHUN, O.A., 88, 452P
MCGRATH, J.C. see MACLEMMAM, S.J., 89, 587P
MCGRATH, J.C. & MACLENNAN, S.J. Oxygen modifies the potency of 5-HT, and of 5-HT antagonists, in human umbilical artery (HUA), 88, 320P
MCGRATH, J.C. & MUIR, A. Effect of EDRF on contraction of rat aorta by noradrenaline and interaction with an α_2-adrenoceptor antagonist and a Ca^{++} activator, 89, 687P
MCGRATH, J.C. & UGWU, A.C. Effects of BAY K8644 and nifedipine on isolated perfused rat tail artery under different oxygen tensions, 88, 385P
MCHARG, A.D. see HALL, M.T., 87, 193P
MCHARG, A.D., PARRATT, J.R. & WADSWORTH, R.M. The effect of amlodipine, nifedipine and diltiazem

- - - (-) Deprenyl: an α-adrenoceptor antagonist on the rat vas deferens, 87, 147P
- - - Different α-adrenoceptors mediate tonic and rhythmic contractions of the rat vas deferens, 89, 581P
LAGUNA, C. see KNORR, A., 89, 760P
LAHER, I. see BEVAN, J.A., 88, 384P
LAL, C. & NAYLOR, I.L. Granulation tissue induced by croton oil - a suitable model for wound healing? 88, 402P
- - - The role of calcium ions and cAMP in the contractility of myofibroblasts in the rat testicular capsule, 89, 811P
LAMBERT, J.J., NOONEY, J.M. & PETERS, J. A. A patch clamp study of the cholinergic blocking action chromaffin cells, 87, 28P
LAMBRECHTS, A.C. see DE JONG, W., 89, 688P
LAMMERS, J-W.J. see BELD, A.J., 89, 477P
LANGE, K. see DREYLING, K.W., 88, 236P
LANGER, S.Z. see ARBILLA, S., 87, 30P
- - - see ARBILLA, S., 87, 39P
- - - see ARBILLA, S., 87, 80P
- - - see ARBILLA, S., 88, 287P
- - - see ARBILLA, S., 88, 345P
- - - see ARBILLA, S., 89, 754P
- - - see ARBILLA, S., 89, 793P
- - - see CAVERO, I., 88, 449P
- - - see DUVAL, N., 89, 634P
- - - see GALZIN, A-M., 87, 17P
- - - see GALZIN, A-M., 87, 23P
- - - see GALZIN, A-M., 89, 525P
- - - see GALZIN, A-M., 89, 533P
LANGER, S.Z. & SCHOEMAKER, H. High affinity inhibition by ergotamine of [^{3}H]-8-OH-DPAT binding to hippocampal $5HT_{1A}$ receptors, 89, 524P
LANGER, S.Z., DE OLIVEIRA, A.M. & SCHOEMAKER, H. Temperature dependence of substrate interaction with [^{3}H]-mazindol binding to the noradrenaline transporter, 89, 630P
LANGER, S.Z., PIMOULE, C., REYNOLDS, G. P. & SCHOEMAKER, H. Dopaminergic denervation does not affect [^{3}H]-SCH 23390 binding in the rat striatum: similarities to Parkinson's disease, 87, 161P
LASHENKO, A. see FINNEN, M.J., 88, 406P
- - - see FINNEN, M.J., 88, 407P
LAW, K.A. see DE BRITO, F.B., 89, 567P
LAWRENCE, D. see ALGATE, D.R., 88, 321P
- - - see ALGATE, D.R., 89, 738P
LAYCOCK, S.M. see BURGESS, M.F., 88, 410P
LAZARENO, S. see HAWCOCK, A.B., 88, 357P
LEAKE, L.D. see BARWELL, C.J., 89, 839P
- - - see LAFI, M.A.K., 87, 147P
- - - see LAFI, M.A.K., 88, 432P
- - - see LAFI, M.A.K., 89, 501P
LECHAIRE, J. see CAVERO, I., 87, 190P
LEDERIS, K. see ITOH, H., 88, 311P
LEE, C.R. see DUVAL, N., 89, 634P
LEEFLANG, P. see DE BRUIJN, E.A., 89, 510P
LEES, I.W. see GAZELEY, M.J.S., 87, 122P
LEES, I.W. & PAYNE, A.N. Adaptation and use of an ultrasonic nebuliser for inhalational studies in laboratory animals, 87, 225P
LEES, I.W., PAYNE, A.N., WALLACE, J.L. & WHITTLE, B.J.R. Cardiopulmonary and gastric actions of intravenous PAF in anaesthetized cats, 89, 504P
LEES, P. see EWINS, C.P., 89, 763P
LEES, P., MAITHO, T.E. & TAYLOR, J.B.O. Absorption of phenylbutazone in the horse following oral administration, 89, 762P
LEESON, P. see ELLIS, D., 89, 829P
LEEUWIN, R.S., MULDER, R., VERSLUIJS-BROERS, J.A.M. & VAN WILGENBURG, H. Evidence for presynaptic muscarinic receptors involved in the effects of F7-toxin on rodent motor end-plate, 89, 556P
LEEUWIN, R.S., WERDMULLER, B.F.M. & VAN WILGENBURG, H. Direct effects of diazepam on growth and decay phases of miniature endplate currents in the isolated rat diaphragm preparation, 88, 460P
LEEUWIN, R.S., WERDMULLER, B.F.M., VAN WILGENBURG, H. & ZEEGERS, A. Direct excitatory and inhibitory effects of two benzodiazepines on neuromuscular transmission, 89, 575P
LEFEBVRE, R.A. see BLANCQUAERT, J.P., 89, 517P
- - - see BOGAERT, M.G., 87, 25P
- - - see DUPONT, A.G., 89, 492P
LEFEVRE-BORG, F. see CAVERO, I., 87, 190P
LEFF, P., MARTIN, G.R. & MORSE, J. Classification of peripheral 5-HT_2 receptors using agonist and antagonist tryptamine analogues, 89, 752P

KERR, M.B. & SENIOR, J. Systemic and specific regional haemodynamic differences between a normotensive and hypertensive strain of rat, 89, 844P
KERWIN, R.W. see BLOOM, S.R., 88, 470P
KETELAARS, C.E.J. & BRUINVELS, J. Is the GABA$_\beta$ receptor participating in the GABA-benzodiazepine relationship? 89, 627P
KHINDER, J., MARTIN, L., WILSON, K. & YORK, M. Inhibition of histamine-N-methyltransferase by ranitidine analogues, 89, 856P
KIANG, J.G. see BUCHAN, P., 88, 268P
KIDD, E.J. see FOZARD, J.R., 88, 371P
KILFEATHER, S.A., DAWSON, K. & DE BELLEROCH, J. Lymphocyte β-adrenoceptors and multiple prostaglandin receptors- effects of ageing and smoking, 87, 113P
KILPATRICK, A.T. see ALPS, B.J., 87, 95P
- - - see ALPS, B.J., 88, 249P
- - - see KENNY, B.A., 89, 858P
KILPATRICK, G.J. see HONG, M., 87, 163P
- - - see JENNER, P., 88, 339P
KILPATRICK, I.C., STARR, B.S. & STARR, M.S. The dopamine D_1 receptor agonist SKF 38393 potentiates D_2 motor responding in reserpinesed mice, 89, 862P
KING, A.E. & NISTRI, A. D-aminophosphonovalerate selectively antagonizes N-methyl-D-aspartate induced currents in voltage clamped motoneurones in vitro, 89, 537P
KING, R.C. see CATLOW, C.J., 88, 422P
KINGMA, J.G. Jr. see DENNISS, A.R., 89, 737P
KIRBY, M.J. see CROWLEY, B.L., 87, 121P
KITTERINGHAM, N.R. see CHRISTIE, G., 88, 424P
- - - see COLEMAN, J.W., 88, 425P
KLEIN, D.C. see HO, A.K., 88, 254P
KLEIN, D.C. & SUGDEN, D. Activators of protein kinase C act at a post-receptor site to amplify β-adrenergic stimulation of pineal cyclic AMP, 89, 785P
KNORR, A., LAGUNA, C. & STASCH, J.-P. Alteration in Na-handling and volume status by chronic nifedipine treatment in rats with 1-kidney, 1-clip renal hypertension, 89, 760P
KNOX, R.J. see DICKENSON, A.H., 87, 61P
KOLSTEE, J.A. see BAST, A., 89, 696P
KONGOLA, G., RICHENS, A. & WILLIAMS, J. Determination of platelet GABA-transaminase (GABA-T) activity as a means of assessing the effect of GABA-T inhibitors, 89, 563P
KONIG, E., LOBEL, P., SCHROR, K. & WEISS, P. Stereochemical relationship of organic nitrates for coronary PGI_2 stimulation, vessel tone and platelet function, 87, 114P
KOOL, D.J. see VEENENDAAL, G.H., 89, 585P
KORO, O. see BARR, R., 87, 103P
KORO, O. see BARR, R.M., 88, 394P
KORSTANJE, C. & VAN ZWIETEN, P.A. Effect of α-adrenoceptor antagonists and calcium entry blocking drugs on vasoconstriction in rat perfused hindquarters in vitro, 89, 617P
KRAMER, K. see BAST, A., 89, 695P
KRAMP, R. see GENARD, J., 89, 678P
KRETSCH, R. see BRODDE, O-E., 87, 85P
KRIJZER, F. Effects of antidepressant and neuroleptic drugs on the quantitatively analyzed electro-encephalogram of the rat, 89, 635P
KRIJZER, F. Typical profiles for the antidepr. and neuroleptic drug class based on quantitatively analyzed cortical EEG of the rat, 89, 636P
KRUK, Z.L., MILLAR, J. & STAMFORD, J. A. Measurement of stimulated dopamine release by vivo voltammetry: the influence of stimulus parameters on drug responses, 88, 470P
KUMAR, R. see JENNER, P.G., 88, 297P
KUONEN, D.R., ROBERTS, P.J. & SHARPE, J.A. Solubilisation of an extra-junctional glutamate binding protein from rat brain membranes, 87, 158P
KUPPERN, P.J.K. see DE BRUIJN, E.A., 89, 510P

L'HEUREUX, R. see CARTER, C.J., 88, 307P
LAD, N. see HANAHOE, T.H.P., 89, 792P
LAEKEMAN, G.M. see DECKERS, I.A., 89, 651P
LAFI, M.A.K. see BARWELL, C.J., 89, 839P
LAFI, M.A.K. & LEAKE, L.D. Chronic guanthidine denervation reveals dopamine has mixed actions on the rat vas deferens, 88, 432P

on Ca contractions of canine coronary artery rings, 89, 539P
MCINTOSH, A. see BUTLER, A., 89, 508P
MACINTYRE, D.E. see BARR, S.M., 88, 392P
- - - see BUSHFIELD, M., 88, 262P
- - - see BUSHFIELD, M., 89, 791P
- - - see BUSHFIELD, M., 89, 855P
MACINTYRE, D.E. & MCKAY, J. Linoleic acid inhibits thromboxane A_2-induced phosphoinositide hydrolysis and Ca^{2+} flux in human platelets, 87, 10P
MACINTYRE, D.E. & ROSSI, A.G. The effect of perussis toxin on agonist-induced phosphoinositide hydrolysis and changes in cytosolic free Ca^{2+} in human neutrophils, 88, 253P
MACINTYRE, I. see BEVIS, P.J.R., 88, 314P
- - - see BRAIN, S.D., 87, 54P
- - - see BRAIN, S.D., 88, 440P
- - - see CROSSMAN, D., 89, 542P
- - - see GREENWALD, S.E., 87, 56P
MACINTYRE, R. see GALLOWAY, D.J., 87, 109P
MCKAY, J. see MACINTYRE, D.E., 87, 10P
MCKEAN, F.M. see FRENCH, A.M., 89, 582P
MCKECHNIE, K. see BRYSON, S.E., 87, 230P
MACKENZIE, J.E. see HERSOM, A.S., 88, 353P
MACKENZIE, J.E., PARRATT, J.R. & SITSAPESAN, R. The antiarrhythmic properties of naloxone and MrZ 2593 (naloxone methobromide) in vivo and in vitro, 89, 613P
- - - The effects of drugs interacting with opioid receptors on ischaemic arrhythmias in anaesthetised rats, 89, 614P
MCLEAN, W.G. see LOGAN, M.J., 88, 351P
MACLENNAN, S.J. see MCGRATH, J.C., 88, 320P
MACLENNAN, S.J. & MCGRATH, J.C. Evidence for "5-HT_1-like" receptors in human umbilical artery (HUA), 89, 587P
MCMILLAN, R.M., MILLEST, A.J., PROUDMAN, K.E. & TAYLOR, K.B. Evaluation of lipoxygenase inhibitors ex vivo, 87, 53P
MCNAMEE, P.M., MARKHAM, A. & SWEETMAN, A.J. Flufenamic acid inhibits prostaglandin $F_{2\alpha}$, E_2 and D_2 biosynthesis in sensitised guinea-pig lung, 87, 116P
MCNAMEE, P.M., MARKHAM, A. & SWEETMAN, A.J. Flurenamic acid promotes calcium release from lung mitochondria in non-sensitized and sensitized guinea pigs, 89, 734P
MCNICOL, A. see BARR, S.M., 88, 392P
MCQUEEN, D.S. ICI 174864 antagonises met-enkephalin-induced depression of chemosensory discharge in anaesthetized cats, 88, 275P
MCRITCHIE, B.. see COOPER, S.M., 88, 383P
MACRUM, B.L., NELSON, E.E. & POVZHITKOV, M.M. Beneficial effects of allopurinol on survival and infarct size following coronary artery ligation in the rat, 89, 544P

MAES, R.A.A. see AALDERS, R.J.W., 89, 703P
MAGGS, J.L. & PARK, B.K. The metagolism of sorbinil in the rat, 89, 851P
MAGNIER, G. see DELAHAYE, M., 87, 79P
MAGUIRE, J.P. see CALCUTT, C.R., 89, 773P
MAGUIRE, M. see BARNETT, D.B., 87, 223P
MAHONEY, M. see BUTLER, A., 89, 508P
MAIN, I.H.M. & WILSON, G.A.M. Modulation of forskolin-induced gastric acid secretion in vitro; potentiation of secretagogue responses by subthreshold doses, 87, 128P
MAITHO, T.E. see LEES, P., 89, 762P
MAITRE, D. see GROSSET, A., 87, 2P
MAJEWSKI, H. see JOHNSTON, H.G., 89, 790P
MALANCHERE, E. see LEFORT, J., 89, 768P
MALLOWS, R.S.E. see BOLTON, T.B., 87, 64P
MANN, G. see GARDNER, C.R., 89, 867P
MANNING, A.S. see CROME, R., 89, 755P
MANNION, D. & DAVIS, W.G. Modification of diuresis by propranolol in the ethanol-anaesthetised rat, 89, 680P
MARANDA, B. see ATKINSON, J., 89, 740P
MARKHAM, A. see BAYDOUN, A.R., 88, 387P
- - - see BAYDOUN, A.R., 89, 619P
- - - see CAMERON, I., 88, 455P
- - - see MCNAMEE, P.M., 87, 116P
- - - see MCNAMEE, P.M., 89, 734P
MARR, J.F. & SMITH, G.M. The effect of platelt-derived substances on

bronchoconstriction in guinea pigs, 87, 115P
MARRIOTT, D. see ADAMS, M., 88, 248P
- - - see ADAMS, M., 89, 666P
MARRS, T.C. see BRIGHT, J.E., 87, 119P
MARSDEN, C.A. see BENNETT, G.W., 87, 216P
- - - see BENNETT, G.W., 88, 300P
- - - see BENNETT, G.W., 89, 530P
- - - see BORKOWSKI, K.R., 88, 286P
MARSDEN, C.A. & MARTIN, K.F. 5-HT release and metabolism in rat brain decreased by 8-OH-DPAT (i.v.): involvement of 5-HT and α_2-adrenoceptors, 88, 301P
MARSDEN, C.D. see BAKER, M.K., 89, 875P
- - - see BOYCE, S., 87, 197P
- - - see BOYCE, S., 89, 876P
- - - see DAVIS, A., 89, 534P
- - - see DE CALLABOS, M.L., 88, 306P
- - - see HONG, M., 87, 163P
- - - see HONG, M., 88, 338P
- - - see JENNER, P., 87, 162P
- - - see JENNER, P.G., 88, 297P
- - - see JENNER, P., 88, 337P
- - - see JENNER, P., 88, 339P
- - - see JENNER, P., 88, 340P
- - - see JENNER, P., 88, 341P
- - - see JENNER, P., 89, 519P
- - - see JENNER, P., 89, 626P
- - - see JENNER, P., 89, 794P
- - - see JENNER, P., 89, 877P
MARSH, V.R. see IRAVANI, M.M., 89, 578P
MARSHALL, C.G. & OGDEN, D.C. The concentration -response relationship for carbachol activation of single channels at the frog endplate, 87, 140P
MARSHALL, C.M.S. see FLUCKER, C.J.R., 87, 68P
MARSHALL, I. see AL-KAZWINI, S.J., 88, 439P
- - - see CRAIG, R.K., 87, 55P
- - - see CRAIG, R.K., 88, 312P
MARSHALL, P. see BORKOWSKI, K.R., 88, 286P
MARSHALL, R.J. see DICKSON, M., 89, 612P
MARTIN, D. see ARAM, J., 89, 778P
- - - see LODGE, D., 88, 271P
MARTIN, F. see GILNA, P., 87, 165P
MARTIN, F. & WHELAN, J. Effect of bombesin on rat prolactin specific mRNA levels in GH_3 cells, 87, 179P
MARTIN, G. see HUGHES, A., 88, 282P
MARTIN, G., SCHACHTER, M. & SEVER, P.S. Fluoride-induced contraction in rat aorta, 89, 608P
MARTIN, G.R. see LEFF, P., 89, 752P
MARTIN, K.F. see MARSDEN, C.A., 88, 301P
MARTIN, K.F., MASON, R. & MCDOUGALL, H. Electrophysiological evidence that isapirone (TVX Q7821) is a partial agonist at 5-HT_{1A} receptors in the rat hippocampus, 89, 729P
MARTIN, L. see KHINDER, J., 89, 856P
MARTIN, U. see BRAYDEN, D., 87, 50P
MARTIN, W., MORGAN, R.O., SMITH, J.A. & WHITE, D.G. Haemoglobin inhibits vasodilation induced by stimulants of soluble but not particulate guanylate cyclase in rabbit aorta, 88, 267P
MARTORANA, M. see BARRON, E., 87, 4P
MASERI, A. see BLOOM, S.R., 88, 470P
MASHURANO, M. & WADDINGTON, J.L. Behavioural responses to the D_1 dopamine receptor agonist SK&F 38393 and the D_2 agonist RU24213 alone and in combination, 88, 303P
- - - The topography of behaviours promoted by a selective D-2 dopamine receptor agonist in combination with a selective D-1 agonist, 89, 518P
MASKELL, L.B. see ANDREWS, P.L.R., 89, 860P
MASON, D.F.J. & MEDBAK, S. Plasma met-enkephalin and catecholamines responses to artificial hyperventilation in anaesthetised greyhounds, 88, 315P
MASON, R. Circadian variation in the sensitivity of rat frontal cortical neurones to iontophoresed 5-HT, 87, 138P
- - - see COX, C.M., 89, 528P
- - - see CROZIER, C.S., 88, 327P
- - - see MARTIN, K.F., 89, 729P
MASSICOTTE, G., PARENT, A., SAINT-LOUIS, J. & SCHIFFRIN, E.L. Decreased in vivo and in vitro responses to vasoconstrictor agents in pregnant normotensive and spontaneously hypertensive rats, 89, 598P
MATHEWS, H.M.L. see CARSON, I.W., 89, 474P
MATHY, M.-J. see BATINK, H.D., 89, 554P
MATHY, M.-J. see BECKERINGH, J.J., 89, 490P
MAURA, G. see BONANNO, G., 89, 529P
MAWHINNEY, I. see EWINS, C.P., 89, 763P
MAZZONI, L. see DEEMING, K., 87, 73P

MAY, P. see AUYEUNG, A., 89, 779P
MEAKIN, J. see ATTERWILL, C.K., 89, 733P
MEAL, A. see COX, C.M., 89, 528P
MEDBAK, S. see MASON, D.F.J., 88, 315P
MEEHAN, A.S. see DEWHURST, D.G., 89, 881P
- - - see DEWHURST, D.G., 89, 882P
MEGHJI, P., MIDDLETON, K. & NEWBY, A.C. Differential effect on dilazep on adenosine metabolism in the guinea-pig and heart, 88, 280P
MEGHJI, S.A. see DRAPER, A.J., 88, 466P
MEINEKE, I. see DE MEY, C., 89, 724P
MELDRUM, B.S. see ASCHIOTI, C., 88, 379P
- - - see BOWKER, H.M., 88, 328P
- - - see DE SARRO, G.B., 88, 329P
MELDRUM, B.S., MELLO, L., MILLAN, M. & PATEL, S. Entopeduncular injection of 2-APH or muscimol protects against pilocarpine-induced limbic seizures, 87, 69P
MELLO, L. see MELDRUM, B.S., 87, 69P
MERCER, A. see GRIFFITHS, A., 89, 707P
MEYER, W. & SCHOLZ, H. Inotropic and phosphodiesterase inhibiting effects of pimobendan on human isolated cardiac preparations, 89, 750P
MICHAUD, J.C. see DESARMENIEN, M., 87, 150P
MICHEL, A.D. see EGLEN, R.M., 89, 655P
MICHEL, M.C. see BECKERINGH, J.J., 89, 564P
- - - see BRODDE, O.-E., 87, 200P
MICHALEK, R. see ARKLE, S., 89, 590P
MICHELETTI, R. see BIETTI, G., 88, 259P
- - - see BRAMBILLA, A., 88, 356P
- - - see GIACHETTI, A., 88, 261P
MIDDLETON, K. see MEGHIJI, P., 88, 280P
MIDTBO, K. see REYNOLDS, G., 89, 480P
MIENVILLE, J.M. see DESARMENIEN, M., 87, 150P
MIHARA, S. & NORTH, R.A. Receptors for δ opioids, α_2-agonists and somatostatin are coupled to the same potassium conductance in submucous plexus neurones, 87, 228P
MILLAN, M. see MELDRUM, B.S., 87, 69P
MILLAR, J. see KRUK, Z.L., 88, 470P
MILLER, A.A. see COLLINS, K.J., 87, 154P
MILLEST, A.J. see MCMILLAN, R.M., 87, 53P
MILLIGAN, J.G., RIDDELL, J.G. & SHANKS, R.G. Characterization of human placental adrenoceptors, 89, 588P
MILLS, G. see ALLAN, G., 89, 607P
MINCHIN, M.C.W. & WOOD, M.D. A convenient procedure for the assay of [^{3}H]-labelled inositol phosphates, 89, 784P
MINER, W.D., SANGER, G.J. & TURNER, D. H. Comparison of the effect of BRL 24924, metoclopramide and domperidone on cisplatin-induced emisis in the ferret, 88, 374P
MIR, A.K. see BOURSON, A., 89, 624P
- - - see BOURSON, A., 89, 625P
MIR, A.K. & SPEDDING, M. Palmityl carnitine, a lipid metabolite produced in ischaemia, activates Ca^{2+} channels in smooth muscle, 88, 381P
MIRAKHUR, R.K. see BRADY, M.M., 89, 472P
MISHRA, N. see HAMILTON, C.A., 88, 352P
MISTRY, H. see DAVIES, S.L., 89, 801P
MITCHELL, I.J. see CROSS, A.J., 88, 350P
MITCHELL, R.C. see CALCUTT, C.R., 89, 773P
MITCHELL, R.C. see GANELLIN, C.R., 89, 772P
MOBERGER, B. see IBRAHIM, M.E., 88, 450P
MOHANTY, G. see SRINIVASAN, S., 89, 559P
MOHLER, H., PIERI, L., POLC, P. & SCHERSCHLICHT, R. Stereospecific CNS effects of the GABA-transaminase inhibitor L-cycloserine are potentiated by diazepam, 88, 324P
MOLYNEUX, S.G. see GRAY, J.A., 87, 149P
- - - see LITTLE, H.J., 87, 45P
MONCADA, S. see ASTBURY, P., 87, 14P
- - - see FITZGERALD, M.F., 88, 231P
- - - see KAUFFMAN, G.L., 89, 503P
MONS, G. see BIZIERE, K., 87, 43P
MONTEIRO, E.C. & RIBEIRO, J.A. Influence of adenosine on heart responses to vagal nerve stimulation, 87, 184P
MOON-PARVIN, D. see FLOWER, R.J., 89, 743P
MOORE, A.R. see DE BRITO, F.B., 89, 662P
MOORE, E.N. see DE LANGEN, C.D.J., 89, 611P
MOORE, M.R. see ARROL, S., 89, 852P
MOREL, E. see LLOYD, K.G., 87, 38P

MOREL, E., PERRAULT, G., SANGER, D.J. & ZIVKOVIC, B. Diazepam antagonist effects of the pyrazoloquinoline GCS 9896, 88, 295P
MOREL, N. see GODFRAIND, T., 89, 507P
- - - see GODFRAIND, T., 89, 601P
MORGAN, G.P. see ALLEN, S.L., 87, 228P
- - - see ALLEN, S.L., 89, 752P
MORGAN, R. see CAMERON, I., 88, 455P
MORGAN, R.M. see BAYDOUN, A.R., 88, 387P
- - - see BAYDOUN, A.R., 89, 619P
MORGAN, R.O. see MARTIN, W., 88, 267P
MORINAN, A. & PARKER, V. Anxiolytic effects of chlordiazepoxide in socially isolated rats, 89, 868P
MORLEY, J. see DEEMING, K., 87, 73P
MORLEY, M.J. see BRADSHAW, C.M., 87, 24P
MORON, A. see BADIA, A., 89, 689P
MORRIS, B.J. see HERZ, A., 88, 378P
MORRIS, H.R. see BRAIN, S.D., 87, 54P
- - - see GREENWALD, S.E., 87, 56P
MORRIS, J. see CAMP, R.D.R., 88, 244P
MORRIS, P.K. see FULLER, R.W., 87, 13P
MORSE, J. see LEFF, P., 89, 752P
MORSELLI, P.L. see DURAND, A., 89, 730P
MORTON, A.J. see CALLINGHAM, B.A., 87, 189P
MORTON, I.K.M. see HALL, J.M., 87, 206P
MORTON, I.K.M. see HALL, J.M., 89, 609P
MOURA, D. see GUIMARAES, S., 89, 838P
MOURIS, H.G. see BELD, A.J., 89, 477P
MRWA, U. see BOSS, H., 87, 97P
- - - see BOSS, H., 87, 102P
MUIR, A. see MCGRATH, J.C., 89, 687P
MUIR, T.C. see BEATTIE, D.T., 88, 252P
MULCH, J. see FRITSCHE, R., 89, 751P
MULDER, R. see LEEUWIN, R.S., 89, 556P
MULROY, S.C. see DREW, G.M., 87, 86P
MUNBY, J. & WILSON, K.A. Noradrenaline responses of vascular muscle from rats pre-treated with ethinyloestradiol or norethisterone, 89, 822P
MURDOCH, F.A. see BUSHFIELD, M., 89, 791P
MURPHY, I.J. see HOLROYDE, M.C., 88, 396P
MYLEK, M.E. see CALCUTT, C.R., 89, 773P

NAHORSKI, S.R. see BARNETT, D.B., 87, 222P
- - - see EK, B., 87, 32P
- - - see KENDALL, D.A., 88, 255P
- - - see HERDON, H., 87, 164P
- - - see HERDON, H., 89, 641P
- - - see KELLY, E., 87, 27P
- - - see KELLY, E., 87, 228P
- - - see KELLY, E., 88, 305P
NAHORSKI, S.R. & STRUPISH, J. A direct assay for tyrosine hydroxylation in superfused rat striatal slices, 88, 343P
NATOFF, I.L. see COOPER, A.J., 89, 846P
NAYLOR, I.L. see ELASED, K.M., 89, 810P
- - - see LAL, C., 88, 402P
- - - see LAL, C., 89, 811P
NAYLOR, R.J. see BARNES, N.J.G., 88, 304P
- - - see BARNES, J.C., 88, 334P
- - - see BRADBURY, A.J., 87, 187P
- - - see BRADBURY, A.J., 87, 214P
- - - see COSTALL, B., 88, 375P
- - - see COSTALL, B., 89, 642P
- - - see GUNNING, S.J., 88, 372P
- - - see GUNNING, S.J., 88, 373P
NAYLOR, V.J.H. see BLACKMAN, D.E., 88, 354P
- - - see BLACKMAN, D.E., 89, 874P
NEDERGAARD, O.A. Modulation by isoprenaline of [^{3}H] -noradrenaline release from rabbit isolated pulmonary artery, 88, 467P
NEDERGAARD, O.A. see ABRAHAMSEN, J., 87, 195P
- - - see ABRAHAMSEN, J., 88, 281P
NEILD, T.O. & WADSWORTH, R.M. Electrophysiological properties of the mesenteric artery in the hypertensive rabbit, 87, 1P
NEILL, J. see FOZARD, J.R., 88, 371P
NEILL, J.C. & SEED, M.P. Evidence that lowered whole blood platelet-activating factor accompanies gestation in normotensive and hypertensive rats, 88, 433P
NEILSON, D.G. see OGG, G.D., 87, 143P
NELIGAN, M. see HILL, R., 87, 106P
NELSON, E.E. see MACRUM, B.L., 89, 544P
NERBONNE, J.M. see GURNEY, A.M., 87, 100P
NERME, V. see ABRAHAMSSON, T., 87, 141P
NEWBY, A.C. see MEGHIJI, P., 88, 280P
NEY, U.M. see BALL, I.J., 87, 172P
- - - see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
NIALS, A.T. see COLEMAN, R.A., 88, 408P

- - - see COLEMAN, R.A., 88, 409P
NICHOLLS, D.P. see MCCANN, J.P., 89, 715P
NICHOLLS, P. see GUMBLETON, M., 89, 848P
NICHOLLS, P.J. see AHMAD, B., 89, 832P
- - - see DAMANHOURI, Z., 88, 430P
- - - see DARMANI, N.A., 88, 323P
- - - see EL-MAHDY, N., 88, 417P
- - - see EL-MAHDY, N., 89, 809P
- - - see GUMBLETON, M., 89, 512P
NICHOLLS, P.J. & RAO, S. Aminogluteth-imide potentiates the anti-nociceptive activity of meptazinol in mice, 89, 831P
NICHOLSON, A.N. see BRADLEY, C.M., 89, 720P
NICHOLSON, A.N. & PASCOE, P.A. Effects of fluoxetine on nocturnal sleep and daytime alertness in man, 89, 473P
NICHOLSON, P.W. see DENHAM, M.J., 89, 717P
- - - see DOBBS, R.J., 89, 722P
NIDDAM, R. see ARBILLA, S., 87, 30P
- - - see ARBILLA, S., 88, 345P
NIEVES, A.L. see HAWLEY, S.B., 89, 766P
NIJKAMP, F.P. see BINKHORST, G.J., 89, 677P
- - - see DE JONG, Y., 89, 748P
- - - see HENRICKS, P.A.J., 89, 568P
- - - see LOESBERG, C., 89, 499P
- - - see VEENENDAAL, G.H., 89, 585P
NISTICO, G. see ASCIOTI, C., 88, 379P
NISTRI, A. see KING, A.E., 89, 537P
NOJIRI, M. see AIHARA, H., 87, 139P
NOLAN, A. see LIVINGSTON, A., 88, 363P
NOMOTO, M. see JENNER, P., 88, 340P
- - - see JENNER, P., 89, 519P
- - - see JENNER, P., 89, 626P
NOONEY, J.M. see LAMBERT, J.J., 87, 28P
NÖRENBERG, W. see ILLES, P., 89, 497P
NORMAN, S.J. see OLDHAM, H.G., 89, 511P
NORRIS, A.A. see BLACKHAM, A., 89, 694P
NORRIS, D.B. see BOTTOMLEY, K.M.K., 88, 401P
NORRIS, M.J. see GUMBLETON, M., 89, 512P
- - - see GUMBLETON, M., 89, 848P
NORTH, R.A. see EGAN, T.M., 87, 228P
- - - see MIHARA, S., 87, 228P
NOTARIANNI, L.J. see AIRD, S.A., 88, 403P
- - - see BENNETT, P.N., 88, 308P
- - - see BENNETT, P.N., 88, 431P
NOURSHARGH, S. see HOULT, J.R.S., 87, 81P
NOWELL, C.G. see COLLIS, M.G., 89, 847P
NUMATA, T. see BARR, R.M., 88, 394P
NUTLEY, B.P. see CALDWELL, J., 88, 423P
NUTT, D.J. see LITTLE, H.J., 87, 45P
- - - see LITTLE, H.J., 88, 326P
- - - see LITTLE, H.J., 89, 796P
NYAZEMA, N.Z. see BASUDDE. C.D.K., 87, 35P

O'BOYLE, K.M. & WADDINGTON, J.L. Displacement of [^{3}H]-SCH 23390 binding from human putamen D-1 dopamine receptors by 1-phenyl-3-benzazepines, 87, 26P
O'DONNELL, S.R. see BRYAN, L.J., 87, 18P
O'HAGAN, D.T. see HUNT, W.B., 89, 819P
O'NEILL, C.J.A. see DENHAM, M.J., 89, 717P
- - - see DOBBS, R.J., 89, 722P
OAKLEY, N.R. see HIGGINS, G.A., 88, 294P
- - - see HIGGINS, G.A., 88, 333P
OFFUT, L. see BANERJEE, D.K., 87, 67P
OGDEN, D.C. see MARSHALL, C.G., 87, 140P
OGG, G.D. see FEELY, J., 88, 426P
OGG, G.D., STEVENSON, I.H. & NEILSON, D.G. The effect of propranolol metabolite naphthoxylactic acid on cardiac β-adrenoceptors, 87, 143P
OGLEY, L. see CAMERON, I., 88, 455P
OLDHAM, H.G., STANDRING, P., NORMAN, S.J., AYRTON, A. & CHENERY, R.J. The effect of omeprazole on cytochrome P-450-mediated reactions in rat liver, 89, 511P
OLESEN, H.O. see HERMANSEN, K., 89, 673P
OLIVIER, B. see SCHIPPER, J., 89, 648P
OLIVER, P.L. see ALLAN, G., 89, 756P
OLNEY, M. see AULT, B., 88, 461P
OLUYOMI, A.O. see HART, S.L., 88, 362P
ONAIVI, E.S. see BRADBURY, A.J., 87, 214P
OPACKA, J. see BRODIE, M.E., 89, 880P
ORIOWO, M.A. see BEVAN, J.A., 88, 384P

ORMANDY, G.C. & PRINCE, A.K. Choline carrier activity in rat corpus striatum, hippocampus & cerebral cortex, 89, 650P
ORR, I.A. see CARSON, I.W., 89, 474P
OSBORNE, R.H. see ALLAKER, R.P., 87, 196P
- - - see BANNER, S.E., 89, 565P
- - - see BANNER, S.E., 89, 825P
- - - see FREEMAN, E., 88, 368P
OSHODI, R.O. see CALDAS, L.Q.A., 89, 805P
OTTENHOF, M. & UFKES, J.G.R. Ketanserin is a strong inhibitor of the anaphylactic bronchoconstriction in the rat, 89, 586P
OWEN, D.A.A. see BATH, G., 87, 181P
- - - see EDEN, R.J., 89, 827P
- - - see ENGLISH, T.A.H., 87, 203P
- - - see GRISTWOOD, R.W., 87, 91P
- - - see GRISTWOOD, R.W., 88, 419P
OWEN, F. see CROW, T.J., 88, 380P
OWSIANKA, A. see CANNELL, R., 89, 826P
OYEKAN, A.O. see BOTTING, J.H., 89, 752P

PACIOREK, P. see CRAIG, R.K., 87, 55P
PACITTI, N. see BRYSON, S.E., 88, 230P
PACKER, D. see CHANDLER, J., 88, 242P
PAGANI, F. see BRAMBILLA, A., 88, 356P
PAGE, C.P. see BARNES, P.J., 89, 742P
- - - see DEEMING, K., 87, 73P
PAGE, K.R. see BARBER, H.E., 87, 124P
PAIVA, M.Q. see GUIMARAES, S., 89, 838P
PALACIOS, J.M. see HOYER, D., 87, 19P
PALETTA, M.J. see AUYEUNG, A., 89, 779P
PALFREYMAN, M.G. see DIFRANCESCO, G.F. 89, 685P
PALIN, K.J. see DAVIS, S.S., 89, 849P
PALMER, D.B. see BAXTER, G.S., 87, 228P
PAQUAY, R. see BISTER, J.L., 89, 675P
PARENT, A. see MASSICOTTE, G., 89, 598P
PARENTE, L. see FITZGERALD, M.F., 88, 231P
PARK, B.K. see CHRISTIE, G., 88, 424P
- - - see COLEMAN, J.W., 88, 425P
- - - see MAGGS, J.L., 89, 851P
PARKE, D.V., PEH, K.H., SACRA, P. & WAN, B.Y.C. Gastro-intestinal action of balsalazide, a novel pro-drug for inflammatory bowel disease, 87, 208P
PARKER, J.E. see BATES, R.F.L., 89, 840P
PARKER, T.L. see COX, C.M., 89, 528P
PARKER, V. see MORINAN, A., 89, 868P
PARKES, J., PETTINGER, S.J. & TODD, M.H. Cardiovascular responses to five day administration of atenolol in combination with nifedipine in conscious dogs, 87, 133P
PARNHAM, M.J. see ENGELBERGER, W., 87, 15P
PARRATT, J.R. see BOACHIE-ANSAH, G., 88, 309P
- - - see BRYSON, S.E., 88, 230P
- - - see MCHARG, A.D., 89, 539P
- - - see MACKENZIE, J.E., 89, 613P
- - - see MACKENZIE, J.E., 89, 614P
PARRATT, J.R. & SITSAPESAN, R. Stereospecific anti-arrhythmic properties of certain opiate antagonists during myocardial ischaemia in anaesthetised rats, 88, 470P
PARRATT, J.R. & WAINWRIGHT, C. The effects of the thromboxane antagonist BM13.177 on ischaemia and reperfusion induced arrhythmias in dogs, 88, 291P
- - - Ventricular arrhythmias induced by local injections of vasoconstrictors following coronary occlusion, 88, 397P
PARSONS, A.A. see LYE, R.H., 89, 691P
PARSONS, D.N., SCHNEIDER, C. & SMITH, T.W. Peripheral antitussive action of codeine and morphine in the guinea pig, 89, 818P
PARSONS, M.E. see CALCUTT, C.R., 89, 773P
PASARELLI, F. see GALZIN, A-M., 87, 17P
- - - see GALZIN, A-M., 87, 23P
PASCOE, P.A. see NICHOLSON, A.N., 89, 473P
PASSARELLI, M.C. see GOLDIE, R.G., 89, 781P
PATEL, B. see EDEN, R.J., 89, 827P
PATEL, S. see DE SARRO, G.B., 88, 329P
- - - see MELDRUM, B.S., 87, 69P
PATERSON, J.R. see FEELY, J., 88, 426P
PATERSON, J.W. see FERNANDES, L.B., 89, 782P
PATERSON, J.W. see GOLDIE, R.G., 89, 781P
PATMORE, L. see CLARKE, B., 87, 98P
- - - see CLARKE, B., 88, 445P
- - - see DUNCAN, G.P., 87, 99P
- - - see DUNCAN, G.P., 89, 757P
PATRA, P.B. & WADSWORTH, R.M. Effects of cannabiniods on neurotransmission in human and rat isolated vas deferens, 87, 209P

PATSALOS, P.N. see CURZON, G., 89, 658P
PAW, P.J. & PLEECE, S.A. The effect of maprotiline on diethylpropion induced anorexia in the rat, 88, 377P
PAYNE, A.N. see GAZELEY, M.J.S., 87, 122P
- - - see LEES, I.W., 87, 225P
- - - see LEES, I.W., 89, 504P
PAZOS, A. see HOYER, D., 87, 19P
PEAKER, S. see EDWARDS, D., 89, 723P
- - - see FEELY, M., 89, 643P
PEARSON, J.D. see HALLAM, T.J., 88, 247P
PEARSON, J.P. see ALLEN, A., 87, 126P
PECK, A.W. see COHEN, A.F., 89, 704P
- - - see COHEN, A.F., 89, 706P
PEDERSEN, L.E. see HERMANSEN, K., 89, 673P
PEERS, S.H. see FLOWER, R.J., 89, 743P
- - - see FLOWER, R.J., 88, 264P
PEETERS, F.A.M. see BULT, H., 89, 548P
PEH, K.H. see PARKE, D.V., 87, 208P
PELDER, A. see BAST, A., 89, 696P
PEPINSKY, B. see FLOWER, R.J., 89, 743P
PEPPLINKHUIZEN, L. see FEKKES, D., 89, 476P
PENNY, W.J. see HENDERSON, A.H., 89, 712P
PERRAULT, G. see ALI-KODJA, F., 87, 130P
- - - see LLOYD, K.G., 87, 38P
- - - see MOREL, E., 88, 295P
PERROT, P. see CAVERO, I., 88, 449P
PERRY, E.K. see CANDY, J.M., 88, 359P
PERRY, R.H. see CANDY, J.M., 88, 359P
PESKAR, B.A. see DREYLING, K.W., 88, 236P
PESKAR, B.M. see DREYLING, K.W., 88, 236P
PETERS, J.A. see LAMBERT, J.J., 87, 28P
PETERSEN, S.A. see BLAKELEY, A.G.H., 89, 786P
PETERSON, D.W. see BRODIE, M.E., 89, 880P
PETRUZZO, P. see ARBILLA, S., 87, 80P
- - - see ARBILLA, S., 88, 287P
- - - see DUVAL, N., 89, 634P
PETTINGER, S.J. see PARKES, J., 87, 133P
PETTIPHER, E.R. see HENDERSON, B., 88, 243P
PETTY, M. see DIFRANCESCO, G.F., 89, 618P
PHILLIPS, J.A. see HOULT, J.R.S., 88, 240P
PHILPOT, J. see HEAL, D.J., 87, 137P
PICHAT, P. see LLOYD, K.G., 87, 36P
PIERCE. V. & SHEPPERSON, N.B. The effect of central administration of methoxamine, phenylephrine and ST 587 on blood pressure and heart rate in the rat, 88, 285P
PIERI, L. see MOHLER, H., 88, 324P
PILLAR, A.M. see ATTERWILL, C.K., 88, 355P
PIMOULE, C. see GALZIN, A-M., 89, 525P
PIMOULE, C. see LANGER, S.Z., 87, 161P
PINNOCK, R.D. Action of SCH23390 on neuronal responses to dopamine in the rat substantia nigra slice, 87, 160P
PIPER, P.J. see ADAMS, T., 87, 46P
- - - see GALTON, S.A., 88, 232P
PIPER, P.J. & STANTON, A.W.B. Intracranial circulatory effects of platelet-activating factor and indomethacin in the anaesthetised pig, 88, 239P
PIPER, P.J. & STEWART, A.G. Evidence of a role for platelet-activating factor in antigen-induced coronary vaso-constriction in guinea-pig perfused hearts, 88, 238P
PIPILI, E. & ZOUMBOULIS, G. Investigation of the irregular effect of rauwolscine on adrenergic responses of the mesenteric arterial bed of the rat, 88, 382P
PITTALUGA, A. see BONANNO, G., 89, 529P
PLEECE, S.A. see PAW, P.J., 88, 377P
POAT, J.A. see BEER, M.S., 89, 520P
- - - see CRIPPS, H., 89, 787P
POIRIER, M-F. see GALZIN, A-M., 89, 525P
POLASCIK, T. & WATSON, S.P. Neomycin stimulates secretion and aggregation in saponin-permeabilised human platelets, 89, 854P
POLC, P. see MOHLER, P., 88, 324P
POLL, C. & WESTWICK, J. Protein kinase C: a regulator of calcium mobilisation and granule release in human platelets, 87, 82P
- - - Thrombin induces rapid and transient changes in the permeability of the intact platelet plasma membrane to calcium, 88, 246P
POLLARD, H.B. see BANERJEE, D.K., 87, 67P
POLLOCK, D. see FORSYTH, K.M., 87, 94P
- - - see FORSYTH, K.M., 89, 828P
PORTER, I.D. see DE BELLEROCHE, J., 88, 446P
POVZHITKOV, M.M. see MACRUM, B.L., 89, 544P

POWELL, J. see BURDET, R., 88, 266P
PRATT, A. see FILE, S.E., 89, 871P
PRESTON, G.C. see GRAY, J.A., 87, 135P
PRESTWICH, S.A. see DOLPHIN, A.C., 88, 272P
PRETOLANI, M. see LEFORT, J., 89, 768P
PRIESTLEY, T. see KEMP, J.A., 89, 535P
PRIESTLEY, T. see KEMP, J.A., 89, 777P
PRINCE, A.K. see ATTERWILL, C.K., 88, 355P
- - - see ORMANDY, G.C., 89, 650P
PROBST, A. see HOYER, D., 87, 19P
PROUDMAN, K.E. see MCMILLAN, R.M., 87, 53P
PROUTEAU, M. see DELAHAYE, M., 87, 79P
PULLAR, T. see DAILLEY, C., 89, 705P
- - - see EDWARDS, D., 89, 723P
PULS, W. see BENDER, J., 89, 873P
PUTTFARCKEN, P. see COX, B.M., 87, 168P

RAAIJMAKERS, J.A.M. see BENEKER, C., 89, 584P
RAAIJMAKERS, J.A.M. & TERPSTRA, G.K. In vitro determination of β-agonistic properties of tulobuterol, a new β_2-sympathicomimetic drug, 89, 595P
RAAIJMAKERS, J.A.M., TERPSTRA, G.K., VAN ROZEN, A.J. & WASSINK, G.A. The influence of haemophilus influenzae vaccination on rat cholinergic muscarinic pulmonary receptor characteristics, 89, 653P
RADEMAKER, B. see BAKKER, E.T., 89, 583P
RAGHOBAR, M. see HUISMAN, J.A.M., 89, 481P
- - - see LINDEYER, E.W., 89, 661P
RAHN, K.H. see BOHM, R.O.B., 89, 484P
RAITERI, M. see BONANNO, G., 89, 529P
RAMAGE, A.G. see BEVAN, P., 89, 506P
RANDALL, J.I. see RODGERS, R.J., 87, 42P
RANDALL, J.I. & RODGERS, R.J. Antinociceptive effects of benzodiazepine inverse agonists: possible relevance for 'defeat' analgesia in male mice? 89, 797P
RANDHAWA, M.A. & TURNER, P. Buccal drug absorption: a new approach to predict their pH dependent changes in renal excretion, protein binding and lipid membrane passage, 89, 699P
RAO, S. see NICHOLLS, P.J., 89, 831P
RAWLINGS, S.R., REES, H. & ROBERTS, M.H. T. Tolerance between the antinociceptive effects of morphine and stimulation of the anterior pretectal nucleus, 88, 274P
READ, N. see ASTBURY, P., 87, 14P
REAVILL, C. see BOYCE, S., 87, 197P
REAVILL, C. see GARCHA, H.S., 88, 298P
REAVILL, C. see JENNER, P.G., 88, 297P
REDFERN, P.H. see DRAPER, A.J., 88, 454P
- - - see DRAPER, A.J., 88, 466P
REDFERN, P.H. & SINEI, K. Effect of chronic administration of mianserin and clomipramine on tryptophan-5-hydroxylase activity in rat brain, 88, 342P
REDMAN, D. see GOLDBERG, P., 88, 441P
- - - see HUGHES, A., 89, 708P
REES, H. see RAWLINGS, S.R., 88, 274P
REEVES, J.J. see HUMPHRAY, J.M., 88, 390P
REEVES, M.L. see ENGLAND, P.J., 89, 572P
REID, J. see ALMGREN, O., 88, 277P
REID, J.E. see CLARKE, R.S.J., 89, 471P
REID, J.L. see DEIGHTON, N.M., 88, 284P
- - - see DONNELLY, R., 89, 485P
- - - see DOXEY, J.C., 88, 462P
- - - see ELFELLAH, M.S., 88, 317P
- - - see HAMILTON, C.A., 88, 352P
- - - see HAMILTON, C.A., 89, 494P
REILLY, W.M. see BURNSTOCK, G., 89, 857P
RENAULT, A. see BIZIERE, K., 87, 43P
REYNOLDS, G. see FRAIS, M.A., 89, 745P
REYNOLDS, G., SILKE, B., VERMA, S.P., SHARMA, S., MIDTBO, K. & TAYLOR, S. H. Haemodynamics dose-response effects of diltiazem in coronary artery disease, 89, 480P
REYNOLDS, G.P. see CROSS, A.J., 87, 156P
- - - see LANGER, S.Z., 87, 161P
RHODEN, K.J. see BARNES, P.J., 87, 198P
- - - see BARNES, P.J., 89, 742P
RIBEIRO, J.A. see MONTEIRO, E.C., 87, 184P
RIBEIRO, J.A. & SEBASTIAO, A.M. Endogenous adenosine modulates transmission at the neuromuscular junction, 87, 185P
- - - 5'-nucleotidase and neuromuscular transmission, 89, 621P

RIESBOS, J. see DE JONGE, A., 89, 551P
RICHARDS, R.P. see CAMPBELL, D.B., 89, 746P
RICHENS, A. see COLE, G., 89, 628P
- - - see GRIFFITHS, A., 89, 707P
- - - see KONGOLA, G., 89, 563P
RIDDELL, J.G. see MCCAFFREY, P.M., 89, 594P
- - - see MILLIGAN, J.G., 89, 588P
RIDDELL, J.G., MCALLISTER, H.G., MCCULLAGH, P.J. & MCCLELLAND, R.J. A microcomputer system to measure forearm blood flow and finger tremor in man, 87, 227P
RIEMERSMA, R.A. see DART, A.M., 87, 142P
RIGBY, P.J. see FERNANDES, L.B., 89, 782P
RIGBY, P.J. see GOLDIE, R.G., 89, 781P
RIMMER, E.M. see COLE, G., 89, 628P
RINK, T.J. see GRISTWOOD, R.W., 87, 11P
- - - see GRISTWOOD, R.W., 89, 571P
RISING, T.J. see BOTTOMLEY, K.M.K., 88, 401P
RISNER, M.E. see GARCHA, H.S., 88, 298P
RITTER, J.M. see AKSOY, A., 89, 837P
- - - see FRAZER, C.E., 89, 835P
RIVIER, J. see ITOH, H., 88, 311P
ROACH, A.G. see BERRIDGE, T.L., 89, 671P
- - - see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
- - - see DOXEY, J.C., 87, 192P
ROBERTS, C.J.C. see COLLINGE, J., 89, 710P
ROBERTS, F. see HAWCOCK, A.B., 87, 34P
- - - see HAWCOCK, A.B., 88, 357P
- - - see HUNTER, A.J., 87, 41P
ROBERTS, F. & TUTTY, C. Quantification of the effects of muscarinic antagonists on the release of [^{3}H]-acetylcholine from rat cerebral cortex slices, 88, 358P
ROBERTS, J. see DRAPER, A.J., 88, 454P
ROBERTS, M.H.T. see DAVIES, M., 89, 526P
- - - see RAWLINGS, S.R., 88, 274P
ROBERTS, N.A. see HEAD, G.M., 89, 836P
ROBERTS, P.J. see KUONEN, D.R., 87, 158P
ROBERTSON, D. & SMITH, G.M. Platelet activation induced by coronary artery ligation in the rabbit, 87, 180P
ROBERTSON, D.N. see BARNES, P.J., 89, 742P
ROBERTSON, M.J. see LUMLEY, P., 88, 444P
ROBERTSON, M.J. see LUMLEY, P., 89, 759P
ROBINSON, C. see BEASLEY, C.R.W., 88, 235P
ROBSON, A. see EDWARDS, D., 87, 90P
ROBSON, B. see BARIS, C., 87, 173P
- - - see GRIFFITHS, E.C., 87, 177P
- - - see GRIFFITHS, E.C., 88, 361P
ROBSON, P. see CHANDLER, J., 88, 242P
RODGER, I.W. see BRYSON, S.E., 88, 230P
- - - see MCCRAIG, D.J., 88, 399P
RODGERS, R.J. see RANDALL, J.I., 89, 797P
RODGERS, R.J. & RANDALL, J.I. Exposure to the scent of an isolated conspecific is sufficient to induce acute analgesia in male mice, 87, 42P
RODRIGUES DE MIRANDA, J.F. see BELD, A.J., 89, 477P
ROGERS, D.F. see BARNES, P.J., 89, 764P
- - - see BARNES, P.J., 89, 767P
ROGERS, H. see HENDERSON, G., 87, 59P
ROONEY, K.F. see GONZALEZ, J.P., 88, 360P
ROONEY, K.F., SEWELL, R.D.E., SPENCER, P.S.J. & STOLZ, J.F. [^{3}H]-spiperone binding in mouse striatal membranes following chronic pretreatment with SCH 23390 and haloperidol, 89, 633P
ROONEY, T.A. see KELLY, E., 87, 228P
ROOTS, E.J. see HONG, M., 88, 338P
ROSAM, A.C. see BOUGHTON-SMITH, N.K., 88, 391P
ROSE, S. see JENNER, P., 87, 162P
- - - see JENNER, P., 88, 337P
- - - see JENNER, P., 89, 519P
ROSSEEL, M.T. see BOGAERT, M.G., 89, 538P
ROSSI, A.G. see MACINTYRE, D.E., 88, 253P
ROSZKOWSKI, A.P. & WALLACH, M.B. Antihypertensive effects of RS-93427-007, 89, 501P
ROSZKOWSKI, A.P., SMITH, D.L. & WILLIS, A.L. Oral activity of the prostacyclin mimetic, RS-93427*, delineated in a new heterologous ex-vivo platelet function assay, 89, 692P
ROTHAUL, A.L. see GRISTWOOD, R.W., 88, 419P
ROUND, A.A., WALLIS, D.I. & WEBB, D.B. Electrophysiological in vitro studies with paraquet dichloride, 88, 429P
ROUTLEDGE, C. see BORKOWSKI, K.R., 88, 286P

ROUTLEDGE, P.A. see BUSS, D.C., 87, 182P
- - - see BUSS, D.C., 88, 411P
- - - see BUSS, D.C., 88, 412P
- - - see BUSS, D.C., 88, 413P
- - - see HENDERSON, A.H., 89, 712P
ROUTLEDGE, P.A. & WATT, A.H. Effect of aminophylline on respiratory stimulation and heart rate changes produced by intravenous adenosine boluses in man, 89, 711P
ROWAN, M.J. see ANWYL, R., 88, 299P
- - - see ANWYL, R., 89, 644P
RUDD, R.M. see INKPEN, P.M., 88, 468P
RUEGG, U.T. see CREBA, J .A., 87, 7P
RUHL, D., SCHOLLENGERGER, S., VAN MEEL, J.C.A. & WOLFRAM, E. Haemodynamic effects of the cardiotonic agent OPC-8212 in dogs, 89, 604P
RUSSEL, F.G.M. see HEIJN, M., 89, 681P
RUSSEL, F.G.M., VAN DER LINDEN, P.E.M., VERMEULEN, W.G. & VAN GINNEKEN, C.A.M. Mechanisms of P-aminohippurate uptake in isolated membrane vesicles from the dog kidney, 89, 513P
RYALL, R.W. see HARRIS, N.C., 89, 803P
RYAN, M.P. see BRAYDEN, D., 87, 50P

SACRA, P. see PARKE, D.V., 87, 208P
SACRA, P., THORNTON, P.C. & WAN, B.Y.C. Pharmacological profile of cicloxolone: a novel anti-viral agent, 87, 9P
SAEED, S.A. & SURIA, A. Differential effects of anti-psychotic and anti-depressant drugs on human platelet aggregation, 88, 365P
- - - Modulation of prostanoid synthesis, arachidonate lipoxygenase and platelet aggregation by dimethylsulphoxide, 88, 265P
SAINT-LOUIS, J. see MASSICOTTE, G., 89, 598P
SAINT-LOUIS, J. & SCHIFFRIN, E.L. Vascular receptors for atrial natriuretic peptide in the rat, effect of hypertension on the binding characteristics and biological response, 89, 541P
SALDANHA, C.B.R. see HEARSE, D.J., 87, 12P
SALMON, J.A. see ASTBURY, P., 87, 14P
- - - see HENDERSON, B., 87, 229P
- - - see HENDERSON, B., 88, 400P
SALMON, N.P. see AUN, C., 89, 747P
SAMETZ, W. see HOLZER, P., 89, 562P
SAMPFORD, K.A. see BATH, G., 87, 181P
- - - see ENGLISH, T.A.H., 87, 203P
- - - see GRISTWOOD, R.W., 89, 573P
SANGER, D.J. see MOREL, E., 88, 295P
SANGER, D.J. & ZIVKOVIC, B. Differences between the stimulus properties of chlordiazepoxide and zolpidem are revealed by CGS 9896, 88, 296P
SANGER, G.J. see DUNBAR, A.W., 88, 319P
- - - see MINER, W.D., 88, 374P
SANGSTER, B. see BLOKHUIJZEN, N.J.P., 89, 553P
SANJAR, S. see DEEMING, K., 87, 73P
SASTRY, B.R. see AUYEUNG, A., 89, 779P
SAWYER, R. see DOCHERTY, J.R., 89, 853P
SAVAGE, A.O. Quinine inhibits contractility of rat anococcygeus muscle, 89, 574P
SAVASTA, M. see CARTER, C.J., 88, 347P
SAVILLE, V.L. see BURNSTOCK, G., 89, 857P
SAXENA, P.R. see BOM, A.H., 89, 547P
- - - see DE BOER, H.J., 89, 545P
- - - see DZOLJIC, M.R., 89, 522P
SCATTON, B. see ARBILLA, S., 88, 345P
- - - see CARTER, C.J., 88, 307P
- - - see CARTER, C.J., 88, 347P
- - - see CLAUSTRE, Y., 87, 151P
SCATTON, B. & SERRANO, A. Antagonism by zolpidem of stress-induced increase in dopac levels in the nucleus accumbens, as demonstrated by voltammetry, 87, 152P
SCHACHTER, M. see HUGHES, A., 88, 282P
- - - see MARTIN, G., 89, 608P
SCHATTNER, M. see FOUQUE, F., 89, 765P
SCHELD, H.H. see FRITSCHE, R., 89, 751P
SCHELLENS, J.H.M. see BREIMER, D.D., 89, 478P
SCHERSCHLICHT, R. see MOHLER, H., 88, 324P
SCHIAVONE, A. see GIACHETTI, A., 88, 261P
SCHIFFRIN, E.L. see MASSICOTTE, G., 89, 598P
- - - see SAINT-LOUIS, J., 89, 541P
SCHIPPER, J., OLIVIER, B. & TULP, M.Th. M. Serotonin agonists: neurochemical profile and effects on aggressive behaviour, 89, 648P
SCHOEMAKER, H. see GALZIN, A-M., 89, 525P
- - - see LANGER, S.Z., 87, 161P
- - - see LANGER, S.Z., 89, 524P
- - - see LANGER, S.Z., 89, 630P
SCHOEMAKER, R.G., DEBETS, J.J., STRUYKER-BOUDIER, H.A.J. & SMITS, J. F.M. Cardiac function in intact

conscious rats: effects of positive inotropic agents and coronary artery ligation, 89, 606P
SCHOLLENGERGER, S. see RUHL, D., 89, 604P
SCHOLTYSIK, G. & WILLIAMS, F. Antiarrhythmic effects of DPI 201-106, 87, 75P
SCHOLZ, H. see MEYER, W., 89, 750P
SCHÖMIG, A. see DART, A.M., 87, 142P
SCHNEIDER, C. see PARSONS, D.N., 89, 818P
SCHNEIDER, H.H. see FRITZ, S., 88, 336P
SCHRAUWEN, E. see HOUVENAGHEL, A., 89, 674P
SCHROR, K. see KONIG, E., 87, 114P
SCHULER, S. see BRODDE, O-E., 87, 85P
SCHULMAN, C.C. see FONTAINE, J., 89, 493P
SCOTT, M.G. see MCCANN, J.P., 89, 715P
SCOTT, R.H. see DOLPHIN, A.C., 89, 780P
SEBASTIAO, A.M. see RIBEIRO, J.A., 87, 185P
- - - see RIBEIRO, J.A., 89, 621P
SEDGWICK, A.D. see EWINS, C.P., 89, 763P
SEED, M.P. see NEILL, J.C., 88, 433P
SEILER, M.P. see BUCHHEIT, K.H., 88, 367P
- - - see HAGENBACH, A., 87, 136P
SEITZ, H. see HOLZER-PETSCHE, U., 89, 683P
SELF, G.J. see GOLDIE, R.G., 89, 781P
SEMERARO, C. see CARPI, C., 89, 758P
SENIOR, J. see DESTA, B., 89, 670P
- - - see KERR, M.B., 89, 844P
SERRANO, A. see SCATTON, B., 87, 152P
SEVER, P. see GOLDBERG, P., 88, 441P
- - - see HUGHES, A., 88, 282P
- - - see HUGHES, A., 89, 708P
SEVER, P.S. see INKPEN, P.M., 88,.468P
- - - see MARTIN, G., 89, 608P
SEVERNE, Y. see ABRAHAMSSON, T., 87, 141P
SEWELL, R.D.E. see JACKSON, H.C., 87, 220P
- - - see JACKSON, H.C., 89, 672P
- - - see ROONEY, K.F., 89, 633P
SEWING, K.-FR. see HANNEMANN, H., 88, 258P
SHAHID, M. see BARRON, E., 87, 4P
- - - see DICKSON, M., 89, 612P
SHANKS, R.G. see MCCAFFREY, P.M., 89, 594P
- - - see MILLIGAN, J.G., 89, 588P
SHARMA, S. see REYNOLDS, G., 89, 480P
SHARMA, S.C. see JANDE, M.B., 89, 570P
SHARMA, S.K. see DAVIS, S.S., 89, 665P
SHARPE, J.A. see KUONEN, D.R., 87, 158P
SHAW, A. see FOUQUE, F., 89, 765P
SHAW, L. see BAX, N.D.S., 89, 709P
SHAW, M.A. see FOX, J.I., 87, 204P
SHEEHAN, M.J. see HAYES, A.G., 88, 276P
SHELDRICK, K.E. see COLEMAN, R.A., 88, 408P
SHELDRICK, R.L. see COLEMAN, R.A., 88, 408P
SHELVEY, G. see CAVERO, I., 88, 449P
SHEPPARD, D.N. see BUNCE, K.T., 88, 398P
SHEPPERSON, N.B. see CRAIG, R.K., 87, 55P
SHEPPERSON, N.B. see CRAIG, R.K., 88, 312P
SHEPPERSON, N.B. see PIERCE, V., 88, 285P
SHORTER, J.H. see HEALD, G., 87, 226P
SIDEY, F.M. see FURMAN, B.L., 87, 52P
SIEW PENG LIM see BEATTIE, D.T., 88, 252P
SILBERSTEIN, D.J. see BOWMER, C.J., 87, 49P
SILKE, B. see FRAIS, M.A., 89, 745P
- - - see REYNOLDS, G., 89, 480P
SILVER, I.A. see CARRUTHERS, B., 87, 224P
SIMMONDS, M.A. see HORNE, A.L., 87, 70P
- - - see HORNE, A.L., 89, 776P
SIMPSON, A.W.M. see GRISTWOOD, R.W., 87, 11P
- - - see GRISTWOOD, R.W., 89, 571P
SINEI, K. see REDFERN, P.H., 88, 342P
SINGH, A. see HANDLEY, S.L., 89, 647P
SINGH, H. see HENDERSON, A.H., 89, 712P
SINGH, L. see HANDLEY, S.L., 89, 647P
SIPPOLA, L. see BURDET, R., 88, 266P
SITSAPESAN, R. see MACKENZIE, J.E., 89, 613P
- - - see MACKENZIE, J.E., 89, 614P
- - - see PARRATT, J.R., 88, 470P
SKAN, W. see CROSS, A.J., 88, 350P
SLATER, P. see CROSS, A.J., 87, 156P
- - - see CROSS, A.J., 88, 350P
SLEE, P. see DE BRUIJN, E.A., 89, 510P
SMALL, R.C. see ALLEN, S.L., 87, 228P
- - - see ALLEN, S.L., 89, 752P
- - - see EDWARDS, D., 87, 90P

SMITH, C. see CANDY, J.M., 88, 359P
SMITH, C.F.C. see DOXEY, J.C., 87, 192P
SMITH, C.L. see BULLER, K.J., 88, 405P
SMITH, D.A.S. see BROOKS, P.B., 88, 456P
SMITH, D.A.S. & STONE, T.W. A single element bi-polar stimulating electrode, 88, 470P
SMITH, D.L. see ROSZKOWSKI, A.P., 89, 692P
SMITH, G.M. see MARR, J.F., 87, 115P
- - - see ROBERTSON, D., 87, 180P
SMITH, H. see BURGESS, M.F., 88, 410P
SMITH, I.R. see CALCUTT, C.R., 89, 773P
- - - see GANELLIN, C.R., 89, 772P
SMITH, J.A. see FURLONG, B., 88, 447P
- - - see MARTIN, W., 88, 267P
SMITH, J.W. see DOWNING, O.A., 88, 292P
SMITH, P.M. see HORNE, J.J., 89, 714P
SMITH, T.W. see BUCHAN, P., 88, 268P
- - - see PARSONS, D.N., 89, 818P
SMITS, J.F.M. see SCHOEMAKER, R.G., 89, 606P
SMYTHE, M.M. see ABRAMS, S.M.L., 89, 716P
SOARES-DA-SILVA, P. Evidence for a noradrenaline-independent dopamine pool in the dog mesenteric artery, 87, 210P
SOKOMBA, E.N. see CURZON, G., 89, 658P
SONNAY, M. see ATKINSON, J., 88, 313P
- - - see ATKINSON, J., 88, 437P
- - - see ATKINSON, J., 88, 451P
- - - see ATKINSON, J., 89, 740P
SOURDY, C. see GROSSET, A., 87, 2P
SPADA, C.S. see HAWLEY, S.B., 89, 766P
SPEAR, J.F. see DE LANGEN, C.D.J., 89, 611P
SPEDDING, M. The inhibitory effects of local anaesthetics in smooth muscle are not affected by the Ca^{2+} channel activator, Bay K 8644, 87, 101P
- - - The mechanism of the contractile effects of phorbol esters in smooth muscle is not primarily via Ca^{2+} channel activation, 87, 62P
- - - see BIGAUD, M., 89, 504P
- - - see DAINTY, I.A., 88, 369P
- - - see DAINTY, I.A., 89, 884P
- - - see DIFRANCESCO, G.F., 89, 618P
- - - see DIFRANCESCO, G.F., 89, 685P
- - - see DUNCAN, G.P., 89, 757P
- - - see KENNY, B.A., 89, 858P
- - - see MIR, A.K., 88, 381P
SPENCER, P.S.J. see ROONEY, K.F., 89, 633P
SPINA, D. see FERNANDES, L.B., 89, 782P
- - - see GOLDIE, R.G., 89, 781P
SPRAGGS, C.F. see BIRCH, P.J., 89, 833P
SRINIVASAN, S. & MOHANTY, G. Effects of six drugs on the conduction properties of isolated frog sciatic nerves, 89, 559P
STABLES, R. see HUMPHRAY, J.M., 88, 390P
STAHL, S.M. see BEER, M.S., 89, 520P
- - - see JENNER, P., 88, 340P
- - - see JENNER, P., 89, 626P
STAMFORD, J.A. see KRUK, Z.L., 88, 470P
STANDRING, P. see OLDHAM, H.G., 89, 511P
STANFORD, C. see DAVIES, C., 89, 531P
STANFORD, C.F. see MCCANN, J.P., 89, 715P
STANFORD, S.C. see LITTLE, H.J., 87, 45P
- - - see LITTLE, H.J., 89, 800P
STANFORD, S.C. & WAUGH, J. Acute mild stress causes α-2-adrenoceptor upregulation in rat cerebral cortex, 89, 645P
STANLEY, M.D.A. see BURNSTOCK, G., 89, 857P
STANTON, A.W.B. see PIPER, P.J., 88, 239P
STARKIE, D. see BARIS, C., 87, 173P
STARR, B.S. see KILPATRICK, I.C., 89, 862P
STARR, M.S. see FLETCHER, G.H., 89, 861P
- - - see KILPATRICK, I.C., 89, 862P
STASCH, J.-P. see KNORR, A., 89, 760P
STEIN, W.K. see DOWNING, O.A., 89, 841P
STEINBERG, H. see DAVIES, C., 89, 531P
STEINBERG, R. see BIZIERE, K., 87, 43P
STEINER, J.T. see DE BELLEROCHE, J., 88, 446P
STEVENSON, I.H. see EL DEBANI, A.H., 88, 427P
- - - see FEELY, J., 88, 426P
- - - see OGG, G.D., 87, 143P
STEWARD, A. see BOTTOMLEY, K.M.K., 88, 401P
STEWART, A.G. see PIPER, P.J., 88, 238P
STEWART, B.R. see JENNER, P., 88, 341P
- - - see JENNER, P., 89, 794P

STEWART, J.M., VAVREK, R.J. & WHALLEY, E. T. Antagonism of the vascular permeability actions of bradykinin in the rabbit, 87, 211P
STOLERMAN, I.P. see GARCHA, H.S., 88, 298P
- - - see JENNER, P.G., 88, 297P
STOLZ, J.F. see DARMANI, N.A., 88, 323P
- - - see GONZALEZ, J.P., 88, 360P
- - - see ROONEY, K.F., 89, 633P
STONE, T.W. Purine mediation of synaptic inhibition by Ro 15-1788 on rat hippocampal slices, 89, 629P
- - - see ADDAE, J.I., 87, 153P
- - - see BROOKS, P.B., 88, 456P
- - - see CONNICK, J.H., 87, 155P
- - - see LONG, C.J., 87, 8P
- - - see LONG, C.J., 87, 207P
- - - see LONG, C.J., 89, 591P
- - - see SMITH, D.A.S., 88, 470P
STRACHAN, D.A. see DOXEY, J.C., 87, 192P
STRANGE, P.G. see BENNETT, T., 87, 87P
- - - see BENNETT, T., 88, 283P
- - - see BENNETT, T., 89, 558P
- - - see BENNETT, T., 89, 576P
STRUPISH, J. see NAHORSKI, S.R., 88, 343P
STRUYKER-BOUDIER, H.A.J. see SCHOEMAKER, R.G., 89, 606P
STUBBS, D. see DOWNING, O.A., 88, 292P
SUER, A.H. see GREENIDGE, E., 89, 821P
SUGDEN, A.L. see HO, A.K., 88, 254P
SUGDEN, D. see HO, A.K., 88, 254P
- - - see KLEIN, D.C., 89, 785P
SURIA, A. see SAEED, S.A., 88, 265P
- - - see SAEED, S.A., 88, 365P
SURPRENANT, A. On the mechanism of α_2-adrenoceptor mediated presynaptic inhibition in guinea-pig submucous plexus neurones, 87, 228P
SVENSJO, E. Increasing doses of histamine cause a protracted increase in microvascular permeability in the hamster cheek pouch, 88, 260P
SWAYNE, G.T.C. see BYFIELD, R.A., 88, 438P
SWEETMAN, A.J. see BAYDOUN, A.R., 88, 387P
- - - see BAYDOUN, A.R., 89, 619P
- - - see MCNAMEE, P.M., 87, 116P
- - - see MCNAMEE, P.M., 89, 734P
SWIFT, C.G., SWIFT, M.R. & TIPLADY, B. Single dose sedative and haemodynamic effects of mianserin in young and elderly volunteers, 89, 475P
SWIFT, M.R. see SWIFT, C.G., 89, 475P
SYKES, D. see FULLER, R.W., 87, 13P
SYKES, E. see DAVIES, C., 89, 531P
SZABADI, E. see BRADSHAW, C.M., 87, 24P
SZIRTES, T. see BARIS, C., 87, 173P

TABERNER, P.V. see CONNELLY, D.M., 87, 120P
TABERNER, P.V. see CONNELLY, D.M., 89, 667P
TARANGER, M.A. see GALZIN, A-M., 89, 533P
TATTERSALL, F.D. see BRADBURY, A.J., 87, 187P
- - - see GUNNING, S.J., 88, 373P
TAWFIK, N.H. see DRYDEN, W.F., 87, 202P
TAYLOR, G. see GUMBLETON, M., 89, 512P
- - - see JONES, T., 87, 146P
TAYLOR, G.W. see AKSOY, A., 89, 837P
- - - see FRAZER, C.E., 89, 835P
TAYLOR, J.B.O. see EWINS, C.P., 89, 763P
- - - see LEES, P., 89, 762P
TAYLOR, K.B. see MCMILLAN, R.M., 87, 53P
TAYLOR, R.D. see FINNEN, M.J., 89, 744P
- - - see FLOWER, R.J., 89, 743P
TAYLOR, S.C. see LITTLE, H.J., 87, 45P
- - - see LITTLE, H.J., 88, 326P
- - - see LITTLE, H.J., 89, 796P
- - - see LITTLE, H.J., 89, 800P
TAYLOR, S.H. see FRAIS, M.A., 89, 745P
TAYLOR, S.H. see REYNOLDS, G., 89, 480P
TE BIESEBEEK, J.D. see BOM, A.H., 89, 547P
TEEUWEN, H.W.A. see AALDERS, R., 89, 486P
- - - see AALDERS, R.J.W., 89, 703P
- - - see COLSTEE, J.H., 89, 725P
- - - see DE BIE, J.F.M., 89, 660P
- - - see DE SCHEPPER, P.J., 89, 702P
TEMPLETON, D. see ADHAM, N., 89, 652P
- - - see ARKLE, S., 89, 590P
TER HEIDE, R. see BATINK, H.D., 89, 749P
TERPSTRA, G.K. see RAAIJMAKERS, J.A. M., 89, 595P
- - - see RAAIJMAKERS, J.A.M., 89, 653P
TERREY, J.P. Studies on the protective actions of sucralfate on the rat gastric mucosa, 87, 123P

- - - see HEALD, G., 87, 226P
THEODOROU, A.E. see DAVIES, S.L., 89, 801P
- - - see GIBSON, M.J., 87, 89P
- - - see GIBSON, M.J., 88, 366P
THIJSSEN, H.H.W. see DAEMEN, M.J.A.P., 89, 669P
THIJSSEN, H.H.W. see DRITTIJ-REIJNDERS, M.J.H.J., 89, 663P
THODY, A.J. see BURCHILL, S.A., 89, 592P
THOM, S. see GOLDBERG, P., 88, 441P
- - - see HUGHES, A., 89, 708P
THOMSON, T.A. see BUDHRAM, R., 88, 416P
THORNTON, J.A. see AUN, C., 89, 747P
THORNTON, P.C. see SACRA, P., 87, 9P
THULESIUS, O. see ANGELO-KHATTAR, M., 88, 241P
THULESIUS, O. see IBRAHIM, M.E., 88, 450P
TILMISANY, A.K. see ADBEL-AZIZ, A., 87, 125P
TIMMERMAN, H. see BAST, A., 89, 580P
- - - see BAST, A., 89, 695P
- - - see BAST, A., 89, 696P
- - - see BAST, A., 89, 697P
- - - see BAST, A., 89, 698P
TINGLE, M.D. see COLEMAN, J.W., 88, 425P
TIPLADY, B. see SWIFT, C.G., 89, 475P
TIPPINS, J.R. see BRAIN, S.D., 87, 54P
- - - see GREENWALD, S.E., 87, 56P
TJANDRAMAGA, T.B. see DE SCHEPPER, P. J., 89, 702P
TODD, M.H. see DOWNING, O.A., 89, 830P
- - - see JEFFRIES, L.M., 88, 386P
- - - see PARKES, J., 87, 133P
TOUQUI, L. see FOUQUE, F., 89, 765P
TRACH, V. see FRITSCHE, R., 89, 751P
TREHERNE, J.M. & YOUNG, J.M. Temperature dependence of the binding of a new quaternary [^{3}H]-ligand to the histamine H_1-receptor, 87, 72P
TRENDELENBURG, U. see WILSON, V.G., 89, 532P
TREVETHICK, M.A., WHELAN, C.J. & WRIGHT, G. Leukotriene-induced relaxation of dog mesenteric artery in vitro during subcutaneous anaphylaxis, 88, 393P
TRICKLEBANK, M. see FOZARD, J.R., 88, 371P
TRIDGETT, R. see FOSTER, A.C., 89, 774P
TROUT, S.J. see BURLEIGH, D.E., 89, 610P
TUCKER, G.T. see BAX, N.D.S., 89, 709P
TUGWELL, C. see GRENIDGE, E., 89, 821P
TULLOCH, I.F. see DICKINSON, S.L., 89, 872P
- - - see DOXEY, J.C., 87, 192P
TULP, M.Th.M. see BEVAN, P., 89, 637P
- - - see SCHIPPER, J., 89, 648P
TURNER, D.H. see COOPER, S.M., 88, 383P
- - - see MINER, W.D., 88, 374P
TURNER, J.P. Potentiation of the GABA analogue muscimol by physiologically occurring steriods, 87, 148P
- - - see HORNE, A.L., 87, 70P
TURNER, P. see ABRAMS, S.M.L., 89, 716P
- - - see ABRAMS, S.M.L., 89, 718P
- - - see RANDHAWA, M.A., 89, 699P
TUTTY, C.A. see HUNTER, A.J., 87, 41P
- - - see ROBERTS, F., 88, 358P

UFKESM, J.G.R. see OTTERHOF, M., 89, 586P
UGAILY-THULESIUS, L. see ANGELO-KHATTAR, M., 88, 241P
UGWU, A.C. see MCGRATH, J.C., 88, 385P
UITENDAAL, M.P. see DRITTIJ-REIJNDERS, M.J.H.J., 89, 663P
UKPONMWAN, O.E. see DZOLJIC, M.R., 89, 522P
ULIBARRI, M.I. see GARCIA-SEVILLA, J. A., 89, 516P
UNDERWOOD, A.H. see ELLIS, D., 89, 829P

VALE, A.L. see BALFOUR, D.J.K., 87, 215P
VALE, A.L. see BALFOUR, D.J.K., 89, 527P
VAN BAAK, M.A. see BOHM, R.O.B., 89, 484P
VAN BREE, J.B.M.M. see BREIMER, D.D., 89, 566P
VAN BRUMMELEN, P. see BREIMER, D.D., 89, 482P
- - - see JIE, K., 89, 741P
VAN BUUREN, K.J.H. see BAKKER, E.T., 89, 583P
VAN DALEN, D., HUNT, G.A. & LOBBEZOO, M. Action of secoverine on M_1 and M_2 receptor mediated effects, 89, 654P
VAN DE KUIL, A. see DE JONG, Y., 89, 748P
VAN DELFT, A.M.L. see BROEKKAMP, C.L. E., 89, 728P

VAN DEN BERG, W.B. see HUISMAN, J.A. M., 89, 481P
- - - see LINDEYER, E.W., 89, 661P
VAN DEN BROEK, L.G.A.M. see COLSTEE, J.H., 89, 725P
VAN DEN BUUSE, M. see DE JONG, W., 89, 688P
VAN DEN HOVEN, W.E. see HALL, D.W.R., 89, 682P
- - - see HALL, D.W.R., 89, 693P
VAN DER GOOT, H. see BAST, A., 89, 698P
VAN DER LINDEN, P.E.M. see RUSSEL, F. G.M., 89, 513P
VAN DER NIEPEN, P. see DUPONT, A.G., 89, 492P
- - - see DUPONT, A.G., 89, 599P
VAN DER VLIET, H. see BINKHORST, G.J., 89, 677P
VAN DER WERF, J.F. see BAST, A., 89, 696P
VAN DIEST, M.J. see HERMAN, A.G., 89, 690P
VAN GINNEKEN, C.A.M. see BELD, A.J., 89, 477P
- - - see HEIJN, M., 89, 681P
- - - see HUISMAN, J.A.M., 89, 481P
- - - see LINDEYER, E.W., 89, 661P
- - - see RUSSEL, F.G.M., 89, 513P
VAN ESCH, B. see HENRICKS, P.A.J., 89, 568P
VAN HARTEN, J. see BREIMER, D.D., 89, 482P
VAN HAVER, D. see AGON, P.Y., 89, 632P
VAN HERWAARDEN, C.L.A. see BELD, A.J., 89, 477P
VAN HOOFF, M. see BOHM, R.O.B., 89, 484P
VAN HOOGDALEM, E.J. see BREIMER, D.D., 89, 509P
VAN KAN, H.J.M. see BREIMER, D.D., 89, 509P
VAN KOPPEN, C.J. see BELD, A.J., 89, 477P
VAN MARLE, J. & VELDSEMA-CURRIE, R.D. Demonstration of hemicholinium-3 high affinity binding sites in rat diaphragm using autoradiography. Effects of dexamethasone, 89, 656P
VAN MEEL, J.C.A. see BOSS, H., 87, 97P
- - - see BOSS, H., 87, 102P
- - - see BOSS, H., 89, 605P
- - - see FRITSCHE, R., 89, 751P
- - - see RUHL, D., 89, 604P
VAN OOSTEROM, A.T. see DE BRUIJN, E.A., 89, 510P
VAN ROSSUM, J.M. see AALDERS, R., 89, 486P
- - - see AALDERS, R.J.W., 89, 703P
- - - see COLSTEE, J.H., 89, 725P
- - - see DE BIE, J.F.M., 89, 660P
- - - see DE SCHEPPER, P.J., 89, 702P
VAN ROZEN, A.J. see BENEKER, C., 89, 584P
VAN ROZEN, A.J. see RAAIJMAKERS, J.A. M., 89, 653P
VAN WILGENBURG, H. Effect of diazepam on growth and decay phases of miniature endplate currents in the isolated rat diaphragm preparation, 88, 469P
- - - see LEEUWIN, R.S., 88, 460P
- - - see LEEUWIN, R.S., 89, 556P
- - - see LEEUWIN, R.S., 89, 575P
VAN ZWIETEN, P.A. see BATINK, H.D., 89, 554P
- - - see BATINK, H.D., 89, 749P
- - - see BECKERINGH, J.J., 89, 490P
- - - see BODDEKE, H.W.G.M., 89, 587P
- - - see BODDEKE, H.W.G.M., 89, 615P
- - - see BRUERKES, R., 89, 616P
- - - see DE JONGE, A., 89, 551P
- - - see KORSTANJE, C., 89, 617P
VANHAELST, L. see DUPONT, A.G., 89, 599P
VAN HOUTTE, F. see CARMELIET, E., 89, 700P
VANE, J.R. see HENDERSON, B., 88, 400P
VARGAFTIG, B.B. see FOUQUE, F., 89, 765P
VARGAFTIG, B.B. see LEFORT, J., 89, 768P
VARLEY, J.G. see BEASLEY, C.R.W., 88, 235P
VAUQUELIN, G. see ABRAHAMSSON, T., 87, 141P
VAVREK, R.J. see STEWART, J.M., 87, 211P
VEENENDAAL, G.H., KOOL, D.J., NIJKAMP, F.P. & DE WILDT, D.J. Mice tracheal β-adrenergic and cholinergic receptor function and its disturbance by bordetella pertussis and its components, 89, 585P
VEIGNER, M. see BRILEY, M., 87, 217P
VELDSEMA-CURRIE, R.D. Both glucocorticoids and cyclic AMP processes affect ACh stores in rat diaphragm preparations, in vitro, 89, 555P
- - - see VAN MARLE, J., 89, 656P
VELTHUIS, R.A. see DE SCHEPPER, P.J., 89, 702P
VENDEPLASSCHE, G. see HOUVENAGHEL, A., 89, 674P
VERBEKE, N. see CARMELIET, E., 89, 700P
- - - see CONINGS, L., 89, 701P
VERBEUREN, T.J. see BULT, H., 89, 548P

- - - see HERMAN, A.G., 89, 549P
- - - see HERMAN, A.G., 89, 690P
VERMA, S.P. see FRAIS, M.A., 89, 745P
- - - see REYNOLDS, G., 89, 480P
VERMEULEN, F. see AGON, P.Y., 89, 632P
- - - see RUSSEL, F.G.M., 89, 513P
VERMEY, P. see JIE, K., 89, 741P
VERRIJP, C.N. see BELD, A.J., 89, 477P
VERSLUIJS-BROERS, J.A.M. see LEEUWIN, R.S., 89, 556P
VERVOORT-PETERS, H.T.M. see DAEMEN, M. J.A.P., 89, 669P
VIDAL, M. see ARBILLA, S., 88, 287P
VILA, E. see BADIA, A., 89, 689P
VINCENT, R. see HEBER, M.E., 87, 104P
VRANCKX, R. see ADAM, A., 89, 589P

WADDINGTON, J.L. see MASHURANO, M., 88, 303P
- - - see MASHURANO, M., 89, 518P
- - - see O'BOYLE, K.M., 87, 26P
WADSWORTH, R.M. see DONG, Y.T., 87, 3P
- - - see HALL, M.T., 87, 193P
- - - see MCHARG, A.D., 89, 539P
- - - see NEILD, T.O., 87, 1P
- - - see PATRA, P.B., 87, 209P
WAINWRIGHT, C.L. see PARRATT, J.R., 88, 291P
- - - see PARRATT, J.R., 88, 397P
WALDEN, F.M. see HOULT, J.R.S., 87, 81P
WALI, F.A. Effect of local anaesthetics on cholinergic responses in the chick isolated tracheal smooth muscle, 88, 415P
- - - see GREENIDGE, E., 87, 205P
- - - see GREENIDGE, E., 88, 414P
- - - see GREENIDGE, E., 89, 821P
WALKER, J.M. see CANNELL, R., 89, 826P
WALKER, R.J. see BAGUST, J., 89, 864P
- - - see COX, R.T.L., 87, 166P
- - - see COX, R.T.L., 89, 823P
- - - see HASSONI, A.A., 89, 824P
- - - see HEWITT, G.M., 89, 789P
WALLACE, J.L. see LEES, I.W., 89, 504P
WALLACE, J.L. & WHITTLE, B.J.R. Potentiation of ethanol-induced gastric mucosal damage by platelet-activating factor, 87, 92P
- - - Inhibition of PAF-induced gastric mucosal damage by corticosteriods, 88, 237P
WALLACE, P. see BERN, H.A., 87, 175P
WALLACH, M.B. see ROSZKOWSKI, A.P., 89, 501P
WALLIS, D.I. see ROUND, A.A., 88, 429P
WALLWORK, J. see ENGLISH, T.A.H., 87, 203P
WALSH, L.P. see BLACKHAM, A., 89, 694P
WAN, B.Y.C. see PARKE, D.V., 87, 208P
- - - see SACRA, P., 87, 9P
WANG, C.M. see AULT, B., 88, 461P
WANG, X.L. see BECKERINGH, J.J., 89, 564P
- - - see BRODDE, O-E., 87, 85P
- - - see BRODDE, O.-E., 87, 200P
WANN, K.T. see HEWITT, G.M., 89, 789P
WARD, D.J. see BARIS, C., 87, 173P
- - - see GRIFFITHS, E.C., 87, 177P
- - - see GRIFFITHS, E.C., 88, 361P
WARD, S. see BARRETT, M.L., 89, 505P
WARDLAW, A.C. see FURMAN, B.L., 87, 52P
WARLAND, J.J.I. see BURNSTOCK, G., 89, 857P
WARNOCK, P. see DOCHERTY, J.R., 87, 16P
- - - see DOCHERTY, J.R., 89, 843P
WARNER, T.J. see BYFIELD, R.A., 88, 438P
WASSINK, G.A. see RAAIJMAKERS, J.A.M., 89, 653P
WATERMAN, A. see LIVINGSTON, A., 88, 363P
WATERS, C.M. see BROWNSTEIN, M.J., 87, 134P
- - - see DOWNING, O.A., 88, 251P
WATSON, S.P. see POLASCIK, T., 89, 854P
WATT, A.H. see BUSS, D.C., 87, 182P
- - - see BUSS, D.C., 88, 411P
- - - see BUSS, D.C., 88, 412P
- - - see DUFF, G.R., 89, 713P
- - - see BUSS, D.C., 88, 413P
- - - see HENDERSON, A.H., 89, 712P
- - - see HORNE, J.J., 89, 714P
- - - see ROUTLEDGE, P.A., 89, 711P
WAUGH, J. see STANFORD, S.C., 89, 645P
WAYNE, M. see JESSUP, C.L., 87, 112P
WEBB, D.B. see ROUND, A.A., 88, 429P
WEBBON, P.M. see GAZELEY, M.J.S., 87, 122P
WEI, E.T. see BUCHAN, P., 88, 268P
WEIDMANN, R. see FRITZ, S., 88, 336P
WEIR, S.W. & WESTON, A.H. Some effects of nicorandil on the aorta and portal vein of the rat, 87, 212P
WEISS, P. see KONIG, E., 87, 114P
WELFORD, L.A. see CUSACK, N.J., 87, 83P
- - - see CUSACK, N.J., 87, 84P
- - - see CUSACK, N.J., 89, 514P
WELLER, M.E. see JENNER, P., 87, 162P
- - - see JENNER, P., 89, 877P
WERDMULLER, B.F.M. see LEEUWIN, R.S., 88, 460P

- - - see LEEUWIN, R.S., 89, 575P
WERLING, L.L. see COX, B.M., 87, 168P
WESCHE, H. see DE MEY, C., 89, 724P
WESPES, E. see FONTAINE, J., 89, 493P
WESTMACOTT, D. see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
WESTON, A.H. see EDWARDS, D., 87, 90P
- - - see WEIR, S.W., 87, 212P
WESTWICK, J. see BARRETT, M.L., 89, 505P
- - - see POLL, C., 87, 82P
- - - see POLL, C., 88, 246P
WEZEL, K. see BAKKER, E.T., 89, 583P
WHALLEY, E.T. see AKINOSI, I.A., 88, 404P
- - - see AKINOSI, I.A., 89, 731P
- - - see CAREY, F., 89, 806P
- - - see CLEGG, S., 89, 807P
- - - see LYE, R.H., 89, 691P
- - - see STEWART, J.M., 87, 211P
WHALLEY, E.T. & WHALLEY, H. Role of endothelium in the response of the in vitro rat aorta under resting and sustained tension to bradykinin and angiotensin II, 89, 736P
WHALLEY, H. see AKINOSI, I.A., 88, 404P
- - - see WHALLEY, E.T., 89, 736P
WHEATLEY, P.L. A simple method for recording excitatory amino acid-evoked depolarisations of rat cortex in vitro, 87, 159P
- - - see COLLINS, K.J., 87, 154P
WHELAN, C.J. see TREVETHICK, M.A., 88, 393P
WHELAN, J. see MARTIN, F., 87, 179P
WHITE, B.P. see HUMPHREY, P.P.A., 89, 820P
WHITE, D. see FURLONG, B., 88, 447P
WHITE, D.G. see MARTIN, W., 88, 267P
WHITE, V. see HILLIER, K., 88, 389P
WHITING, M.V. see ALLAN, G., 89, 488P
WHITING, R.L. see CLAGUE, R.U., 87, 132P
- - - see EGLEN, R.M., 87, 33P
- - - see EGLEN, R.M., 89, 552P
- - - see EGLEN, R.M., 89, 655P
WHITTLE, B.J.R. see BOUGHTON-SMITH, N. K., 88, 391P
- - - see HAMID, S., 87, 110P
- - - see KAUFFMAN, G.L., 89, 503P
- - - see LEES, I.W., 89, 504P
- - - see WALLACE, J.L., 87, 92P
- - - see WALLACE, J.L., 88, 237P
WIDDOWSON, P.S. see HOLMAN, R.B., 87, 171P
WIDDOWSON, P.S. & HOLMAN, R.B. Effects of neurotensin and TRH on the release of endogenous dopamine from rat corpus striatum and nucleus accumbens, 87, 74P
WIEGANT, V.M. see DE JONG, W., 89, 593P
WIJKER, J.E. see BAST, A., 89, 698P
WILKINSON, C.M. see BARRAND, M.A., 87, 47P
WILKINSON, J. see HUNT, W.B., 89, 819P
WILLEMS, J.L. see BLANCQUAERT, J.P., 89, 517P
WILLIAMS, A.M. see BRYAN, L.J., 87, 18P
WILLIAMS, B.C. see EGLEN, A., 87, 127P
WILLIAMS, C. see FREEMAN, E., 88, 368P
WILLIAMS, D. see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
WILLOUGHBY, D.A. see ADHYA, S.A., 87, 48P
- - - see DE BRITO, F.B., 89, 567P
WILLIAMS, F. see SCHOLTYSIK, G., 87, 75P
WILLIAMS, J. see COLE, G., 89, 628P
WILLIAMS, J. see KONGOLA, G., 89, 563P
WILLIAMS, J.R. see ADHYA, S.A., 87, 48P
WILLIAMS, K. see BENNETT, T., 87, 87P
- - - see BENNETT, T., 88, 283P
- - - see BENNETT, T., 89, 558P
- - - see BENNETT, T., 89, 576P
WILLIAMS, K.I. see FINNEN, M.J., 88, 406P
- - - see FINNEN, M.J., 88, 407P
WILLIAMS, L.C. see BOWERY, N.G., 87, 37P
WILLIAMS, P.E.O. see DAVIES, D.E., 89, 721P
WILLIAMS, R.B. see CALLINGHAM, B.A. 89, 769P
WILLIAMS, R.C. see GWILT, M., 88, 290P
WILLIAMS, R.J. see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
WILLIAMS, T.J. see BRAIN, S.D., 87, 54P
- - - see BRAIN, S.D., 88, 440P
- - - see GRISTWOOD, R.W., 89, 573P
WILLIS, A.L. see ROSZKOWSKI, A.P., 89, 692P
WILLOUGHBY, D.A. see DE BRITO, F.B., 89, 662P
WILSON, A.D. see ALPS, B.J., 88, 250P
WILSON, C. see CLAPHAM, J.C., 87, 77P

WILSON, G.A.M. see MAIN, I.H.M., 87, 128P
WILSON, J.M. see CLARKE, B., 88, 445P
WILSON, K. see KHINDER, J., 89, 856P
- - - see LOBO, P.J., 89, 813P
- - - see LOBO, P.J., 89, 850P
WILSON, K.A. see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
- - - see DOWNING, O.A., 88, 251P
- - - see DOWNING, O.A., 88, 292P
- - - see DOWNING, O.A., 89, 491P
- - - see DOWNING, O.A., 89, 830P
- - - see DOWNING, O.A., 89, 841P
- - - see MUNBY, J., 89, 822P
WILSON, N.H. see ARMSTRONG, R.A., 88, 263P
- - - see BARR, S.M., 88, 392P
WILSON, S.E. see BRADSHAW, D., 89, 816P
WILSON, V.G. see DOWNING, O.A., 89, 491P
WILSON, V.G. & TRENDELENBURG, U. A study of the extraneuronal O-methylating system for catecholamines in the rat cerebral cortex, 89, 532P
WINSLOW, E. see BARRON, E., 87, 4P
WINTER, R.J.D. see INKPEN, P.M., 88, 468P
WITHERINGTON, P.G. The differential actions of calcitonin gene related peptide on the vascular and capsular smooth muscle of the dog spleen, 88, 436P
- - - see CORDER, R., 87, 57P
WOLFRAM, E. see RUHL, D., 89, 604P
WONG, E.H.F. & WOODRUFF, G.N. The identification of a novel binding site for the anticonvulsant MK-801, in rat brain membranes, 89, 536P
WOOD, A.J. see DE SOUZA, R.J., 87, 66P
WOOD, D. 6-Nitro-2-phenylisatogen specifically enhances the inhibitory effects of adenosine on electrically stimulated guinea-pig ileum, 87, 186P
WOOD, M.D. see ALEXANDER, B.S., 87, 22P
- - - see ALEXANDER, B.S., 87, 129P
- - - see ALEXANDER, B.S., 88, 348P
- - - see MINCHIN, M.C.W., 89, 784P
WOODRUFF, G. N. see KEMP, J.A., 89, 535P
- - - see WONG, E.H.F., 89, 536P
WOODS, H.F. see BAX, N.D.S., 89, 709P
WOODWARD, A.J. see DAVIES, D.E., 89, 721P
WOODWARD, B. see AVKIRAN, M., 88, 279P
- - - see BENTHAM, J.M., 89, 735P
- - - see BLACKWELL, C.P., 88, 421P
WOODWARD, D.F. see HAWLEY, S.B., 89, 766P
WOODWARD, K. see CHANDLER, J., 88, 242P
WOOLFREY, S.G. see DAVIS, S.S., 89, 849P
WOOLLARD, P.M. see CUNNINGHAM, F.M., 87, 107P
WOOLLEY, G.E. see GAZELEY, M.J.S., 87, 122P
WORCEL, M. see BROWN, N.L., 88, 289P
- - - see HAMON, G., 87, 183P
WORLOCK, A.J. see BENNETT, P.N., 88, 308P
WORMS, P. see BIZIERE, K., 87, 31P
- - - see BIZIERE, K., 87, 43P
WOUTERS, W. see BEVAN, P., 89, 506P
- - - see BEVAN, P., 89, 637P
- - - see CALIS, J.I.M., 89, 496P
WOUTERSEN-VAN NIJNANTEN, F.M.A., see LOESBERG, C., 89, 499P
WRIGHT, D.M. see CLARKE, G., 89, 676P
- - - see CLARKE, G., 89, 788P
WRIGHT, G. see TREVETHICK, M.A., 88, 393P
WRIGHT, T. see GIBSON, A., 88, 434P
WROE, S. see GRIFFITHS, A., 89, 707P
WYLLIE, J.H. see COOPER, M., 87, 201P

YACOUB, M. see BLOOM, S.R., 88, 470P
YAMAGUCHI, Y. see DAVIES, S.L., 89, 801P
- - - see GIBSON, M.J., 87, 89P
- - - see GIBSON, M.J., 88, 366P
YANG, J. see BEVAN, J.A., 88, 384P
YATES, M.S. see BOWMER, C.J., 87, 49P
YATES, M.S. see BOWMER, C.J., 89, 679P
YEHUDA, S., YOUDIM, M.B.H. & ZAMIR, N. Iron-deficiency induces increased brain met-enkaphalin and pain threshold response to opiate peptides, 87, 44P
YELLON, D.M. see DENNISS, A.R., 89, 737P
YEUNG, J.H.K. see CHRISTIE, G., 88, 424P
YORK, M. see KHINDER, J., 89, 856P
YOUDIM, M.B.H. see BANERJEE, D.K., 87, 67P
YOUDIM, M.B.H. see YEHUDA, S., 87, 44P
YOUNG, J.M. see CARSWELL, H., 87, 71P
- - - see TREHERNE, J.M., 87, 72P

YOUNG, M.M. see GODFREY, P.P., 87, 117P
YOUNG, R.C. see CALCUTT, C.R., 89, 773P
YOUNG, R.C. see GANELLIN, C.R., 89, 772P
YUEN, W.C. see COHEN, A.F., 89, 704P
YUEN, W.C. see COHEN, A.F., 89, 706P

ZAIDI, M. see BEVIS, P.J.R., 88, 314P
ZAKARIA, M.N.M. see BLACKWELL, C.P., 88, 421P
ZAKRZEWSKI, J.T. see ADAMS, T., 87, 46P
ZAMIR, N. see BROWNSTEIN, M.J., 87, 134P
- - - see YEHUDA, S., 87, 44P
ZANIRATO, J. see BROWN, N.L., 88, 289P
ZAR, M.A. The effect of pulse-duration on the responses of rat vas deferens to electrical field stimulation, 87, 213P
ZAR, M.A. see IRAVANI, M.M., 89, 578P
ZEEGERS, A. see LEEUWIN, R.S., 89, 575P
ZEEIKA, M. see DIFRANCESCO, G.F., 89, 685P
ZEITLIN, I.J. see BLACKHAM, A., 89, 694P
- - - see GALLOWAY, D.J., 87, 109P
ZERKOWSKI, H.-R. see BRODDE, O.-E., 87, 200P
ZIVKOVIC, B. see ALI-KODJA, F., 87, 130P
- - - see LLOYD, K.G., 87, 38P
- - - see MOREL, E., 88, 295P
- - - see SANGER, D.J., 88, 296P
ZOUMBOULIS, G. see PIPILI, E., 88, 382P
ZUIDERVELD, O.P. see BAST, A., 89, 580P

SUBJECT INDEX

A23187, 88, 282P
AA861, 87, 172P
Absorption, 89, 762P
Acenocoumarol, 89, 669P
Acetylcholine, 88, 282P, 341P, 358P, 363P, 372P; 89, 555P, 651P, 824P
Acetylcholine release, 87, 30P; 88, 358P; 89, 534P, 875P
α_1-Acid glycoprotein, 89, 479P
Acid secretion, 88, 356P
Acrylamide, 88, 351P
Adaptive tracking, 89, 706P
Adenine nucleotides, 87, 83P
Adenosine, 87, 8P, 182P, 184P, 185P, 186P, 207P; 88, 234P, 280P, 309P, 411P, 412P, 461P; 89, 591P, 629P, 711P, 712P, 714P, 771P, 819P, 847P
Adenosine antagonists, 88, 272P
Adenosine deaminase, 88, 280P
Adenosine 3',5'-monophosphate, cyclic, 87, 200P; 88, 256P, 262P, 263P; 89, 555P, 571P, 666P, 785P, 791P, 811P
Adenosine-3',5'-monophosphate, dibutyryl cyclic, 87, 166P
Adenosine 3',5'-monophosphate phosphodiesterase, cyclic, 87, 81P
Adenosine A_1 responses, 87, 181P
Adenosine triphosphate, 88, 247P; 89, 577P, 621P, 847P, 857P
Adenosine triphosphate analogues, 89, 514P
Adenosine triphosphatase, ecto-, 89, 514P
Adenylate cyclase, 87, 84P, 106P, 262P; 89, 542P, 783P, 823P
Adimolol, 87, 189P
Adipocytes, 89, 850P
Adrenal blood flow, 88, 434P
Adrenal corticosterone production, 88, 434P
Adrenal demullation, 88, 364P
Adrenal glands, dog, 88, 453P
Adrenal medulla, rat, 89, 846P
Adrenal medullary endothelial cells, 87, 67P
Adrenaline, 87, 63P, 76P, 195P; 88, 281P; 89, 765P
Adrenergic inhibition, 89, 786P
Adrenergic transmission, 88, 435P
β-Adrenoceptor adenylate cyclase complex, 88, 316P
Adrenoceptor agonists, 89, 498P
α-Adrenoceptor agonists, 89, 489P
α_1-Adrenoceptor agonists, 88, 285P
α_2-Adrenoceptor agonists, 88, 366P
β-Adrenoceptor agonists, 88, 284P; 89, 568P
β-Adrenoceptor antagonism, 89, 487P, 488P, 607P
α_2-Adrenoceptor antagonist activity, 89, 726P
Adrenoceptor antagonists, 89, 498P
α-Adrenoceptor antagonists, 87, 147P; 89, 617P, 872P
α_1-Adrenoceptor antagonists, 87, 191P
α_2-Adrenoceptor antagonists, 88, 279P, 366P; 89, 687P
β-Adrenoceptor antagonists, 88, 286P, 289P; 89, 483P, 634P
β_1-Adrenoceptor antagonists, 88, 287P
β-Adrenoceptor characteristics, 89, 477P
α-Adrenoceptor sensitivity, 89, 828P
α_2-Adrenoceptor upregulation, 89, 645P
β-Adrenoceptor upregulation, 89, 800P
Adrenoceptors, 88, 286P, 308P, 338P; 89, 493P, 495P, 588P, 668P, 785P, 845P
α-Adrenoceptors, 87, 189P; 88, 318P, 322P, 384P, 451P, 452P, 463P; 89, 494P, 497P, 581P, 582P, 830P
α_1-Adrenoceptors, 87, 87P, 192P, 194P; 88, 254P; 89, 558P, 576P, 696P, 842P
α_2-Adrenoceptors, 87, 86P, 88P, 89P, 192P, 194P, 221P; 88, 292P, 307P, 352P, 371P, 420P; 89, 516P, 671P, 801P
β-Adrenoceptors, 87, 88P, 106P, 113P, 141P, 143P, 221P, 223P; 88, 283P, 284P, 317P, 318P, 382P, 468P; 89, 499P, 545P, 583P, 585P, 596P, 603P, 695P, 742P, 754P, 782P
β_1-Adrenoceptors, 87, 85P; 89, 520P
β_2-Adrenoceptors, 87, 85P, 222P; 88, 462P, 465P, 466P, 467P; 89, 520P, 564P
Adrenoceptors, prejunctional, 88, 281P
α-Adrenoceptors, prejunctional, 89, 790P, 842P
β-Adrenoceptors, prejunctional, 89, 580P
Adrenocorticotrophin, 89, 795P
AF-DX 116, 88, 261P
Afferent neurones, 89, 562P

Affinity chromatography, 88, 339P
Afluzosin, 87, 191P
Ageing, 87, 113P; 88, 233P; 89, 475P, 603P, 721P, 733P
Aggression, 89, 648P, 801P, 854P
Agonist affinity constants, 89, 552P
Agonist binding, 89, 801P
AH 23848, 89, 820P
Air pouch, 89, 662P
Airway epithelium, 88, 407P
Airway smooth muscle, 88, 399P; 89, 477P
Airways, guinea-pigs, 89, 764P, 782P
Airways, human, 89, 767P
Albumin, 87, 76P
Alcohol, 87, 120P, 171P
Alfentanil, 89, 747P
Algae, 89, 826P
Alkylxanthines, 89, 679P
Allergy, 88, 424P, 425P
Allopurinol, 89, 544P, 737P
N-allylnormetazocine, 89, 874P
Alveolar macrophages, guinea-pig, 88, 231P, 89, 568P
Alveolar macrophages, human, 87, 13P
Alzheimer-type dementia, 88, 380P
Ambroxol, 88, 264P
Amidantel, 89, 824P
Amine depleters, 88, 338P
Amines, brain, 89, 625P
Amino acid release, 87, 157P
Amino acids, 87, 159P
2-Amino-7-phosphonoheptanoate, 87, 69P
2-Amino-5-phosphovaleric acid, 88, 328P
γ-Aminobutyric acid, 87, 38P, 148P; 88, 446P; 89, 789P, 864P
γ-Aminobutyric acid$_B$ binding, 87, 36P; 89, 521P
γ-Aminobutyric acid mimetics, 87, 79P
γ-Aminobutyric acid$_B$ receptor, 89, 627P, 799P
γ-Aminobutyric acid$_A$ receptor antagonists, 87, 150P
γ-Aminobutyric acid receptors, 87, 37P
γ-Aminobutyric acid release, 89, 875P
γ-Aminobutyric acid transaminase, 88, 324P; 89, 563P
γ-Aminobutyric acid transaminase inhibitor, 89, 628P
Aminoglutethimide, 88, 430P; 89, 831P, 832P
p-Aminohippuric acid, 89, 512P, 513P
δ-Aminolaevulinic acid, 89, 852P
Aminophosphonates, 87, 154P
Aminophylline, 88, 411P; 89, 711P, 714P
4-Aminopropiophenone, 87, 119P
Aminopyrine desmethylase, 88, 427P
Amiodarone, 87, 144P
Amlodipine, 89, 539P
Amnesia, 87, 139P
Amphetamine, 87, 24P; 89, 872P, 879P
Amphiphiles, 89, 735P
Amygdala, rat, 88, 349P; 89, 868P
Amylase, 89, 787P
Anabolic steroids, 89, 515P
Anaesthetic potency, 89, 622P
Anaesthetics, 89, 512P
Anaesthetics, local, 87, 101P, 205P; 88, 415P; 89, 560P
Analgesia, 87, 42P; 88, 363P, 364P; 89, 639P, 673P, 720P, 727P, 795P, 797P, 818P
Anaphylactic mediators, 89, 584P
Anaphylactoid reaction, 89, 808P
Anaphylaxis, 88, 233P, 394P, 418P; 89, 586P
Androgenic steroids, 89, 515P
Angiotensin, 89, 736P
Angiotensin II, 89, 631P
Angiotensin converting enzyme inhibition, 89, 487P, 488P, 607P
Animal model, 89, 694P
Anion secretion, 89, 833P
Anion transport, organic, 89, 681P
Anococcygeus muscle, 87, 125P
Anococcygeus muscle, rat, 87, 189P; 88, 455P; 89, 560P, 574P
Anorexia, 88, 377P
Anoxia, 87, 142P
Antiarrhythmic agents, 89, 700P, 756P
Antiarrhythmic effects, 87, 75P, 289P
Antiasthma drugs, 87, 73P
Anticholineric drugs, 89, 794P
Anticonvulsant drugs, 87, 155P; 88, 270P, 325P; 89, 355P, 536P, 778P
Anticonvulsant effects, 89, 566P, 866P
Antidepressant drugs, 87, 43P, 217P; 88, 353P, 365P; 89, 521P, 523P, 635P, 636P, 799P
Antidysrhythmic properties, 87, 191P
Anti-epileptic drugs, 88, 323P
Antihistamines, 87, 125P; 89, 724P
Antihypertensive action, 89, 637P, 758P
Antihypertensive agents, 87, 77P, 78P, 189P
Anti-inflammatory activity, 88, 242P
Antinociception, 88, 274P, 362P; 89, 638P, 831P
Antiparkinsonian drugs, 88, 340P
Antiplatelet compounds, 87, 105P
Antipsychotic drugs, 88, 365P
Antipyrine, 89, 724P
Antisecretory mechanisms, 87, 79P
Antitumour agents, 89, 510P
Antitussives, 89, 818P
Antiulcer action, 87, 79P
Anxiety, 87, 217P; 88, 294P, 332P; 89, 868P

Anxiolytic drugs, 88, 299P, 331P
Anxiolytic activity, 88, 336P; 89, 798P
Anxiolytic-like activity, 89, 646P
Aorta, guinea-pig, 89, 490P
Aorta, dog, 87, 212P
Aorta, rabbit, 87, 195P, 281P, 282P; 89, 489P
Aorta, rat, 87, 8P, 194P, 207P; 88, 311P, 369P; 89, 608P, 659P
Aortic fibres, rat, 89, 591P
Apomorphine, 89, 599P, 860P, 872P
Arachidonic acid, 88, 406P; 89, 809P
Arachidonic acid metabolites, 88, 231P, 417P
Arachidonate lipoxygenase, 88, 265P
Argon, 89, 622P
Arrhythmias, 88, 279P, 288P, 291P, 397P; 89, 597P, 735P
Arrhythmias, reperfusion-induced, 89, 755P
Arterial blood pressure, 88, 286P
Arterial blood pressure, mean, 88, 310P, 312P
Arterial preparations, isolated, 87, 193P
Arthritis, 88, 401P, 662P; 89, 816P, 817P
Arthritis, adjuvant, 88, 403P
Arthritis, chronic, 87, 229P
Ascorbic acid, 89, 781P
D-aspartate, 87, 156P
Aspartate release, 89, 534P
Aspirin, 88, 400P, 720P
Aspirin tolerance, 89, 792P
Assay, 89, 784P
Asthma, 89, 477P
Asymmetry, 87, 214P
Atracurium, 89, 471P
Atenolol, 87, 133P
Atria, guinea-pig, 87, 33P
Atria, human, 87, 200P
Atria, rat, 87, 34P; 89, 551P, 554P, 754P
Atrial natriuretic peptides, 89, 541P
Atrial pacing, 89, 712P
Atrial peptides, 87, 176P
Atrial slices, rat, 87, 80P
Atriopeptin, 88, 267P; 89, 761P
Atropine, 87, 34P; 89, 559P, 738P
Autonomic receptors, 89, 584P
Autoradiographic studies, 87, 194P; 88, 345P, 346P, 350P, 378P; 89, 775P
Axonal calcium spikes, 88, 459P
Axonal transport, 88, 351P
Axiridinium inhibition rates, 89, 650P

Baclofen, 87, 149P; 89, 627P
Balsalazide, 87, 207P
Basilar artery, dog, 89, 549P, 550P
Barbiturate, 89, 776P
Baroreflex, 89, 853P
Bay K 8644, 87, 3P, 96P; 88, 385P, 386P, 445P; 89, 540P, 605P, 622P, 623P, 624P, 625P
Beclamide, 88, 323P
Behaviour, 87, 20P, 215P, 216P; 89, 861P, 872P
Behavioural effects, central, 89, 624P, 625P
Behavioural effects, peripheral, 89, 623P
Behavioural syndrome, 89, 523P
Benextramine, 88, 352P
Benzoates, 89, 681P
Benzodiazepines, 87, 38P, 39P, 151P; 88, 332P, 344P; 89, 474P, 575P, 627P, 629P
Benzodiazepine agonists, 88, 293P
Benzodiazepine antagonists, 88, 295P
Benzodiazepine inverse agonists, 88, 293P; 89, 796P, 797P
Benzodiazepine ligands, 88, 330P
Benzodiazepine receptor subtypes, 88, 296P, 345P
Benzodiazepine withdrawal, 89, 796P
Benzylamine oxidase, 89, 769P
Benzylpenicillin, 88, 424P
Bepredil, 87, 4P
Betaxolol, 87, 80P; 88, 287P; 89, 634P, 754P
Bezold-Jarisch reflex, 88, 319P
Bicuculline, 87, 70P
Binding, 87, 156P, 161P
Binding site, 89, 535P
Bioassay, 89, 651P
Blood, human, 89, 855P
Blood-brain barrier, 89, 632P, 772P
Blood flow, 89, 844P
Blood flow, adrenal, 88, 434P
Blood flow, cerebral, 88, 239P
Blood flow, forearm, 87, 227P
Blood pressure, 87, 16P, 97P, 188P; 89, 484P, 593P, 599P, 688P, 731P, 739P, 740P, 840P
Blood vessel walls, 89, 548P
Blood vessels, 88, 448P
Blood vessels, rat heart, 89, 500P
BM13.177, 88, 291P
Bombesin, 87, 179P
Bowel, rat, 87, 208P
Bradykinin, 87, 14P, 211P; 88, 240P; 89, 736P
Bradykinin receptors, 89, 807P
Brain, primate, 88, 350P
Brain, human, 88, 380P
Brain, rat, 88, 345P; 89, 551P
Brain biochemistry, 88, 335P
Brain concentrations, 89, 866P
Brain dialysis, 89, 878P, 879P
Brain membranes, rat, 87, 22P

Brain penetration, 89, 772P, 773P
Brain reaggregate cultures, rat, 88, 355P
Brain stem, rat, 89, 877P
Breeding first cycle, 89, 674P
BRL 24924, 88, 319P, 374P, 383P
BRL 34914, 89, 500P
BRL 34915, 87, 77P, 78P; 88, 443P
Bromocryptine, 89, 688P
Bronchial hyperreactivity, 88, 410P; 89, 768P
Bronchial reactivity, 88, 407P
Bronchoconstriction, 87, 112P, 115P; 88, 416P; 89, 586P
Buccal absorption, 89, 699P
Bumetanide, 89, 745P
Buprenophine, 88, 346P, 363P; 89, 673P
Bupropion, 87, 121P
Buspirone, 88, 333P; 89, 726P, 863P
BW A575C, 89, 487P, 488P, 756P
Byssinosis, 88, 417P

Cadmium, 88, 455P
Caffeine metabolism, 89, 702P
Calcitonin, 89, 840P
Calcitonin gene-related peptide, 87, 54P, 56P; 88, 312P, 314P, 436P, 439P, 440P, 441P; 89, 542P
α-Calcitonin gene related peptides, 87, 55P
Calcitriol, 89, 812P
Calcium, 87, 7P; 88, 246P, 247P, 428P; 89, 779P, 821P, 835P, 837P, 841P
Calcium, intracellular, 87, 8P
Calcium activator, 89, 687P
Calcium agonists, 87, 97P; 88, 388P
Calcium antagonists, 87, 5P, 40P; 88, 249P, 252P, 379P, 386P, 389P, 414P; 89, 507P, 601P, 615P, 617P, 682P, 811P
Calcium channel activation, 87, 62P; 88, 381P; 89, 624P, 625P
Calcium channel antagonists, 87, 98P, 99P, 100P; 89, 758P, 759P, 866P
Calcium channels, 87, 101P; 88, 248P; 89, 507P, 757P
Calcium contractions, 89, 539P
Calcium currents, 87, 100P; 89, 780P
Calcium influx, 87, 37P, 90P; 89, 865P
Calcium metabolism, 89, 590P
Calcium mobilization, 87, 82P
Calcium release, 89, 619P, 734P
Calcium sensitivity, 87, 102P; 89, 751P
Calcium translocation, 87, 206P
Calcium uptake, 87, 3P; 88, 387P, 388P
Calmodulin antagonists, 87, 4P
Calmodulin binding, 87, 95P
Cannabinoids, 87, 209P
Canrenone, 89, 850P
Capsular smooth muscle, 87, 57P
Capsaicin, 89, 562P
Captopril, 88, 313P; 89, 731P, 740P
Carbachol, 87, 117P, 140P; 89, 609P, 611P
Carbamazepine, 89, 658P, 704P
Carbamazepine-10-11-epoxide, 89, 658P
Carbidopa, 88, 337P
β-Carbolines, 89, 476P, 871P
Carbomer, 87, 126P
Carcinogenesis, 87, 109P
Cardiac action potentials, 88, 290P, 422P
Cardiac anaphylaxis, 88, 238P
Cardiac arrythmias, 88, 290P; 89, 613P, 614P
Cardiac cells, chick, 87, 99P
Cardiac contractility, 87, 97P
Cardiac disorders, 89, 827P
Cardiac electrophysiology, 88, 419P
Cardiac force, 89, 612P
Cardiac function, 89, 605P
Cardiac glycosides, 89, 611P
Cardiac ischaemia, 89, 759P
Cardiac membranes, mammal, 87, 141P
Cardiac muscle, 88, 261P, 445P; 89, 757P
Cardiodepressant activity, 89, 615P
Cardioprotective properties, 87, 191P
Cardiopulmonary resuscitation, 89, 538P
Cardiotonics, 87, 102P
Cardiotoxicity, 88, 353P
Cardiovascular effects, 87, 55P, 175P; 88, 442P; 89, 488P, 496P, 504P
Cardiovascular responses, 87, 133P; 88, 278P, 285P, 386P
Cardiovascular stimulation, 87, 96P
Cardiovascular system, rat, 89, 689P
Carotid nerve, rabbit, 88, 413P
Cartilage, rat, 89, 567P
Cartilage destruction, 87, 48P; 88, 243P
Catechol, 88, 325P; 89, 640P
Catecholamine receptors, 89, 689P
Catecholamine uptake, 89, 523P
Catecholaminergic neurones, 89, 530P
Catecholamines, 87, 188P; 88, 279P, 315P, 459P, 464P; 89, 484P, 498P
Cations, extracellular, 87, 165P
CBA mice, 87, 120P
Cefoxitin sodium, 89, 509P
Cell responses, 89, 662P
Cellular pharmacokinetics, 89, 481P, 482P, 661P
Central administration, 88, 285P
Central nervous system, 89, 520P, 832P
Cerebellum, rat, 89, 864P
Cerebral circulation, 88, 239P
Cerebral cortex, guinea-pig, 87, 71P
Cerebral cortex, human, 89, 802P

Cerebral cortex, mouse, 87, 45P
Cerebral cortex, rat, 88, 358P, 446P; 89, 532P, 645P, 650P
Cerebral ischaemia, 87, 95P, 224P; 88, 249P, 250P
Cerebral microvessels, 89, 507P, 601P
Cerebrospinal fluid, 89, 657P
CG 3509, 87, 216P; 88, 300P
CGS 9896, 88, 295P
Characterization, 89, 492P
Chemokinetic activity, 87, 107P; 88, 244P
Chemosensory discharges, 88, 275P
Chewing, 88, 341P
Chlordiazepoxide, 89, 575P, 867P, 868P
Chloride ionophore function, 89, 798P
Chlormethiazole, 89, 722P
2-Chloroadenosine, 89, 780P
p-Chlorophenylalanine, 87, 17P
Chlorpromazine, 87, 163P
Cholecystokinin, 89, 684P
Cholecystokinin antagonist, 89, 684P
Choline transport rates, 89, 649P
Cholinergic agonists, 89, 794P
Cholinergic blockade, 87, 28P
Cholinergic drugs, 89, 727P
Cholinergic nerve activity, 89, 610P
Cholinergic receptors, 89, 585P
Cholinergic responses, 88, 415P
Cholinomimetics, 87, 31P
Chromaffin cells, 88, 248P, 464P; 89, 666P
Cicletanine, 89, 710P
Cicloprolol, 88, 449P
Cicloxolone, 87, 9P
Cigarette smoking, 87, 111P, 113P
Cigarette smoking, filters, 89, 486P, 703P
Cilazapril, 89, 846P
Cimetidine, 88, 259P; 89, 511P, 722P
Cinnamic acid metabolism, 88, 423P
Cirazoline, 89, 830P
Circadian variation, 87, 138P
Circling behaviour, 87, 214P
Circulatory shock, 89, 748P
Cisplatin, 88, 374P
CL218872, 89, 867P
Class 111 antiarrhythmic drugs, 88, 290P
Clenbuterol, 88, 454P; 89, 531P
Clobazam, 89, 643P, 723P
Clomipramine, 88, 342P
Clonidine, 87, 137P, 167P; 89, 738P
Clonidine-withdrawal tics, 89, 647P
Cognitive disorders, 88, 359P
Collagen, 88, 401P; 89, 816P
Colloidal bismuth subcitrate, 89, 693P
Colitis, 89, 694P
Colon, guinea-pig, 89, 610P
Colon, human, 88, 389P; 89, 610P
Colon, rat, 88, 463P
Colonic epithelium, rabbit, 88, 240P
Competition, 89, 557P
Computer, 88, 422P
Concentration-effect relationship, 89, 620P
Conditioned taste aversion, 89, 517P
Conflict test, 88, 330P
Conformational analysis, 87, 177P; 88, 361P
Conjunctival tissue, guinea-pig, 89, 766P
Contraceptives, oral, 88, 431P
Contractile depression, 89, 553P
Contractile effects, 87, 62P
Contractile force, 87, 200P
Contractility, 88, 450P; 89, 574P
Contractions, 87, 76P; 88, 311P; 89, 490P, 608P
Convergent neurones, 87, 61P
Convulsions, 88, 325P; 89, 640P
Convulsions, sensory-evoked, 89, 881P
Copper, 89, 698P
Coronary artery, bovine, 87, 205P
Coronary artery, dog, 89, 539P
Coronary artery, human, 89, 495P
Coronary artery, pig isolated, 87, 132P
Coronary artery disease, 89, 480P
Coronary artery ligation, 87, 180P
Coronary circulation, pig, 87, 56P
Coronary flow, 89, 712P
Coronary ligation, 89, 606P
Coronary occlusion, 88, 397P
Coronary stimulation, 87, 114P
Coronary vasoconstriction, 88, 238P
Corpus striatum, rat, 89, 650P
Cortex, gerbil, 89, 858P
Cortex, mouse, 87, 149P
Cortex, rat, 87, 159P; 88, 307P; 89, 631P
Cortical neurones, rat, 87, 138P
Cortical slices, rat, 89, 776P
Corticosteroids, 88, 237P
Corticosterone production, 88, 434P
Corticotrophin releasing factor, 87, 60P; 88, 268P
Cotinine, 88, 298P; 89, 703P
Cotton bract, 89, 809P
Cotton dust, 88, 417P
Coumarin, 89, 663P
Covalent binding, 89, 709P
Cremophor EL, 89, 569P
Croton oil, 88, 402P; 89, 810P
Cutaneous reactions, 89, 471P
Cyclandelate, 89, 682P
Cyclic nucleotides, 89, 790P
Cyclo-oxygenase inhibitors, 87, 170P
L-cycloserine, 88, 324P
Cyclosporin A, 88, 242P

Cyproheptadine, 87, 125P
Cystic fibrosis, 87, 50P
Cytochrome P-450, 88, 406P, 430P; 89, 511P, 697P
Cytoplasmic calcium, 88, 247P
Cytoprotection, 89, 692P
Cytotoxicity, 89, 663P

Data analysis, 89, 884P
Data storage, 89, 884P
Decarboxylase inhibitor, 88, 337P
Deep dorsal vein, human penis, 89, 493P
Defeat analgesia, 89, 797P
Deiodinase function, 89, 732P
Denervation, 87, 87P; 88, 283P, 432P, 558P
Dentate gyrus, rat, 88, 456P
2-Deoxyglucose, 89, 871P
2-Deoxy-D-glucose hyperphagia, 89, 672P
Depolarization, 88, 273P, 388P
Deprenyl, 87, 147P; 88, 304P
Depression, 89, 642P, 802P
Desensitization, 89, 552P, 782P
N-desmethylclobazam, 89, 643P, 705P
Desmethylimipramine, 87, 88P, 221P; 88, 521P; 89, 800P, 859P
Dexamethasone, 87, 14P; 89, 567P, 656P
Dexamphetamine, 89, 706P
Dextran, 89, 808P
Diabetes, 89, 667P
Diabetes mellitus, insulin-dependent, 89, 719P
Diabetic obesity syndrome, 87, 120P
Diaphragm, 89, 656P
Diaphragm, rat isolated, 88, 469P; 89, 555P
Diazepam, 88, 295P, 324P, 336P, 460P, 469P; 89, 559P, 575P
Dibromosulphophthalein, 87, 49P
Dichlorobenzamil, 89, 600P
Diet, 89, 499P
Diet restriction, 89, 733P
Dietary lipids, 87, 202P
Diethylpropion, 88, 377P
Digitalis-like activity, mammalian, 89, 602P
Dihydropyridine, 87, 98P; 88, 248P; 89, 758P
3,4-Dihydroxyphenylacetic acid, 87, 151P
L-dihydroxyphenylalanine, 88, 337P
L-dihydroxytryptamine, 87, 197P
Dilator agents, 88, 448P
Dilazep, 88, 280P
Diltiazem, 87, 2p, 6P; 89, 480P, 539P, 616P, 619P
Dimethylaminophenol, 87, 119P
N,N-dimethyl tyramine, 87, 145P
Dimethylsulphoxide, 88, 265P
Dinitrophenylated autologus proteins, 88, 425P
Diphenhydramine, 87, 125P
N,N-dipropyl-5-carboxamidotryptamine, 87, 136P
Distribution, 88, 308P
Dithiothreitol, 88, 256P, 257P; 89, 770P
Diuretic drugs, 89, 710P
Diuresis, 87, 167P; 88, 321P; 89, 680P, 718P, 738P
DOCA-salt hypertensive rats, 87, 86P
Dopamine, 87, 27P, 160P, 165P, 166P, 203P, 210P; 88, 249P, 305P, 432P; 89, 534P, 688P, 823P
Dopamine, endogenous release, 89, 641P
Dopamine D-2 autoreceptors, 89, 641P
Dopamine D-2 binding, 89, 633P
Dopamine function, 87, 163P
Dopamine receptors, 87, 26P, 162P, 164P, 197P; 88, 303P, 305P, 338P; 89, 492P
Dopamine D-1 receptors, 89, 518P, 793P, 861P, 862P
Dopamine D-2 receptors, 89, 518P
Dopamine receptors, peripheral, 89, 599P
Dopamine receptors, presynaptic, 87, 25P
Dopamine release, 87, 74P, 164P, 171P; 89, 875P, 878P, 879P
Dopaminergic denervation, 87, 161P
Dopaminergic mechanism, 89, 708P
Dorsal horn, rat, 87, 61P
Dorsal raphe nucleus, 88, 294P
DPI 201-106, 87, 75P
Drug discrimination, 88, 354P, 874P
Drug interaction, 89, 715P
Drug metabolism, 87, 146P
DU 29373, 89, 496P, 506P, 637P
Duodenum, human, 88, 405P
Duodenum, rat, 89, 502P
Dynamics, 89, 566P
Dynorphin, 87, 134P; 88, 361P
Dysrhythmia, 87, 202P
Dystonia, 89, 794P

Ebselen, 87, 15P
E/C coupling, 88, 399P
Ectonucleotidases, 87, 83P
EDRF-relaxation, 89, 687P
Eicosanoids, 87, 14P, 15P, 105P, 229P; 88, 405P
Eledoisin, 89, 774P
Electrical stimulation, 88, 409P, 437P, 455P
Electrical field stimulation, 88, 389P; 89, 641P
Electrcardiogram, 89, 827P
Electroconvulsive shock, 89, 523P

Electroencephalogram, 87, 111P, 139P; 89, 635P, 636P
Electrophysiology, 88, 309P, 399P, 457P; 89, 869P
Emesis, 88, 374P, 375P
Emulsions, 89, 665P
Enalapril, 89, 485P
Enantiomers, 89, 700P, 701P
Endothelial cells, 88, 247P; 89, 542P
Endothelial derived relaxing factor, 88, 438P, 447P
Endothelium, 87, 194P, 198P, 207P; 88, 266P, 404P; 89, 489P, 490P, 540P, 548P, 659P, 736P
Endothelium dependent relaxation, 88, 282P, 406P
Endotoxin shock, 88, 230P; 89, 674P, 840P
Endplate, frog, 87, 140P
Enkephalin, Leu-, 87, 177P
Enkephalin, Met-, 87, 44P, 171P, 224P; 88, 275P, 315P
Enkephalins, 88, 306P
Enteric reflexes, 89, 684P
Enterohepatic circulation, 89, 660P
Entopeduncular injection, 87, 69P
Enzyme induction, 88, 430P, 431P
Enzyme inhibitors, 89, 826P
Enzymuria, 89, 848P
Eosinophils, 88, 410P; 89, 766P
Epilepsy, 88, 329P, 379P; 89, 705P
Epinine, 87, 203P
Ergot alkaloids, 89, 524P
Ergotamine, 89, 689P
Erythrocytes, 89, 695P
Erythromycine, 89, 661P
Eserine, 89, 559P
Ethanol, 87, 92P, 226P; 89, 622P, 667P, 707P
Ethanol anaesthesia, 89, 680P
Ethanol dependence, 89, 623P
Ethanol withdrawal syndrome, 87, 40P
Ethnic study, 89, 747P
Ethinylestradiol, 88, 431P
5'-N-ethylcarboxamideadenosine, 88, 278P
Ethylcholine mustard aziridinium, 88, 355P
Ethylisopropylamiloride, 89, 599P
N-ethylmaleimide, 89, 554P
Etorphine, 89, 673P
Evoked potentials, 87, 153P
Excitatory amino acid, 87, 159P; 88, 270P, 271P, 273P, 328P, 329P; 89, 537P, 880P
Excitatory amino acid antagonists, 89, 640P, 865P
Excitatory amino acid receptors, 88, 458P
Excitatory synaptic input, 87, 58P
Excercise tolerance, 89, 483P
Excretory effects, 89, 678P
Experimental conditions, 88, 448P
Extravasation, 88, 268P

F7-toxin, 89, 556P
Famotidine, 88, 390P
Fatty acids, 87, 51P
Feeding, 87, 21P; 89, 863P
Fever, 87, 108P
Feverfew, 89, 834P
Femoral vein, rat, 88, 292P
Fenoldopam, 89, 708P
FG-7142, 87, 45P; 88, 326P; 89, 800P
Field stimulation, 87, 195P, 213P
Finger tremor, 87, 227P
Flow rate, 88, 437P
Flufenamic acid, 87, 116P; 89, 734P
Flunarizine, 89, 615P
Flunitrazepam metabolism, 88, 333P
Fluoride, 89, 608P
Fluoxetine, 89, 473P
Flupirtine, 89, 716P
Flurazpam, 88, 294P, 326P
Food intake, 87, 220P; 89, 873P
Food reward, 87, 218P
Forearm vasculature, human, 89, 708P
N-formyl-methionyl-leucyl-phenylalanine, 88, 416P
Forskolin, 87, 128P; 89, 787P
FPL57231, 88, 230P, 395P, 396P
Free radical scavengers, 88, 421P
Frontal cortex, rat, 87, 36P
Frusemide, 89, 718P
Fundic strip, rat, 87, 196P
Furosamide, 89, 678P

Gallamine, 87, 34P
Ganglion blocking potential, 88, 429P
Gap junction recruitment, 88, 241P
Gastric acid secretion, 87, 128P; 88, 390P
Gastric damage, 88, 236P, 237P
Gastric effects, 89, 504P
Gastric fundus, rat, 89, 498P, 668P
Gastric motility, 88, 383P
Gastric mucus, 87, 126P
Gastric mucosa, 87, 92P, 123P, 226P; 89, 503P
Gastric protective drugs, 88, 236P
Gastric ulcer, 89, 562P
Gastrointestinal absorption, 89, 849P
Gentamicin, 89, 679P
Gentamicin nephrotoxicity, 88, 428P
GH_3 cells, 87, 179P
Glands, mouse, 88, 356P
Glipizide, 88, 427P
Glucocorticoids, 89, 555P
Glucose-induced hyperinsulinaemia, 89, 671P

Glucose uptake, 87, 121P; 89, 667P
Glutamate, 89, 777P, 778P, 865P, 869P
Glutamate binding protein, 87, 158P
Glutamate efflux, 87, 155P
Glutamate release, 88, 272P; 89, 529P
Glutamate terminals, 88, 347P
Glutamate uptake sites, 87, 156P
Glutathione, 89, 697P
Granulation tissue, 88, 402P; 89, 805P
Granulomatous inflammation, 89, 567P
Guanosine 3',5'-monophosphate, cyclic, 89, 612P
Guanosine triphosphate, 88, 366P
Guanosine triphosphate binding protein, 89, 780P
Guanylate cyclase, 88, 267P
Gut, locust, 89, 565P
Gut, rat, 88, 368P

HA 1004, 88, 442P
Hair follicle, mouse, 89, 592P
Haemodynamic effects, 89, 475P, 480P, 604P, 605P, 741P, 745P
Haemodynamic profiles, 87, 190P
Haemoglobin, 88, 267P
Haemophilus influenzae, 89, 653P
Haemorrhage, 88, 310P
Haemostasis, 89, 503P
Heart, cat, 89, 546P, 572P, 573P, 827P
Heart, chick, 88, 283P; 89, 757P, 845P
Heart, guinea-pig, 88, 277P; 89, 615P
Heart, human, 87, 85P; 89, 750P
Heart, rat, 87, 142P, 202P; 88, 287P; 89, 553P, 686P, 749P, 842P
Heart failure, 89, 606P, 745P
Heart rate, 89, 545P, 711P
Heat urticaria, 87, 103P
Helix aspersa neurones, 87, 166P; 89, 823P, 824P
Hemicholinium-3, 89, 656P
Hepatic artery, rat, 88, 308P
Hepatic oxidative drug metabolism, 87, 144P
Heptabarbital, 89, 657P
Hernandulcin, 89, 725P
Hexamethonium, 87, 28P
Hindbrain, rat, 89, 739P
Hindquarters, rat, 89, 617P
Hippocampal lesions, 89, 880P
Hippocampal slice, rabbit, 87, 157P
Hippocampal slice, rat, 88, 299P; 89, 644P
Hippocampus, 87, 215P; 88, 461P
Hippocampus, gerbil, 88, 250P
Hippocampus, human, 88, 359P; 89, 802P
Hippocampus, rat, 87, 5P; 88, 273P; 89, 527P, 528P, 629P, 650P
Histamine, 87, 71P, 93P, 127P, 177P; 88, 256P, 257P, 260P, 327P; 89, 609P, 770P, 771P, 804P
Histamine H_2-receptor antagonists, 87, 178P; 88, 258P, 390P; 89, 772P, 773P
Histamine H_1-receptors, 87, 72P; 89, 696P
Histamine H_2 receptors, 88, 258P, 259P
Histamine release, 89, 569P, 570P
Histamine-N-methyltransferase, 89, 856P
Hordenine, 87, 145P; 89, 839P
Horses, 89, 769P
Host defense, 89, 677P
HPLC 88, 327P
HPLC-electrochemical detection, 88, 376P
Hydrallazine, 88, 266P
Hydroxocobalamin, 89, 508P
[^{3}H]-8-hydroxy-2-(di-n-propylamino) tetralin, 87, 20P, 21P; 88, 301P, 368P; 89, 523P, 524P, 729P, 863P
6-Hydroxydopamine, 87, 87P, 94P; 88, 287P
Hydroxyeicosatetranoic acids, 87, 107P
5-Hydroxyindoles, 87, 135P
5-Hydroxytryptamine, 87, 12P, 16P, 18P, 19P, 20P, 66P, 117P, 131P, 137P, 138P, 149P; 88, 288P, 299P, 320P, 327P, 360P, 362P, 368P, 372P; 89, 528P, 545P, 547P, 548P, 550P, 644P, 753P, 810P
5-Hydroxytryptamine agonists, 88, 369P; 89, 648P
5-Hydroxytryptamine$_{1A}$ agonists, 87, 136P
5-Hydroxytryptamine antagonists, 87, 187P; 89, 533P, 825P
5-Hydroxytryptamine$_2$ antagonists, 89, 646P
5-Hydroxytryptamine autoreceptors, 87, 23P
5-Hydroxytryptamine binding sites, 87, 21P, 129P; 88, 348P, 349P
5-Hydroxytryptamine$_1$ binding sites, 89, 526P
5-Hydroxytryptamine$_{1A}$ binding sites, 89, 637P
5-Hydroxytryptamine$_2$ binding sites, 89, 526P, 802P
5-Hydroxytryptamine ligands, 88, 330P
5-Hydroxytryptamine$_1$-like receptors, 89, 522P, 587P
5-Hydroxytryptamine overflow, 87, 17P
5-Hydroxytryptamine receptors, 88, 301P; 338P, 370P; 89, 546P, 547P, 550P, 565P, 825P
5-Hydroxytryptamine$_1$ receptors, 87, 66P, 132P, 219P; 89, 529P
5-Hydroxytryptamine$_{1A}$ receptors, 88, 302P, 371P; 89, 524P, 729P
5-Hydroxytryptamine$_{1C}$ receptors, 88, 367P
5-Hydroxytryptamine$_2$ receptors, 87, 7P, 66P, 132P, 219P

5-Hydroxytryptamine M receptors, 88, 319P, 374P
5-Hydroxytryptamine receptors, prejunctional, 89, 843P
5-Hydroxytryptamine release, 88, 370P; 89, 529P, 793P, 799P
5-Hydroxytryptamine terminals, 89, 527P
5-Hydroxytryptamine uptake, 89, 525P
5-Hydroxytryptamine uptake inhibitors, 87, 23P, 130P
5-Hydroxytryptaminergic pathways, central, 89, 638P
Hyperglycaemic actions, 88, 462P
Hyperinsulinaemia, 87, 52P
Hyperpolarising responses, 89, 777P
Hyper-reactivity, 89, 742P
Hypersensitivity reaction, 87, 172P; 89, 814P
Hypertension, 87, 1P, 3P, 6P, 86P, 106P; 88, 312P, 433P, 453P; 89, 485P, 487P, 496P, 501P, 506P, 541P, 598P, 616P, 844P
Hypertension, borderline, 89, 484P
Hyperuricaemia, 89, 710P
Hyperventilation, 88, 315P
Hypnotic drugs, 87, 151P; 88, 345P
Hypoactivity, 87, 137P
Hypocholesterolaemic activity, 89, 829P
Hypoglycaemia, 87, 52P
Hypotension, 88, 454P; 89, 748P
Hypothalamo-pituitary-adrenal cortical responses, 88, 435P
Hypothermia, 87, 108P; 89, 523P
Hypoxia, 88, 251P, 468P
Hypoxia pulmonary vasoconstriction, 88, 395P, 396P
Huntington's disease, 87, 134P, 156P

ICI 118, 551, 89, 594P
ICI 159995, 87, 112P
ICI 174864, 88, 275P
ICS 205-930, 87, 187P; 88, 373P
Ibopamine, 87, 203P
Idazoxan, 87, 188P; 88, 307P, 353P; 89, 671P
IgE, 87, 13P; 89, 808P
Ileum, guinea-pig, 87, 33P, 59P, 186P, 187P; 88, 369P, 373P; 89, 651P, 770P, 833P
Ileum, rat, 88, 398P
[^{3}H]-imipramine binding, 89, 525P
Immunological sensitization, 88, 316P
In vitro superfusion, 87, 201P
In vivo voltammetry, 87, 135P; 88, 301P
Indanidine, 87, 190P
Indomethacin, 87, 109P; 88, 239P; 89, 567P
Infarct size, 89, 737P
Inflammation, 87, 9P; 88, 245P, 400P; 89, 744P, 813P, 814P, 815P
Inflammatory bowel disease, 87, 208P
Inhalation studies, 87, 225P
Inhibition, 89, 563P, 572P, 573P, 834P
Inhibitor factor, 88, 447P
Inositol, 88, 255P
Inositol phosphates, 88, 256P; 89, 771P, 783P, 784P
Inositol phospholipid breakdown, 87, 71P; 89, 623P
Inositol phospholipid hydrolysis, 87, 29P
Inositol phopholipid metabolisation, 89, 854P
Inotrope vasodilator, 87, 11P
Inotropic agents, positive, 89, 606P
Inotropic activity, 87, 199P; 89, 750P, 600P, 804P
Insulotropic actions, 88, 462P
Inter-hemisphere activity, 88, 335P
Interleukin 1, 88, 243P, 244P
Interleukin-1, 89, 817P
Interleukin-2, 89, 505P
Interoceptive stimuli, 88, 371P; 89, 867P
Intestinal epithelium, rat, 87, 124P
Intestinal smooth muscle, 87, 206P
Intestinal smooth muscle, rabbit and guinea-pig, 87, 64P
Intestinal transport, 88, 322P
Intestinal transport, 88, 465P
Intestine, rabbit, 89, 852P
Intracerebral infusion, 88, 334P
Intraocular pressure, 89, 713P
Intratesticular infusion, 89, 669P
Iodocyanopindolol, 89, 781P
Ion transport, 87, 50P
Ions, 88, 366P
Iron deficiency, 87, 44P
Iron uptake, 87, 47P
Isapirone, 89, 729P
Ischaemia, 88, 249P, 309P, 444P; 89, 735P, 830P, 858P
Ischemia-induced amnesia, 87, 139P
Isoprenaline, 87, 200P, 203P, 223P; 88, 454P, 467P; 89, 557P, 590P, 603P
Isolated conspecific, 87, 42P
Ivermectin, 87, 35P

Kainic acid, 87, 155P; 88, 350P
Kallikrein, 87, 6P
KB 944, 87, 2P
Ketamine, 87, 154P
Ketanserin, 87, 19P; 88, 288P; 89, 586P
Kidney, dog, 89, 513P, 681P

Kidney rat, 87, 25P; 89, 761P
Kinase, 89, 596P
Kinetics, 88, 408P; 89, 566P, 721P
Kinin B1 receptors, 88, 404P
Kinins, 88, 404P; 89, 731P, 806P, 807P
Kynurenic acid, 88, 456P

Labetalol, 87, 104P; 88, 450P; 89, 741P
Lamotrigine, 89, 704P
Latent learning, 89, 728P
Learning, 87, 218P
Leucocyte migration, 88, 243P
Leucocytes, 89, 481P
Leukotriene B_4, 87, 46P
Leukotriene C_4, 87, 46P; 89, 783P
Leukotriene D_4, 87, 46P; 88, 399P
Leukotrienes, 88, 230P, 232P, 236P, 245P, 393P, 395P, 418P; 89, 766P
Levallorphan, 87, 220P
Levorphanol, 87, 220P
Licking conflict, 88, 331P
Lidocaine, 89, 559P, 756P
Ligand binding, 89, 576P
Ligand-binding assay, 89, 481P
Lignans, 89, 602P
Limbic system, rat, 89, 871P
Linoleic acid, 87, 10P
Lipid membranes, 89, 699P
Lipid peroxication, 89, 695P, 698P, 876P
Lipocortin, 89, 743P
Lipoproteins, low density, 89, 489P
Lipoxygenase inhibitors, 87, 53P, 172P; 88, 416P
Lipoxygenase metabolites, 89, 690P
Lithium, 87, 66P, 117P, 219P; 88, 255P; 89, 525P
Liver, guinea-pig, 88, 426P
Liver cirrhosis, 89, 482P
Liver microsomes, human, 89, 709P
Liver plasma membrane, 89, 696P
Locomotor effects, 87, 220P; 88, 293P
Locus coeruleus, rat, 87, 58P; 89, 631P
Locust, 89, 825P
Lofepramine, 89, 859P
Lung, guinea-pig, 87, 73P; 89, 768P, 809P
Lung, human, 87, 173P
Lung mitochondria, guinea-pig, 89, 734P
Lung oedema, 88, 234P
Lung tissue, 89, 584P
Lymphoid tissue, 87, 118P; 89, 664P

M-7, 87, 190P
Macrophages, mouse, 87, 15P
Magnesium, 88, 428P
Magnesium removal, 87, 70P
Malondialdehyde, 89, 876P
Maltol, 87, 47P
Maprotiline, 88, 377P
Marmoset, 88, 304P, 375P
Mast cells, guinea-pig, human and rabbit, 89, 569P
Mast cells, rat, 89, 569P, 570P
[^{3}H]-mazindol, 89, 630P
MDL 72145, 87, 68P
MDL 72222, 87, 187P
MDL 72394, 89, 685P
MDL 72567, 89, 618P
Medial raphe nucleus, mouse, 87, 214P
Medial raphe nucleus, rat, 88, 335P
Mediator release, 89, 768P
Medullary A1 stimulation, 89, 543P
Melanocytes, 89, 592P
Melphalan, 87, 124P
Membrane fusion, 87, 51P
Membrane vesicles, isolated, 89, 513P
Menstrual cycle, 89, 801P
Meptazinol, 88, 321P; 89, 649P, 720P, 738P, 831P
[^{3}H]-mepyramine, 88, 257P
Mesenteric artery, dog, 87, 210P; 88, 383P
Mesenteric artery, rabbit, 87, 1p; 89, 497P
Mesenteric artery, rat, 88, 266P
Mesenteric artery rings, 88, 439P
Mesentery, rat, 88, 438P, 439P, 466P
Metabolism, 88, 232P, 424P, 425P; 89, 483P
Methacholine, 87, 93P
Methaemoglobin production, 87, 119P
Methiothepin, 87, 131P
Methoxamine, 88, 285P
N-methylaspartate, 88, 269P, 270P; 89, 778P
N-methyl-D-aspartate, 87, 154P; 88, 458P; 89, 870P
N-methyl-D,L-aspartate, 87, 153P
N-methyl D-aspartate antagonists, 87, 70P; 89, 535P
N-methyl-D-aspartate receptors, 87, 159P; 89, 775P, 780P, 869P
α-Methyldopa, 89, 593P
N-methyl-4-methyl-diphenhydramine, 87, 72P
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyrine, 88, 304P, 340P; 89, 519P, 626P
[^{3}H]-N-methylscopolamine, 89, 652P
2-Methylthio-adenylyl 5'-(β, γ-methylene-)-diphosphonate, 87, 84P
Methyphenytoin metabolism, 89, 478P
Methylxanthine PDE inhibitors, 87, 181P
Methylxanthines, 88, 445P
Methysergide, 87, 131P

Metoclopramide, 88, 373P
Mianserin, 87, 129P; 88, 341P, 342P; 89, 475P
Microcirculation, 88, 438P
Microcomputer analysis, 89, 881P
Microcomputers, 87, 201P, 227P; 89, 883P, 884P
Microiontophoresis, 89, 526P
Microsomes, guinea-pig liver, 88, 426P
Midazolam, 89, 474P
Miglyol 812 oil, 89, 849P
Milrinone, 87, 181P
Minaprine, 87, 31P, 139P
Mitochondria, rat heart, 88, 387P; 89, 619P
MK-801, 89, 535P, 536P, 775P, 778P, 870P
Monoamine metabolism, 87, 151P
Monoamine oxidase, 87, 18P; 89, 769P
Monoamine oxidase A, 87, 67P, 68P
Monoamine oxidase B, 87, 67P, 68P, 145P
Monoamine oxidase inhibitor, 89, 684P
Monoamine oxidase B inhibitor, 89, 519P
Monoamine turnover, 88, 323P
Monoamines, 87, 45P
Monophasic action potentials, 88, 277P
Morphine, 88, 274P, 360P, 435P; 89, 515P, 803P
Morphine dependence, 87, 170P
Morphine tolerance, 89, 795P
Morphine withdrawal, 89, 516P, 647P
Morris water maze, 87, 41P
Motoneurones, 89, 537P
Motor responses, 87, 219P; 89, 519P, 626P, 862P
Motor endplate, rodent, 89, 556P
Motor impairment, 88, 354P
Mouthing movements, 89, 794P
MrZ 2593, 89, 613P
Mucus secretion, 89, 767P
Muscarinic acetylcholine receptors, 87, 29P, 30P, 31P; 88, 261P, 359P, 554P, 556P, 649P, 652P, 653P, 749P, 828P
Muscarinic acetylcholine receptor subtypes, 88, 356P, 357P; 89, 551P
Muscarinic agonists, 87, 34P
Muscarinic antagonists, 87, 33P; 88, 358P
Muscimol, 87, 69P, 148P; 88, 294P
Muscle, Ascaris suum, 89, 789P
Muscle, rat, 88, 337P
Muscle relaxation, 88, 469P
Mydriasis, 89, 726P
Myocardial fibres, 87, 102P
Myocardial infarction, 87, 104P; 89, 611P
Myocardial necrosis, 87, 104P
Myocardial protection, 89, 544P
Myocardium, cat, 89, 573P
Myofibroblasts, 89, 810P, 811P
Myometrium, human, 88, 450P

N_S, 87, 141P
N-0164, 87, 110P
Nadolol, 89, 713P
Naloxone, 88, 435P; 89, 593P, 613P, 614P, 674P
Naltrexone, 87, 220P; 89, 674P
Naphthoxylactic acid, 87, 143P
Nausea, 88, 375P
Nefopam, 89, 638P, 639P, 697P, 707P, 721P
Neodepolarization, 89, 472P
Neomycin, 89, 854P
Neonatal rabbits, 88, 411P, 412P
Nephrotoxicity, 89, 848P
Nerve conduction, 89, 559P
Nerve physiology, 89, 882P
NG 108-15 neuroblastoma x glioma hybrid cells, 87, 168P
Nicardipine, 87, 96P; 88, 250P; 89, 485P
Nicotine, 87, 215P; 88, 297P, 298P; 88, 703P
Nicotine intake, 89, 486P
Nicotinic acetylcholine receptors, 88, 297P, 359P
Nicotating membrane, cat, 88, 318P
Nicorandil, 87, 212P; 89, 686P
Neural release, 88, 314P
Neurodegeneration, 89, 870P
Neurogenic hypertension, 88, 453P
Neurokinin A, 89, 683P, 774P
Neuroleptic drugs, 88, 334P, 338P; 89, 635P, 636P, 794P
Neuromuscular blocking drugs, 89, 472P
Neuromuscular junction, 88, 460P; 89, 621P
Neuromuscular junction, frog, 87, 184P
Neuromuscular junction, rat, 88, 414P
Neuromuscular transmission, 89, 575P
Neuronal activity, 88, 461P
Neuropeptide Y, 89, 578P
Neuropeptides, 87, 175P
Neuropeptides, fish, 88, 311P
Neurotensin, 87, 74P; 88, 380P
Neurotoxin, 88, 351P
Neurotransmission, 87, 209P; 89, 578P
Neurotransmitter release, 88, 328P; 89, 497P, 549P
Neutrophils, 88, 253P; 89, 661P
Neutrophils, human, 87, 81P
Nifedipine, 87, 77P, 133P; 88, 385P; 89, 539P, 760P
Nifedipine metabolism, 89, 478P
Nifentidine, 88, 259P
Nigrostriatal stimulation, 89, 878P
Nimodipine, 88, 446P; 89, 538P
Nisoldipine, 89, 482P
Nitrates, organic, 87, 114P

Nitrendipine, 88, 387P; 89, 619P
[^{3}H]-nitrendipine binding, 89, 858P
Nitroglycerine, 88, 282P
6-Nitro-2-phenylisatogen, 87, 186P
Nitroprusside, 87, 176P; 89, 508P
6-Nitroquipazine, 87, 17P
Nomifensine, 87, 165P
Non-adrenergic, non-cholinergic nerve-induced responses, 89, 668P
Non-adrenergic, non-cholinergic nerves, 88, 252P
Non-adrenergic non-cholinergic transmission, 89, 819P
Non competitive antagonism, 89, 655P
Non-endotoxic septic shock, 89, 748P
Noradrenaline, 87, 76P, 157P, 210P; 88, 287P, 313P, 327P, 384P, 420P, 455P; 89, 666P, 838P
Noradrenaline release, 87, 30P, 142P; 88, 307P, 376P; 89, 631P, 790P
Noradrenaline transporter, 89, 630P
Noradrenaline uptake inhibitors, 89, 533P
Norethisterone, 89, 822P
Nornicotine, 88, 298P
Novel compositions, 89, 665P
5'-Nucleotidase, 89, 621P
Nucleus accumbens, 87, 152P; 88, 334P; 89, 519P

Obesity, 87, 120P
Octopamine, 87, 165P
Octopamine receptors, 89, 825P
Oestradiol, 87, 88P
Oestrogen secretion, 87, 204P
Oestrogens, 89, 822P
Oestrous cycle, 89, 844P
Olfactory bulbectomy, 87, 36P
Omeprazole, 89, 511P
On-line analysis, 88, 422P
ONO-3144, 87, 108P
OPC-8212, 89, 604P
Operant behaviour, 87, 24P
Opiates, 88, 321P, 354P, 378P; 89, 579P, 788P, 818P
Opioid binding, 87, 168P
Opioid neuromodulation, 89, 610P
Opioid peptides, 87, 44P; 88, 464P
Opioid receptor agonists, 89, 517P, 672P
δ-Opioid receptor agonists, 87, 60P, 169P
κ-Opioid receptor agonists, 87, 59P, 60P; 88, 364P
μ-Opioid receptor agonists, 87, 59P, 60P
Opioid receptor antagonists, 87, 171P
Opioid receptors, 89, 613P, 828P, 833P
κ-Opioid receptors, 87, 58P; 88, 378P
Opioid receptors, multiple, 88, 276P
Opioids, 88, 268P
κ-Opioids, 87, 61P, 167P
Oral administration, 89, 762P
Osteoarthritis, 89, 812P
Ouabain, 89, 600P
Ouabain intoxication, 89, 597P
Ovaries, rat, 87, 204P
Oxidising agents, 89, 805P
2-Oxoglutamate uptake, 88, 347P
Oxygen, 88, 320P, 452P
Oxygen radicals, 89, 568P, 755P
Oxygen tensions, 88, 385P
Oxypertine, 88, 338P
Oxytocin, 87, 90P; 89, 670P, 676P, 788P

Pain, 89, 806P, 807P
Palmityl carnitine, 88, 381P; 89, 540P, 757P
Papaverine, 89, 811P
Papillary muscle, 88, 444P; 89, 751P
Paracetamol, 89, 718P, 720P
Paraquat dichloride, 88, 429P
Parasympathetic denervation, 89, 652P
Paraxanthine, 89, 702P
Parietal cells, 88, 258P
Parkinson's disease, 87, 161P; 89, 626P, 717P
Parotid gland, rat, 89, 652P
Partial agonist activity, 89, 594P
Paroxysmal events, 87, 70P
Patch clamp, 87, 28P
d-Penicillamine, 88, 403P; 89, 567P
Penis, human, 89, 493P
Pentazocine, 89, 720P
Pentobarbital, 89, 566P
Pentobarbitone, 88, 427P
L-pentobutolol, 87, 183P
Pentylenetetrazol, 87, 35P; 88, 326P
Pepsin, 87, 126P
Peptide histidine isoleucine, 87, 57P
Peptides, 87, 176P
Pergolide, 88, 453P
B. Pertussis, 87, 52P; 89, 585P
Pertussis toxin, 87, 27P; 88, 253P; 89, 554P, 748P
Perinephritis hypertension, 87, 1P
Peripheral system, 89, 732P
Perfluorocarbon blood substitute, 87, 118P
Perfluorocarbons, 89, 664P, 665P
Perforant path, 88, 456P
Performance, human, 89, 707P, 720P
Pethidine, 89, 673P
pH, 89, 835P
Phagocytic cells, 89, 677P
Pharmacokinetic data acquisition, 89, 746P

Pharmacokinetics, 89, 474P, 482P, 512P, 657P, 658P, 701P, 702P, 716P, 723P, 724P, 725P, 730P
Pharmacology computer programs, 89, 884P
Phencyclidine, 89, 778P, 874P
Phencyclidine/sigma receptor agonists, 88, 270P
Phenolphthalein, 89, 660P
Phenothiazine drugs, 87, 146P
Phentolamine, 89, 838P
1-Phenyl-3-benzamines, 87, 26P
Phenylbutazone, 89, 762P, 763P
Phenylephrine, 88, 285P; 89, 853P
L-N^6-phenylisopropyladenosine, 88, 278P
Phorbol esters, 87, 62P; 88, 262P
Phorbol 12-myristate 13 acetate, 89, 791P
Phosphatidic acid, 87, 64P
Phosphatidylinositol, 87, 64P
Phosphatidylinositol turnover, 87, 65P
Phosphodiesterases, 88, 419P; 89, 572P, 573P
Phosphodiesterase inhibition, 87, 11P; 89, 750P
Phosphoinositide, 87, 117P
Phosphoinositide hydrolysis, 87, 10P
Phosphoinositide metabolism, 87, 7P, 32P; 89, 649P
Phospholipase A_2, 88, 242P, 264P; 89, 743P, 744P, 834P
Phospholipids, 88, 255P
Phosphorylation, 89, 596P
Physostigmine, 89, 728P
Pilocarpine, 88, 341P
Pindolol, 88, 449P; 89, 741P
Pinealocytes, rat, 88, 254P
Pimobendan, 89, 750P, 751P
Pimozide, 87, 24P
Pithed rats, 88, 434P; 89, 753P
Pituitary gland, rat, 89, 732P
7315c Pituitary tumour cells, 87, 168P
Placenta, human, 89, 588P
Plasma, 89, 484P, 657P
Plasma, rat, 87, 188P; 88, 337P, 420P
Plasma concentrations, 89, 747P
Plasma fractionation, 89, 873P
Platelet accumulation, 87, 73P
Platelet activating factor, 87, 92P; 88, 231P, 237P, 238P, 433P; 89, 504P, 505P, 742P, 764P, 765P, 768P
Platelet activation, 87, 180P
Platelet aggregation, 88, 264P, 265P, 365P, 391P
Platelet-derived substances, 87, 115P
Platelet function, 87, 114P; 89, 682P
Platelet function assay, 89, 692P
Platelets, 87, 222P; 88, 263P; 89, 563P
Platelets, dog, 89, 548P
Platelets, human, 87, 82P, 84P; 88, 246P, 447P; 89, 525P, 563P, 571P, 765P, 791P, 801P, 854P, 855P
Platelets, rabbit, 89, 792P
Plus-maze test, 87, 217P
Polyacrylate, 87, 126P
Polymorphonuclear leucocytes, 87, 107P; 89, 836P
Polyunsaturated fatty acids, 89, 499P, 876P
Porphyrins, 89, 852P
Portal vein, 87, 212P
Portal vein, rat, 88, 308P, 452P; 89, 491P
Positron emission tomography, 89, 632P
Potassium, 87, 93P
Potassium channel activation, 88, 443P
Potassium channels, 89, 500P
Potentiation, long term, 89, 779P
Pramiracetam, 89, 728P
Prazosin, 88, 300P; 89, 491P, 841P
Prednisolone, 89, 694P
Preganganlionic sympathetic nerve activity, 89, 506P
Pregnancy, 88, 433P; 89, 598P
Pressure sores, 89, 722P
Pre-synaptic receptors, 88, 466P, 467P
Pretectal nucleus stimulation, 88, 274P
Pro-drugs, 87, 207P
Progestogen, 87, 204P
Prolactin, serum levels, 89, 733P
Prolactin secretion, 87, 165P
Prolactin specific mRNA, 87, 179P
Propafenone, 88, 289P
Propionate, 87, 196P
Propranolol, 88, 454P; 89, 557P, 676P, 680P, 709P, 788P, 813P, 849P
Propranolol metabolites, 87, 143P
(+)-4-Propyl-9-hydroxyhaphthoxazine, 88, 340P; 89, 626P
Prostacyclin, 87, 114P; 89, 503P, 691P, 835P, 837P
Prostacyclin synthesis, 89, 502P
Prostaglandin D_2, 87, 103P, 110P, 116P; 88, 235P, 394P
Prostaglandin E_2, 87, 116P; 88, 234P, 240P, 400P
Prostaglandin $F_{2\alpha}$, 87, 116P
Prostaglandin F_2, 9α, 11β -, 88, 235P
Prostaglandin receptors, 87, 113P; 89, 690P
Prostaglandin E_2 synthesis, 89, 502P
Prostaglandin, 87, 109P; 88, 241P, 245P, 263P, 382P, 398P; 89, 501P, 670P, 692P, 836P

Prostanoids, 88, 265P
Protein binding, 89, 479P, 699P, 719P, 813P, 850P
Protein kinase C, 87, 82P; 88, 234P
Protein kinase C activators, 89, 785P
Proteoglycan, 88, 401P
Psoriasis, 88, 244P
Psychomotor performance, 89, 704P
Psychosis, atypical, 89, 476P
Pulmonary artery, pig, 88, 232P
Pulmonary artery, rabbit, 88, 467P
Pulmonary vasodilation, 87, 198P
Pulse variation, 87, 213P
Purification, 88, 339P
Purinergic co-transmission, 89, 577P
Purinergic inhibition, 89, 786P
Purines, 89, 629P
P_{2y} purinoceptor, 89, 857P
Purinoceptors, 89, 754P
Purposeless chewing, 88, 341P
Pyridazine- δ-aminobutyric acid derivatives, 87, 150P

Quinacrine, 87, 12P
Quinidine, 89, 559P, 560P, 632P
Quinine, 89, 574P
Quinolinate receptors, 88, 271P
3-Quinuclidinyl xanthene-9-carboxylate hemioxalate hydrate, 88, 357P
Quisqualate, 87, 152P; 89, 776P

R 58735, 89, 597P
Racehorses, 89, 769P
Radioaerosol inhalation, 87, 122P
Ranitidine, 88, 390P
Ranitidine analogues, 89, 856P
Ranitidine metabolism, 88, 426P
Raubasine, 89, 549P
Rauwolscine, 88, 348P, 382P
Reactive blue-2, 89, 857P
Receptor autoradiography, 88, 350P
Receptor binding, 89, 656P
Receptor-effector coupling, 89, 609P
Receptor internalization, 87, 222P
Rectal absorption, 89, 509P
Red blood cells, 87, 50P
Reductase, 89, 669P
Reflex tachycardia, 89, 618P
Regeneration, 89, 561P
Regional vascular conductance, 89, 605P
Regulatory mechanism, 89, 564P
Relaxation, 88, 393P; 89, 489P
Renal arteries, dog, 89, 690P
Renal cortical cells, rat, 87, 127P
Renal excretion, 89, 699P
Renal failure, 87, 49P; 89, 679P
Renal hypertension, 89, 760P
Renal impairment, 89, 716P
Renin, 87, 127P; 89, 740P
Renovascular effects, 89, 488P
Reperfusion, 88, 421P
Reperfusion-arrhythmias, 89, 686P
Reproduction, 89, 675P
Reserpine, 87, 94P, 163P
Respiration, 87, 182P; 88, 411P, 412P, 413P; 89, 711P
Retinoids, 89, 814P, 815P, 817P
Retropulsion, 89, 531P
Rhythmic activity, 89, 581P
Ritanserin, 89, 647P
Rolipram, 87, 91P
Rotation, 87, 197P
Route of administration, 89, 860P
RS-93427, 89, 501P, 692P
RU24969, 88, 368P
RU38486, 89, 502P
Rubidium efflux, 88, 421P, 443P
RX 801080, 87, 192P

Salbutamol, 89, 715P
Salicylate, 88, 400P
Salivary glands, rat, 89, 589P, 590P, 630P, 749P
Saphenous vein, human, 87, 205P
Saponin permeabilisation, 89, 854P
SCH23390, 87, 26P, 160P, 161P; 89, 633P, 877P
Schizophrenia, 89, 642P
Sciatic nerve, frog, 89, 559P
Scopolamine, 87, 41P
Screening, 89, 826P
Sedation, 89, 475P
Seizure thresholds, 88, 326P
Seizures, 87, 35P, 69P
Semicarbazide-sensitive amine oxidase, 87, 68P
Selectivity, 89, 594P
Sendai virus phospholipids, 87, 51P
Sensitivity testing, 89, 510P
Sensory-evoked convulsions, 89, 881P
Serine metabolism, 89, 476P
Serum amyloid P, 89, 815P
Sheep, 89, 675P
Single channels, 87, 140P
SK&F 38393, 88, 303P; 89, 861P, 862P
SK&F 94120, 87, 11P, 91P, 181P; 88, 419P; 89, 571P
SK&F 95282, 89, 773P
SK&F L-94901, 89, 829P
Skeletal muscle, guinea-pig, 88, 317P
SK&F 525A, 89, 479P
Skin, guinea-pig, 88, 418P
Skin, human, 87, 54P; 88, 394P
Sleep, 89, 473P
Small intestine, rat, 87, 47P
Smooth muscle, 89, 558P
Smooth muscle, chick, 89, 576P

Smooth muscle, guinea-pig, 87, 64P; 88, 381P; 89, 820P
Smooth muscle, rabbit, 87, 64P
Smooth muscle, rat, 89, 810P, 821P
Sodium, 89, 760P, 761P
Sodium-coupled active transport, 87, 124P
Sodium/hydrogen exchange, 89, 837P
Sodium nitroprusside, 89, 853P
Sodium paradox, 89, 553P
Sodium-potassium pump, 89, 659P
Sodium regulation, 87, 168P
Sodium salicyclate, 89, 509P
Sodium secretion, 88, 398P
Sodium L-3,3,5-triiodothyronine, 89, 827P
Solubilization, 87, 158P
Sorbinil, 89, 851P
Spinal cord, rat, 89, 803P
Sparteine metabolism, 89, 478P
Spasmogens, 87, 65P
Specific binding, 89, 877P
Spinal cord, rat, 88, 457P; 89, 803P
Spinal cord, frog, 89, 537P
Spinal cord, sheep, 88, 346P
Spinal sites, 89, 639P
Spine, rat, 88, 269P
spleen, dog, 88, 436P
Spontaneously hypertensive rats, 87, 16P; 88, 312P, 313P, 420P
Spontaneous movement, nocturnal, 89, 717P
Spontaneous movements, inhibition, 89, 722P
SR 24870, 87, 199P
SR 95191, 87, 43P
ST 587, 88, 285P
Stereotyped behaviour, 88, 303P; 89, 518P
Steroids, 87, 67P, 148P; 88, 431P, 561P
Stimulation, 89, 836P
Stimulus properties, 88, 296P
Stomach, rat, 89, 502P, 683P, 819P
Stomach muscle, guinea-pig, 88, 372P
Stomach strip, rat isolated, 88, 367P
Stress, 89, 645P; 90, 677P
Striatum, marmoset, 89, 519P
Striatum, rat, 87, 163P, 164P; 88, 305P, 306P, 343P, 344P, 875P, 877P
Structure-activity relationships, 88, 458P
Strychnine, 89, 559P
Subcutaneous infusion, 89, 626P
Submandibular gland, 89, 551P
Substance P, 89, 590P, 683P, 767P, 787P
Substantia nigra, 88, 329P
Substituted benzamides, 88, 332P, 339P
Substrate binding, 89, 743P
Sucralfate, 87, 123P
Suicide victims, 89, 802P
Sulphasalazine, 88, 391P
Sulpiride, 88, 306P; 89, 642P
Suprachiasmatic nucleus, 89, 528P
Supraspinal sites, 89, 639P
Superfusion system, 88, 408P, 409P
Superior colliculus, rat, 87, 162P
Superoxide dismutase, 89, 698P
Supersensitivity, 89, 633P
Sweetening agents, 89, 725P
Sympathectomy, 88, 318P
Sympathetic cell bodies, preganglionic, 87, 63P
Sympathetic inhibition, 89, 846P
Sympathetic nerve stimulation, 89, 577P
β-Sympathicomimetics, 89, 595P
Sympathetic nerves, 88, 459P
Synaptic activity, spontaneous, 88, 272P
Synaptic responses, 88, 268P
Synaptic transmission, 89, 779P
Synaptosomes, 88, 347P
Synergistic activation, 89, 855P
Systems dynamics, 89, 486P, 660P

T-lymphoblasts, 89, 505P
Taenia caecum, guinea-pig, 89, 609P
Taenia coli, 87, 83P
Tail artery, rat, 88, 437P, 451P
Tail suspension test, 87, 130P
Tachycardia antagonist, 89, 634P
Tachykinins, 88, 457P; 89, 774P
Teaching packages, 89, 882P, 883P
Temperature, 89, 582P
Temperature dependence, 87, 72P
Temperature regulation, 88, 293P
Tenoxicam, 89, 816P
Terbutaline, 88, 260P
Tetrabenazine, 87, 163P
TFP, 87, 4P
Theophylline, 89, 715P
Thiosulphate, 89, 508P
Thrombin, 88, 246P
Thrombin challenge, 87, 105P
Thromboxane, 87, 110P
Thromboxane, 88, 391P
Thromboxane A_2, 87, 10P; 88, 238P
Thromboxane antagonists, 88, 291P
Thromboxane A_2 receptor partial agonists, 88, 392P
Thromboxane receptors, 89, 820P
Thromboxane A_2 receptors, 88, 392P
Thymus, 89, 561P
Thyroid hormone, 87, 221P
Thyroid stimulating hormone, 87, 178P
Thyrotropin-releasing hormone, 87, 74P; 165P, 177P; 88, 300P; 89, 530P
Thyrotrophin-releasing hormone analogues, 87, 173P, 216P

Thyrotropin-releasing hormone antibodies, 87, 216P
Thyroxine, 89, 828P
Timolol, 89, 713P
Tocainide, 89, 700P, 701P
Tolerance, 88, 336P; 89, 643P, 795P, 796P, 832P
Tonic activity, 89, 581P
Torasemide, 89, 678P
Toxicity, 88, 424P, 425P
Trachea, guinea-pig, 88, 407P, 409P; 89, 781P
Trachea, mouse, 89, 585P
Trachea, rat, 89, 821P
Tracheal muscle strip, 88, 316P
Tracheal smooth muscle, bovine, 87, 65P
Tracheal smooth muscle, chick isolated, 88, 415P
Train-of-four fade, 89, 472P
Transduction processes, 88, 253P
Tremor, 87, 227P
Trifluoperazine, 89, 876P
Tri-iodothyronine enantiomers, 89, 732P
Trimethyltin, 89, 880P
Tryptophan hydroxylase activity, 88, 342P
Tryptophan metabolism, 89, 859P
L-tryptophan binding, 89, 527P
L-tryptophan uptake, 89, 527P
Trypsin, 89, 589P
Tryptamine, 87, 196P; 89, 644P
Tubocurarine, 88, 414P
Tulobuterol, 89, 595P
Tyramine potentiation, 89, 685P
Tyrosine activity, 89, 592P
Tyrosine hydroxylation, 88, 343P

U50488H, 89, 676P
UK-14,304, 87, 89P, 190P, 193P; 89, 495P, 830P
Ulcer pain, 89, 714P
Ulceration, 87, 9P; 88, 405P
Ultrasonic nebuliser, 87, 225P
Umbilical artery, human, 88, 320P; 89, 587P
Uric acid, 87, 135P
Urinary bladder, 89, 514P, 547P
Urinary excretion, 89, 848P
Urine, 87, 169P
Urotensin, 87, 175P
Uterus, 89, 670P
Uterus, rat, 87, 90P; 89, 620P
Uterine smooth muscle, sheep, 88, 241P

Vagal nerve stimulation, 87, 184P
Vas deferens, mouse, 87, 94P; 89, 786P
Vas deferens, rat, 87, 94P, 147P, 209P, 213P; 88, 276P, 432P; 89, 578P, 579P, 580P, 581P, 582P, 583P, 839P, 843P
Vas deferens, stimulation, 89, 838P
Vascular leakage, 88, 260P
Vascular muscle, 88, 251P; 89, 691P, 822P, 841P
Vascular muscle, rat, 88, 292P
Vascular permeability, 87, 211P; 88, 418P; 89, 764P
Vascular receptors, 89, 541P
Vascular relaxants, 87, 176P
Vascular smooth muscle, 87, 57P, 98P
Vasoactive agents, 89, 598P
Vasoactive intestinal peptide, 87, 57P
Vasoactive intestinal peptide receptors, 87, 174P
Vasoconstriction, 88, 395P, 396P, 397P; 89, 601P, 617P
Vasodilation, 87, 12P, 54P, 56P, 183P; 88, 436P, 441P; 89, 708P, 753P, 847P
Vasopressin, 87, 218P; 89, 543P
Vasopressin V_1 antagonist, 88, 310P; 89, 543P
Vasospasm, 89, 691P
Ventricle, cat, 89, 572P
Ventricle, human, 87, 203P
Ventricular arrhythmias, 89, 611P
Ventricular muscle, guinea-pig, 89, 804P
Ventrolateral medulla, 87, 63P
Verapamil, 87, 2P; 88, 251P, 444P; 89, 616P, 737P, 759P, 821P
Vigabatrin, 89, 628P
Vitamin K1 2,3 epoxide reductase, 89, 663P
Voltammetry, 88, 344P
Vomiting, 88, 374P, 375P; 89, 860P

W7, 87, 4P
Wakefulness, 89, 522P
Water-loaded rats, 89, 738P
WB 4101, 88, 302P
Welding fumes, 89, 805P
Wet dog shakes, 88, 300P; 89, 530P
Withdrawal syndrome, 88, 360P
Wound healing, 88, 402P

X-maze, 89, 646P
Xanthine oxidase inhibition, 89, 544P
Xamoterol, 87, 223P; 88, 449P; 89, 594P

Y proteins, 87, 49P
Yawning, 89, 625P, 727P
[^{3}H]-yohimbine, 87, 89P

Z proteins, 87, 49P
Zimelidine, 89, 521P
Zinc, 89, 744P
Zolpidem, 87, 38P, 39P, 151P, 152P;
88, 296P; 89, 730P
Zolpidem binding sites, 88, 345P